

KENTUCKY AIRPORT ZONING COMMISSION

AGENDA

June 10, 2021

KENTUCKY AIRPORT ZONING COMMISSION

AGENDA

June 10, 2021

I. ROLL CALL:

Randall Royer, Acting Administrator
Susan Chaplin, Interim Chairman
Michael Betson, Commissioner
Lindsey Case, Commissioner
William DeReamer, Commissioner

Kimber Heddens, Jr, Commissioner
Charles Miller, Commissioner
Timothy Talton, Commissioner
Jason Salazar-Munoz, Administration
Tammi Jarboe, Administration
Not Present, Office of Legal Service

II. INTRODUCTIONS:

Guests:

III. APPROVAL OF MINUTES FROM PREVIOUS MEETINGS – April 08, 2021

IV. OLD BUSINESS - ACTION REQUIRED -

V. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH FALL WITHIN COMMISSION'S JURISDICTION BUT DO NOT EXCEED MINIMUM OBSTRUCTION STANDARDS:

1. AS-FLOYD-PBX-2021-034

APPLICANTS NAME	East Kentucky Network, LLC
CONSTRUCTION LOCATION	Stanville, KY
LATITUDE/LONGITUDE	37° 36' 17.67" N / 82° 40' 4.87" W
HEIGHT (In Feet)	310' AGL/1535' AMSL
CONSTRUCTION PROPOSED	Antenna Tower

NOTES: The Antenna Tower will be located 5.4 Nautical Miles North West by West from PBX Pike County Hatcher Field Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-10809-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

2. **AS-FLOYD-PBX-2021-035**

APPLICANTS NAME East Kentucky Network, LLC
CONSTRUCTION LOCATION Betsy Layne, KY
LATITUDE/LONGITUDE 37° 33' 53.2" N / 82° 37' 53.02" W
HEIGHT (In Feet) 310' AGL/1706' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 3.1 Nautical Miles West from PBX Pike County Hatcher Field Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-10684-OE. No Hazard, MIWOL Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

3. **AS-BOONE-CVG-2021-036**

APPLICANTS NAME Duke Energy
CONSTRUCTION LOCATION Walton, KY
LATITUDE/LONGITUDE 38° 52' 5.98" N / 84° 42' 7.72" W
HEIGHT (In Feet) 315' AGL/1172' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 10.9 Nautical Miles South by West from CVG Cincinnati/Northern Kentucky International Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2020-ASO-36696-OE. No Hazard, Medium Dual Obstruction Lighting.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

4. **AS-JOHNSON-9KY9-2021-037**

APPLICANTS NAME Tri-State Electronics, Inc.
CONSTRUCTION LOCATION Paintsville, KY
LATITUDE/LONGITUDE 37° 46' 56.5" N / 82° 55' 19.8" W
HEIGHT (In Feet) 148' AGL/1514' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 7.20 Nautical Miles West North West from 9KY9 Paintsville- Prestonsburg-Combs Field Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-12557-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

5. **AS-BOYD-DWU-2021-038**

APPLICANTS NAME Parallel Infrastructure III, LLC
CONSTRUCTION LOCATION Catlettsburg, KY
LATITUDE/LONGITUDE 38° 20' 51.73" N / 82° 36' 48.25" W
HEIGHT (In Feet) 231' AGL/1077' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 13.72 Nautical Miles South Southeast from DWU Ashland Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-14227-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

6. **AS-JEFFERSON-SDF-2021-040**

APPLICANTS NAME Chris Brawner
CONSTRUCTION LOCATION Louisville, KY
LATITUDE/LONGITUDE 38° 11' 37.632" N / 85° 44' 19.784" W
HEIGHT (In Feet) 75' AGL/559' AMSL
CONSTRUCTION PROPOSED Stage

NOTES: The Stage will be located 3,198 Feet North West from SDF Louisville Muhammad Ali International Airport Runway's 17L. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-13688-OE. Work In Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

7. **AS-ROWAN-SYM-2021-042**

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Morehead, KY
LATITUDE/LONGITUDE 38°11'06.767"N / 83°23'23.01"W
HEIGHT (In Feet) 281 AGL/855' AMSL
CONSTRUCTION PROPOSED Power Lines (Alteration)

NOTES: The Power Lines are located 9.52 Nautical Miles East by South from SYM Morehead-Rowan County Clyde A Thomas Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed. Replacing Overhead Ground Wire (OHGW) with Optical Ground Wire (OPGW).

FAA DETERMINATION: 2021-ASO-13133-13154-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

8. AS-SCOTT-27K-2021-043

APPLICANTS NAME John Monday
CONSTRUCTION LOCATION Georgetown, KY
LATITUDE/LONGITUDE 38° 19' 52.1" N / 84° 36' 17.7" W
HEIGHT (In Feet) 199' AGL/1168' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 9.91 Nautical Miles Northwest by West from 27K Georgetown-Scott County Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: FAA Determination Not Required. FAA Notice Criteria Tool.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

9. AS-HOPKINS-2I0-2021-045

APPLICANTS NAME John Monday
CONSTRUCTION LOCATION Madisonville, KY
LATITUDE/LONGITUDE 37° 19' 52.2" N / 87° 29' 9.7" W
HEIGHT (In Feet) 160' AGL/596' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 4.47 Nautical Miles West South West from 2I0 Madisonville Regional Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: Not on File

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

10. AS-BOONE-CVG-2021-046

APPLICANTS NAME Neyer - Aaron Epling
CONSTRUCTION LOCATION Hebron, KY
LATITUDE/LONGITUDE 39° 4' 23.55" N / 84° 41' 18.36" W
HEIGHT (In Feet) 48' AGL/898' AMSL
CONSTRUCTION PROPOSED Building

NOTES: The Building will be located 1,594 Feet Northwest from CVG Cincinnati/Northern Kentucky International Airport's Runway 18R. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-16926-OE. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

11. AS-BOONE-CVG-2021-047

APPLICANTS NAME Neyer - Aaron Epling
CONSTRUCTION LOCATION Hebron, KY
LATITUDE/LONGITUDE 39° 4' 28.17" N / 84° 41' 13.67" W
HEIGHT (In Feet) 52' AGL/892' AMSL
CONSTRUCTION PROPOSED Building

NOTES: The Building will be located 1,633 Feet Northwest from CVG Cincinnati/Northern Kentucky International Airport's Runway 18R. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-16901-OE. Work in Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

12. AS-BOONE-CVG-2021-048

APPLICANTS NAME Arlington Properties, William Morris
CONSTRUCTION LOCATION Florence, KY
LATITUDE/LONGITUDE 39° 1' 13.92" N / 84° 37' 48.16" W
HEIGHT (In Feet) 56' AGL/946' AMSL
CONSTRUCTION PROPOSED Building

NOTES: The Building will be located 2.44 Nautical Miles Southeast from CVG Cincinnati/Northern Kentucky International Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-11615-OE. No Hazard, No Marking/Lighting Required.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

13. AS-NELSON-BRY-2021-049

APPLICANTS NAME Samuels Field Airport (BRY)
CONSTRUCTION LOCATION Bardstown, KY
LATITUDE/LONGITUDE 37° 48' 37.07" N / 85° 29' 59.09" W
HEIGHT (In Feet) 30' AGL/667.5' AMSL
CONSTRUCTION PROPOSED Building (Terminal)

NOTES: The Terminal will be located within BRY Samuels Field Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-2491-NRA. Work in Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

14. AS-PERRY-CPF-2021-051

APPLICANTS NAME Mountain Properties, Inc.
CONSTRUCTION LOCATION Chavies, KY
LATITUDE/LONGITUDE 37° 22' 40.0403" N / 83° 14' 56.9693" W
HEIGHT (In Feet) 18' AGL/1279' AMSL
CONSTRUCTION PROPOSED House

NOTES: The House will be located 1,315 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-15873-OE. Pending

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

15. AS-PERRY-CPF-2021-052

APPLICANTS NAME Mountain Properties, Inc.
CONSTRUCTION LOCATION Chavies, KY
LATITUDE/LONGITUDE 37° 22' 41.2988" N / 83° 14' 54.5205" W
HEIGHT (In Feet) 18' AGL/1275' AMSL
CONSTRUCTION PROPOSED House

NOTES: The House will be located 1,467 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-15875-OE. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

16. AS-PERRY-CPF-2021-053

APPLICANTS NAME Mountain Properties, Inc.
CONSTRUCTION LOCATION Chavies, KY
LATITUDE/LONGITUDE 37° 22' 40.3214" N / 83° 14' 51.9802" W
HEIGHT (In Feet) 18' AGL/1272' AMSL
CONSTRUCTION PROPOSED House

NOTES: The House will be located 1,689 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-15876-OE. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

- 17. AS-PERRY-CPF-2021-054**
 APPLICANTS NAME Mountain Properties, Inc.
 CONSTRUCTION LOCATION Chavies, KY
 LATITUDE/LONGITUDE 37° 22' 40.0144" N / 83° 14' 49.1255" W
 HEIGHT (In Feet) 18' AGL/1269' AMSL
 CONSTRUCTION PROPOSED House
NOTES: The House will be located 1,917 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.
FAA DETERMINATION: 2021-ASO-15877-OE. Pending.
RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.
PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.
- 18. AS-PERRY-CPF-2021-055**
 APPLICANTS NAME Mountain Properties, Inc.
 CONSTRUCTION LOCATION Chavies, KY
 LATITUDE/LONGITUDE 37° 22' 36.0866" N / 83° 14' 49.3467" W
 HEIGHT (In Feet) 18' AGL/1270' AMSL
 CONSTRUCTION PROPOSED House
NOTES: The House will be located 2,038 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.
FAA DETERMINATION: 2021-ASO-15879-OE. Pending.
RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.
PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.
- 19. AS-PERRY-CPF-2021-056**
 APPLICANTS NAME Mountain Properties, Inc.
 CONSTRUCTION LOCATION Chavies, KY
 LATITUDE/LONGITUDE 37° 22' 40.3355" N / 83° 14' 47.5631" W
 HEIGHT (In Feet) 38' AGL/1291' AMSL
 CONSTRUCTION PROPOSED Power Line
NOTES: The Power Line will be located 2,034 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.
FAA DETERMINATION: 2021-ASO-15887-OE. Pending.
RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.
PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

- 20. AS-PERRY-CPF-2021-057**
 APPLICANTS NAME Mountain Properties, Inc.
 CONSTRUCTION LOCATION Chavies, KY
 LATITUDE/LONGITUDE 37° 22' 39.9592" N / 83° 14' 45.3542" W
 HEIGHT (In Feet) 38' AGL/1286' AMSL
 CONSTRUCTION PROPOSED Power Line
NOTES: The Power Line will be located 2,211 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.
FAA DETERMINATION: 2021-ASO-15891-OE. Pending.
RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.
PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.
- 21. AS-PERRY-CPF-2021-058**
 APPLICANTS NAME Mountain Properties, Inc.
 CONSTRUCTION LOCATION Chavies, KY
 LATITUDE/LONGITUDE 37° 22' 38.1667" N / 83° 14' 45.463" W
 HEIGHT (In Feet) 38' AGL/1286' AMSL
 CONSTRUCTION PROPOSED Power Line
NOTES: The Power Line will be located 2,257 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.
FAA DETERMINATION: 2021-ASO-15891-OE. Pending.
RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.
PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.
- 22. AS-PERRY-CPF-2021-059**
 APPLICANTS NAME Mountain Properties, Inc.
 CONSTRUCTION LOCATION Chavies, KY
 LATITUDE/LONGITUDE 37° 22' 36.5443" N / 83° 14' 44.6075" W
 HEIGHT (In Feet) 38' AGL/1285' AMSL
 CONSTRUCTION PROPOSED Power Line
NOTES: The Power Line will be located 2,369 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.
FAA DETERMINATION: 2021-ASO-15893-OE. Pending.
RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.
PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

23. AS-WARREN-BWG-2021-060

APPLICANTS NAME Kentucky Transportation Cabinet
CONSTRUCTION LOCATION Bowling Green, KY
LATITUDE/LONGITUDE 36° 57' 21.463" N / 86° 24' 53.071" W
HEIGHT (In Feet) 34' AGL/576.32' AMSL
CONSTRUCTION PROPOSED Signal Poles

NOTES: The Signal Poles will be located 843 Feet South from BWG Bowling Green-Warren County Regional Airport's Runway 30. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-17642-44-OE. Pending.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

24. AS-BOONE-CVG-2021-061

APPLICANTS NAME East Kentucky Power
CONSTRUCTION LOCATION Covington, KY
LATITUDE/LONGITUDE 39° 02' 53.256" N / 84° 44' 22.670" W
HEIGHT (In Feet) 77' AGL/895.7' AMSL
CONSTRUCTION PROPOSED Power Lines

NOTES: The Power Lines will be located 2.0 Nautical Miles West from CVG Cincinnati/Northern Kentucky International Airport's runway 9. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: Not on File.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

25. AS-FAYETTE-LEX-2021-063

APPLICANTS NAME C3 Presents
CONSTRUCTION LOCATION Lexington, KY
LATITUDE/LONGITUDE 38° 02' 55.12" N / 84° 35' 52.89" W
HEIGHT (In Feet) 45' AGL/983' AMSL
CONSTRUCTION PROPOSED Stage

NOTES: The Stage will be located 2,696 Feet North East from LEX Blue Grass Airport. Preliminary review indicates this structure exceeds no state standard. Obstruction marking/lighting is proposed.

FAA DETERMINATION: Not on File.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

VI. APPLICATIONS FOR A PERMIT TO CONSTRUCT OR ALTER A STRUCTURE WHICH EXCEEDS MINIMUM OBSTRUCTION STANDARDS:

1. AS-JEFFERSON-SDF-2021-039

APPLICANTS NAME Chris Brawner
CONSTRUCTION LOCATION Louisville, KY
LATITUDE/LONGITUDE 38° 11' 43.896" N / 85° 44' 8.793" W
HEIGHT (In Feet) 75' AGL/566' AMSL
CONSTRUCTION PROPOSED Stage

NOTES: The Stage will be located 3,259 Feet North from SDF Louisville Muhammad Ali International Airport's runway 17L. Preliminary review indicates this structure exceeds runway 17L Approach Surface by 5.45ft. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-13694-OE. Work in Progress

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

2. AS-JEFFERSON-SDF-2021-041

APPLICANTS NAME Chris Brawner
CONSTRUCTION LOCATION Louisville, KY
LATITUDE/LONGITUDE 38° 11' 40.047" N / 85° 44' 0.957" W
HEIGHT (In Feet) 57' AGL/551' AMSL
CONSTRUCTION PROPOSED Stage

NOTES: The Stage will be located 2,689 Feet North from SDF Louisville Muhammad Ali International Airport's Runway 17L. Preliminary review indicates this structure exceeds Runway 17L Approach Surface by 1.22 feet. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-13674-OE. Work in Progress.

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

3. AS-PERRY-CPF-2021-050

APPLICANTS NAME Mountain Properties, Inc.
CONSTRUCTION LOCATION Chavies, KY
LATITUDE/LONGITUDE 37° 22' 40.3821" N / 83° 14' 57.9563" W
HEIGHT (In Feet) 18' AGL/1280' AMSL
CONSTRUCTION PROPOSED House

NOTES: The House will be located 1,255 Feet East South East from CPF Wendell Ford Regional Airport's Runway 32. Preliminary review indicates this structure exceeds runway 32 Approach Surface by 1.96 feet. Obstruction marking/lighting is not proposed.

FAA DETERMINATION: 2021-ASO-15868-OE. Pending.

RECOMMENDATION: Approve in accordance with the FAA determination.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

4. AS-FAYETTE-LEX-2021-062

APPLICANTS NAME C3 Presents
CONSTRUCTION LOCATION Lexington, KY
LATITUDE/LONGITUDE 38° 2' 57.78" N / 84° 35' 33.24" W
HEIGHT (In Feet) 81.11' AGL/1046.11' AMSL
CONSTRUCTION PROPOSED Stage

NOTES: The Stage will be located 3,015 Feet North East from LEX Blue Grass Airport. Preliminary review indicates this structure exceeds runway 22 approach surface by 12ft. Obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-18102-OE. Work in Progress

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

5. AS-HANCOCK-KY8-2021-044

APPLICANTS NAME John Monday
CONSTRUCTION LOCATION Lewisport, KY
LATITUDE/LONGITUDE 37° 57' 24.7" N / 86° 49' 6.2" W
HEIGHT (In Feet) 199' AGL/703' AMSL
CONSTRUCTION PROPOSED Antenna Tower

NOTES: The Antenna Tower will be located 1.96 Nautical Miles East from KY8 Hancock County/Ron Lewis Field. Preliminary review indicates this structure exceeds the horizontal surface by 140ft. Obstruction marking/lighting is proposed.

FAA DETERMINATION: 2021-ASO-18022-OE. Work in Progress

RECOMMENDATION: Approve with FAA obstruction marking and lighting pending FAA Determination of No Hazard/No IFR/VFR effect.

PUBLIC COMMENTS: Public comments must be received before Wednesday, June 09, 2021.

VII. FINES:

Perfection Group Inc. - Using a crane near FFT Capital City Airport without a permit on May 21, 2021.
1143 Brock McVey Dr. Suite 120
Lexington, Kentucky 40509
\$500.00 Fine

IX. ADJOURN:

Next Meeting – August 12, 2021 9:30 AM EST