



COMMONWEALTH OF KENTUCKY
TRANSPORTATION CABINET

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Matthew G. Bevin
Governor

Greg Thomas
Secretary

June 20, 2018

CALL NO. 101
CONTRACT ID NO. 181020
ADDENDUM # 2

Subject: HARDIN COUNTY, NHPP 0022 (015)
Letting June 22, 2018

- (1) Revised - General Summary - Pages 31-32 of 490
- (2) Revised - Paving Summary - Page 33 of 490
- (3) Revised - Shoulder Repair Detail Sheet - Page 40 of 490
- (4) Revised - Special Note - Page 389 of 490
- (5) Revised - Proposal Bid Items - Pages 488-490 of 490

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures



An Equal Opportunity Employer M/F/D

**BLUEGRASS PKWY
HARDIN COUNTY
PAVEMENT REHABILITATION, MILEPOST 0.360 TO 5.853 EB & WB
ITEM NO. 4-2068
GENERAL SUMMARY**

ITEM NUMBER	ITEM	UNIT	QUANTITY
22883EN	CONCRETE WEDGE CURB	LIN FT	392
2157	PAVED DITCH TYPE 1 ⑨	SQ YD	4272
20071EC	JOINT ADHESIVE	LIN FT	18,120
24189ER	DURABLE WATERBORNE MARKING - 6 IN W	LIN FT	72,507
24190ER	DURABLE WATERBORNE MARKING - 6 IN Y	LIN FT	58,006
24191ER	DURABLE WATERBORNE MARKING - 12 IN W	LIN FT	300
6511	PAVE STRIPING TEMP PAINT - 6 IN	LIN FT	250,000
6549	PAVE STRIPING-TEMP REM TAPE-B (8 IN)	LIN FT	940
6550	PAVE STRIPING-TEMP REM TAPE-W (6 IN)	LIN FT	3,000
6551	PAVE STRIPING-TEMP REM TAPE-Y (6 IN)	LIN FT	4,000
1992	INSTALL TEMP CONC MED BARRIER	LIN FT	1,800
1982	DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE ②	EACH	413
2003	RELOCATE TEMP CONC BARRIER	LIN FT	1,800
2483	CHANNEL LINING CLASS II ④	TON	1,840
2484	CHANNEL LINING CLASS III ③ ④	TON	3,600
5952	TEMPORARY MULCH	SQ YD	102,050
2703	SILT TRAP TYPE A	EACH	32
2704	SILT TRAP TYPE B	EACH	32
2705	SILT TRAP TYPE C	EACH	32
2706	CLEAN SILT TRAP TYPE A	EACH	32
2707	CLEAN SILT TRAP TYPE B	EACH	32
2708	CLEAN SILT TRAP TYPE C	EACH	32
40030	TEMPORARY SILT FENCE	LIN FT	14,500
5963	INITIAL FERTILIZER	TON	15.9
5964	20-10-10 FERTILIZER	TON	8.0
5992	AGRICULTURAL LIMESTONE	TON	94.9
5953	TEMP SEEDING AND PROTECTION	SQ YD	76,538
5950	EROSION CONTROL BLANKET ④	SQ YD	153,075
2655	CROSSOVERS #1	LP SUM	1
2655	CROSSOVERS #2	LP SUM	1
23067EN	SHOULDERING-SPECIAL	LIN FT	1,675
2165	REMOVE PAVED DITCH ⑧	SQ YD	7,302

- ① CARRIED OVER FROM PAVING SUMMARY
 ② CARRIED OVER FROM GUARDRAIL SUMMARY
 ③ CARRIED OVER FROM PIPE SUMMARY
 ④ ESTIMATED QUANTITY TO BE USED IN SLOPE WASHOUTS & OTHER AREAS AS DIRECTED BY THE ENGINEER.
 ⑤ FOR SLIDE EXCAVATION
 ⑥ 7,204 TONS FROM SLIDE REPAIR DETAIL, 6,032 TONS FOR ROCK CUT DITCH SLOPE FLATTENING

- ⑦ FOR REGRADING SLOPES IN EARTH CUTS AND IN EMBANKMENT AREAS OUTSIDE SHOULDERS.
 ⑧ 4,272 FROM MEDIAN GRADING SUMMARY, 3,030 TO BE USED AS DIRECTED.
 ⑨ CARRIED OVER FROM MEDIAN GRADING DETAIL
 ⑩ FOR SIGN BASE REPAIRS, SEE DETAIL

**BLUEGRASS PKWY
HARDIN COUNTY
PAVEMENT REHABILITATION, MILEPOST 0.360 TO 5.853 EB & WB
ITEM NO. 4-2068
GENERAL SUMMARY**

ITEM NUMBER	ITEM	UNIT	QUANTITY
3225	TUBULAR MARKERS	EACH	980
6401	FLEXIBLE DELINEATOR POST - M/W	EACH	290
6404	FLEXIBLE DELINEATOR POST - M/Y	EACH	6
2575	DITCHING AND SHOULDERING	LIN FT	29,000
2775	ARROW PANEL	EACH	2
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	3
2676	MOBILIZATION FOR MILL & TEXT	LP SUM	1
2650	MAINTAIN & CONTROL TRAFFIC	LP SUM	1
2200	ROADWAY EXCAVATION ⑤	CU YD	4,595
78	CRUSHED AGGREGATE SIZE NO. 2 ⑥	TON	13,236
2599	FABRIC - GEOTEXTILE TYPE IV ⑤	SQ YD	2,825
2562	TEMPORARY SIGNS	SQ FT	665
24489EC	INLAID PAVEMENT MARKER	EACH	725
8903	CRASH CUSHION TYPE IV BT TL3	EACH	2
2230	EMBANKMENT IN PLACE ⑦	CU YD	15,263
1983	DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL YELLOW ②	EACH	24
1691	FLUME INLET TYPE 2	EACH	2
2014	BARRICADE - TYPE III	EACH	8
2726	STAKING	LP SUM	1
2898	RELOCATE CRASH CUSHION	EACH	2
2019IED	OBJECT MARKER TY 3 ②	EACH	44
2145IED	FILL AND GRADE MEDIAN ⑨	LIN FT	29,000
2568	MOBILIZATION	LP SUM	1
2569	DEMOBILIZATION	LP SUM	1
1003ONS	ASPHALT ADJUSTMENT	DOLLAR	127,430
1002ONS	FUEL ADJUSTMENT	DOLLAR	110,089
24846EC	GABION MATTRESS DITCH	CU YD	128
2391IEC	GROUT	CU YD	10
8100	CONCRETE-CLASS A ⑩	CU YD	2.2
8150	STEEL REINFORCEMENT ⑩	LB	358

- ① CARRIED OVER FROM PAVING SUMMARY
 ② CARRIED OVER FROM GUARDRAIL SUMMARY
 ③ CARRIED OVER FROM PIPE SUMMARY
 ④ ESTIMATED QUANTITY TO BE USED IN SLOPE WASHOUTS & OTHER AREAS AS DIRECTED BY THE ENGINEER.
 ⑤ FOR SLIDE EXCAVATION
 ⑥ 7,204 TONS FROM SLIDE REPAIR DETAIL, 6,032 TONS FOR ROCK CUT DITCH SLOPE FLATTENING

- ⑦ FOR REGRADING SLOPES IN EARTH CUTS AND IN EMBANKMENT AREAS OUTSIDE SHOULDERS.
 ⑧ 4,272 FROM MEDIAN GRADING SUMMARY, 3,030 TO BE USED AS DIRECTED.
 ⑨ CARRIED OVER FROM MEDIAN GRADING DETAIL
 ⑩ FOR SIGN BASE REPAIRS, SEE DETAIL

**BLUEGRASS PKWY
HARDIN COUNTY
PAVEMENT REHABILITATION, MILEPOST 0.360 TO 5.853 EB & WB
ITEM NO. 4-2068
PAVING SUMMARY**

PAVING AREAS		PAVING AREAS	
ITEM	TOTAL	ITEM	TOTAL
MAINLINE TRAFFIC LANES, INSIDE SHOULDERS	SQ YD	DOUBLE SEAL COAT ON SHOULDERS	SQ YD
1/2" ASPHALT PAVE MILLING & TEXTURING	47,825	ASPHALT SEAL AGGREGATE (1)	54,133
2" ASPHALT PAVE MILLING & TEXTURING	122,205	ASPHALT SEAL COAT (2)	54,133
4.75" ASPHALT PAVE MILLING & TEXTURING	8,842	DGA WEDGE (CY)	12,900
1/2" CL3 ASPH SURF 0.38A PG76-22	33,175	PERMANENT MEDIAN CROSSOVER	SQ YD
2 1/2" CL3 ASPH BASE 0.75D PG76-22	22,921	2" ASPHALT PAVE MILLING & TEXTURING	240
6" JPC PAVEMENT	147,508	6" JPC PAVEMENT	240
LEVELING & WEDGING PG64-22	33,175	PAVEMENT REPAIR	SQ YD
LEVELING & WEDGING PG64-22 (CY)	8,260	8" CL3 ASPH BASE 0.75D PG76-22	2,700
MAINLINE OUTSIDE SHOULDERS	SQ YD	8" ASPHALT PAVE MILLING & TEXTURING	2,700
1/2" ASPHALT PAVE MILLING & TEXTURING	11,848	CROSSOVERS #1 & #2	SQ YD
2 1/2" CL2 ASPH BASE 0.75D PG64-22	51,759	4" DGA BASE	8,800
3" CL2 ASPH BASE 0.75D PG64-22	5,864	6" CL2 ASPH BASE 0.75D PG64-22	8,800
1/2" CL2 ASPH SURF 0.38D PG64-22	64,444	1/2" ASPH SURF 0.38D PG64-22	8,800
LEVELING & WEDGING PG64-22 (CY)	4,141	ALL ASPHALT LAYERS	
		ASPHALT MATERIAL FOR TACK	223,855

PAVING SUMMARY


CODE	ITEM	UNITS	PROJECT TOTAL
1	DGA BASE (3)	TON	29,530
336	CLASS 3 ASPHALT SURFACE 0.38A PG76-22	TON	2,737
225	CLASS 3 ASPHALT BASE 0.75D PG76-22	TON	4,340
301	CLASS 2 ASPHALT SURFACE 0.38D PG64-22	TON	6,042
221	CLASS 2 ASPHALT BASE 0.75D PG64-22	TON	10,989
2075	JPC PAVEMENT - 6"	SQ YD	147,508
2677	ASPHALT PAVEMENT MILLING & TEXTURING	TON	21,982
190	LEVELING & WEDGING PG64-22	TON	25,212
100	ASPHALT SEAL AGGREGATE (1)	TON	1,083
103	ASPHALT SEAL COAT (2)	TON	130
356	ASPHALT MATERIAL FOR TACK	TON	94

ALL QUANTITIES HAVE BEEN CARRIED OVER AND INCLUDED IN THE GENERAL SUMMARY

- (1) ESTIMATED AT 20 LBS/S.Y. FOR ENTIRE AREA (ONE APPLICATION)
- (2) ESTIMATED AT 2.4 LBS/S.Y. FOR ENTIRE AREA (ONE APPLICATION)
- (3) TO BE USED TO WEDGE SHOULDERS. 825 TONS ADDED FOR END TREATMENTS

SHOULDER REPAIR DETAIL

COUNTY OF	ITEM NO.	SHEET NO.
HARDIN	4-2068	



SHOULDER REPAIR AREAS

LOCATIONS (WB)	LENGTH (LIN. FEET)	LOCATION (EB)	LENGTH (LIN. FEET)
0.45 - 0.51	295	4.07	80
1.12	40	5.24	225
3.89 - 3.94	280		
3.57 - 3.72	775		
WB TOTAL	1370	EB TOTAL	305

SHOULDER REPAIR NOTE :

THE BID ITEM SHOULDERING-SPECIAL PER LINEAR FOOT INCLUDES EXCAVATION, SOIL REFILL, AND FINAL DRESSING OF THE DISTURBED AREA.
 DGA AND ASPHALT SEAL COAT WILL BE PAID FOR PER THE SPECIFICATIONS.
 SHOULDERING-SPECIAL INCLUDES REMOVING THE EXISTING SHOULDER TO THE DEPTH SPECIFIED OR AS DIRECTED BY THE ENGINEER AND BACKFILLING WITH CLAY SOIL.
 THE INTENT OF THE SHOULDERING-SPECIAL IS TO BE DONE JUST PRIOR TO THE OVERLAY CONSTRUCTION PHASE.

NOT TO SCALE

MARTHA LANE COLLINS
 BLUEGRASS PKWY
 SHOULDER REPAIR DETAIL

and use erosion control blanket in all seeding applications.

- E. **Fill and Grade Median.** Provide soil embankment and dress to grade in accordance with the proposed grades and cross sections. Dress and remove any rocks over 4" diameter, compact by tracking material in, and place final seeding. Use erosion control blanket for all median seeding applications. Existing sod may be filled over without removal. Grade slopes to a minimum 5:1 cross slope from the inside shoulder edge that is higher in elevation. Approximate slopes have been provided in the cross sections, however ensure all grading results in the positive drainage of the resulting ditches.
- F. **Embankment in Place.** Soil embankment will be used to dress slopes in accordance with the cross sections for fore-slopes in earth cuts and in fill areas not requiring guardrail. Provide soil embankment and dress to proposed grades in accordance with the cross sections. Dress and remove any rocks over 4" diameter, compact by tracking material in, and place final seeding. Use erosion control blanket for all median seeding applications. Existing sod may be filled over without removal.
- G. **Roadway Excavation.** A quantity of roadway excavation has been established for slide removal at Milepost 2.4 northbound. Waste generated from this operation may be used for dressing slopes (embankment or fill and grade median) provided it is free of vegetation and boulders and meets the requirements for "Embankment in Place".
- H. **Crushed Aggregate No. 2.** Crushed Aggregate No. 2 will be used to regrade ditch fore-slopes in presplit rock cuts. Perform ditching operations to clean the existing ditches of debris and grade to drain as part of the ditching and shouldering operations prior to installation of the Crushed Aggregate No. 2. Crushed Aggregate No 2 will also be used for refill in the slide repair area.
- I. **Erosion Control Blanket and Seeding and Protection.** Erosion control blanket is to be placed in all ditching areas not requiring aggregate channel lining when ditching is complete, on slope stabilization areas, median grading, and to permanently seed and protect any disturbed areas or as directed by the Engineer. Use Seed Mixture No. 1. In accordance with the Specifications, seeding and protection is considered incidental to "Erosion Control Blanket".
- J. **Channel Lining Class II & III.** Channel lining Class III is to be placed at pipe inlets or outlets as directed by the Engineer. Class II channel lining shall be placed in all areas where existing concrete ditches have been removed and also in the shoulder wash areas as directed by the Engineer. All grading around the pipe inlets or outlets shall be considered incidental to the bid item "Class III Channel Lining".

PROPOSAL BID ITEMS

181020

Report Date 6/20/18

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	29,530.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	1,083.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	130.00	TON		\$	
0040	00190		LEVELING & WEDGING PG64-22	25,212.00	TON		\$	
0050	00221		CL2 ASPH BASE 0.75D PG64-22	10,989.00	TON		\$	
0060	00225		CL3 ASPH BASE 0.75D PG76-22	4,340.00	TON		\$	
0070	00301		CL2 ASPH SURF 0.38D PG64-22	6,042.00	TON		\$	
0080	00336		CL3 ASPH SURF 0.38A PG76-22	2,737.00	TON		\$	
0090	00356		ASPHALT MATERIAL FOR TACK	94.00	TON		\$	
0100	02075		JPC PAVEMENT-6 IN	147,508.00	SQYD		\$	
0110	02677		ASPHALT PAVE MILLING & TEXTURING	21,982.00	TON		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0120	00078		CRUSHED AGGREGATE SIZE NO 2	13,236.00	TON		\$	
0130	01691		FLUME INLET TYPE 2	2.00	EACH		\$	
0140	01982		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE	413.00	EACH		\$	
0150	01983		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL YELLOW	24.00	EACH		\$	
0160	01992		INSTALL TEMP CONC MED BARR	1,800.00	LF		\$	
0170	02003		RELOCATE TEMP CONC BARRIER	1,800.00	LF		\$	
0180	02014		BARRICADE-TYPE III	8.00	EACH		\$	
0190	02165		REMOVE PAVED DITCH	7,302.00	SQYD		\$	
0200	02200		ROADWAY EXCAVATION	4,595.00	CUYD		\$	
0210	02230		EMBANKMENT IN PLACE	15,263.00	CUYD		\$	
0220	02367		GUARDRAIL END TREATMENT TYPE 1	42.00	EACH		\$	
0230	02369		GUARDRAIL END TREATMENT TYPE 2A	15.00	EACH		\$	
0240	02373		GUARDRAIL END TREATMENT TYPE 3	2.00	EACH		\$	
0250	02381		REMOVE GUARDRAIL	27,850.00	LF		\$	
0260	02391		GUARDRAIL END TREATMENT TYPE 4A	2.00	EACH		\$	
0270	02483		CHANNEL LINING CLASS II	1,840.00	TON		\$	
0280	02484		CHANNEL LINING CLASS III	3,600.00	TON		\$	
0290	02562		TEMPORARY SIGNS	665.00	SQFT		\$	
0300	02575		DITCHING AND SHOULDERING	29,000.00	LF		\$	
0310	02599		FABRIC-GEOTEXTILE TYPE IV	2,825.00	SQYD		\$	
0320	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0330	02655		CROSSOVER #1	1.00	LS		\$	
0340	02655		CROSSOVER #2	1.00	LS		\$	
0350	02671		PORTABLE CHANGEABLE MESSAGE SIGN	3.00	EACH		\$	
0360	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0370	02696		SHOULDER RUMBLE STRIPS	116,000.00	LF		\$	
0380	02703		SILT TRAP TYPE A	32.00	EACH		\$	
0390	02704		SILT TRAP TYPE B	32.00	EACH		\$	

PROPOSAL BID ITEMS

181020

Report Date 6/20/18

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0400	02705		SILT TRAP TYPE C	32.00	EACH		\$	
0410	02706		CLEAN SILT TRAP TYPE A	32.00	EACH		\$	
0420	02707		CLEAN SILT TRAP TYPE B	32.00	EACH		\$	
0430	02708		CLEAN SILT TRAP TYPE C	32.00	EACH		\$	
0440	02726		STAKING	1.00	LS		\$	
0450	02775		ARROW PANEL	2.00	EACH		\$	
0460	02898		RELOCATE CRASH CUSHION	2.00	EACH		\$	
0470	03225		TUBULAR MARKERS	980.00	EACH		\$	
0480	05950		EROSION CONTROL BLANKET	153,075.00	SQYD		\$	
0490	05952		TEMP MULCH	102,050.00	SQYD		\$	
0500	05953		TEMP SEEDING AND PROTECTION	76,538.00	SQYD		\$	
0510	05963		INITIAL FERTILIZER	15.90	TON		\$	
0520	05964		20-10-10 FERTILIZER	8.00	TON		\$	
0530	05992		AGRICULTURAL LIMESTONE	94.90	TON		\$	
0540	06401		FLEXIBLE DELINEATOR POST-M/W	290.00	EACH		\$	
0550	06404		FLEXIBLE DELINEATOR POST-M/Y	6.00	EACH		\$	
0560	06511		PAVE STRIPING-TEMP PAINT-6 IN	250,000.00	LF		\$	
0570	06549		PAVE STRIPING-TEMP REM TAPE-B	940.00	LF		\$	
0580	06550		PAVE STRIPING-TEMP REM TAPE-W	3,000.00	LF		\$	
0590	06551		PAVE STRIPING-TEMP REM TAPE-Y	4,000.00	LF		\$	
0600	08100		CONCRETE-CLASS A	2.20	CUYD		\$	
0610	08150		STEEL REINFORCEMENT	358.00	LB		\$	
0620	08903		CRASH CUSHION TY VI CLASS BT TL3	2.00	EACH		\$	
0630	10020NS		FUEL ADJUSTMENT	110,089.00	DOLL	\$1.00	\$	\$110,089.00
0640	10030NS		ASPHALT ADJUSTMENT	127,430.00	DOLL	\$1.00	\$	\$127,430.00
0650	20071EC		JOINT ADHESIVE	18,120.00	LF		\$	
0660	20191ED		OBJECT MARKER TY 3	44.00	EACH		\$	
0670	21451ED		FILL AND GRADE MEDIAN	29,000.00	LF		\$	
0680	21802EN		G/R STEEL W BEAM-S FACE (7 FT POST)	26,787.50	LF		\$	
0695	23067EN		SHOULDERING-SPECIAL (ADDED: 6-20-18)	1,675.00	LF		\$	
0705	23911EC		GROUT (ADDED: 6-20-18)	10.00	CUYD		\$	
0710	24189ER		DURABLE WATERBORNE MARKING-6 IN W	72,507.00	LF		\$	
0720	24190ER		DURABLE WATERBORNE MARKING-6 IN Y	58,006.00	LF		\$	
0730	24191ER		DURABLE WATERBORNE MARKING-12 IN W	300.00	LF		\$	
0740	24489EC		INLAID PAVEMENT MARKER	725.00	EACH		\$	
0750	24846EC		GABION MATTRESS DITCH	128.00	CUYD		\$	
0760	40030		TEMPORARY SILT FENCE	14,500.00	LF		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0770	00461		CULVERT PIPE-15 IN	263.00	LF		\$	
0780	00462		CULVERT PIPE-18 IN	32.00	LF		\$	
0790	00464		CULVERT PIPE-24 IN	8.00	LF		\$	
0800	00466		CULVERT PIPE-30 IN	12.00	LF		\$	
0810	01202		PIPE CULVERT HEADWALL-15 IN	4.00	EACH		\$	
0820	01204		PIPE CULVERT HEADWALL-18 IN	1.00	EACH		\$	

PROPOSAL BID ITEMS

REVISED ADDENDUM #2: 6-20-18

181020

Page 3 of 3

Report Date 6/20/18

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0830	01310		REMOVE PIPE	197.00	LF		\$	
0840	01432		SLOPED BOX OUTLET TYPE 1-15 IN	1.00	EACH		\$	
0850	01450		S & F BOX INLET-OUTLET-18 IN	1.00	EACH		\$	
0860	01490		DROP BOX INLET TYPE 1	2.00	EACH		\$	
0870	01508		DROP BOX INLET TYPE 5C	33.00	EACH		\$	
0880	01641		JUNCTION BOX-15 IN	1.00	EACH		\$	
0890	01642		JUNCTION BOX-18 IN	1.00	EACH		\$	
0900	01718		REMOVE INLET	33.00	EACH		\$	
0910	02157		PAVED DITCH TYPE 1	4,272.00	SQYD		\$	
0920	02625		REMOVE HEADWALL	9.00	EACH		\$	
0930	22660EN		REPLACE GRATE	161.00	LB		\$	
0940	22883EN		CONCRETE WEDGE CURB	392.00	LF		\$	

Section: 0004 - MOBILIZATION AND DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0950	02568		MOBILIZATION	1.00	LS		\$	
0960	02569		DEMOBILIZATION	1.00	LS		\$	