

Steven L. Beshear Governor Frankfort, Kentucky 40622 www.transportation.ky.gov/

Michael W. Hancock, P.E. Secretary

February 17, 2012

CALL NO. 101

CONTRACT ID NO. 121305

Addendum # 2

Subject:

Jefferson County, IM 0656 (083)

Letting February 24, 2012

(1) Revised - Plan Sheet R29

Proposal revisions are available at http://transportation.ky.gov/Construction-Procurement

Plan revisions are available at http://www.lynnimaging.com/kytransportation/

If you have any questions, please contact us at (502) 564-3500.

Sincerely,

Ryan Griffith

Director

Division of Construction Procurement

RG:jj


Enclosures




COUNTIOF	5-2808.00	SHELLINU.
COUNTY OF	ITEM NO.	SHEET NO.

FULL DEPTH REPLACEMENT

(Use only if directed by Engineer)






- 1" REFLE CRACK I INTERLA
- 1) Total Removal Depth of 21 inches. Bid item "Remove Pavement", paid per square yard, shall be full compensation for all materials, equipment, labor, and incidentals necessary to remove all of the existing pavement (concrete or asphalt), DGA, and for any excavation to the depth necessary to place all materials as detailed above.
- Work associated with this detail shall only be performed if extremely deteriorated concrete (as determined by the Engineer) is encountered. This work may not be needed and shall be determined at the Engineer's discretion. Additional quantities are included in the "Paving Summary" to be used if this work is necessary. The length of repair shall be a minimum of 6' and will be determined by the Engineer if needed.
- 3 Saw cutting shall be required for all pavement removal.


COUNTY OF	ITEM NO.	SHEET NO.
JEFFERSON	5-2808.00	R29

↑ REVISED 2-16-12

FULL DEPTH REPLACEMENT

(Use only if directed by Engineer)





- Total Removal Depth of 21 inches. Bid item "Remove Pavement", paid per square yard, shall be full compensation for all materials, equipment, labor, and incidentals necessary to remove all of the existing pavement (concrete or asphalt), DGA, and for any excavation to the depth necessary to place all materials as detailed above.
- 2 Work associated with this detail shall only be performed if extremely deteriorated concrete (as determined by the Engineer) is encountered.

 This work may not be needed and shall be determined at the Engineer's discretion. Additional quantities are included in the "Paving Summary" to be used if this work is necessary. The length of repair shall be a minimum of 6' and will be determined by the Engineer if needed.
- 3 Saw cutting shall be required for all pavement removal.