



TRANSPORTATION CABINET

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Steven L. Beshear
Governor

Michael W. Hancock, P.E.
Secretary

February 22, 2012

CALL NO. 101
CONTRACT ID NO. 121305
ADDENDUM # 3

Subject: Jefferson County, IM 0656 (083)
Letting February 24, 2012

- (1) Revised - Plan Sheets - R2b & R2e
- (2) Revised - Bid Items - Pages 225-230 of 230

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

Plan revisions are available at <http://www.lynnimaging.com/kytransportation/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in blue ink that reads "Ryan Griffith".

Ryan Griffith
Director
Division of Construction Procurement

RG:ks
Enclosures



An Equal Opportunity Employer M/F/D

GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
JEFFERSON	5-2808.00	R2b

ITEM	DESCRIPTION	UNIT	I-65	RAMPS			PROJECT TOTALS	NOTES
1967	CONC MEDIAN BARRIER TYPE 12C	LIN FT	300	0			300	See Drainage note in sheet "Project Notes" and see sheet "Drainage Summary"
1982	DELINEATOR FOR GUARDRAIL - WHITE	EACH	200	0			200	
1984	DELINEATOR FOR BARRIER - WHITE	EACH	500	0			500	
1985	DELINEATOR FOR BARRIER - YELLOW	EACH	500	0			500	
2262	FENCE-WOVEN WIRE TYPE 1	LIN FT	200	0			200	Use to repair ROW fence near Sta. 149+00 and as directed by Engineer
2265	REMOVE FENCE	LIN FT	200	0			200	Use to repair ROW fence near Sta. 149+00 and as directed by Engineer
2381	REMOVE GUARDRAIL	LIN FT	19,675	1,225			20,900	See sheet "Guardrail Summary"
2363	GUARDRAIL CONNECTOR TO BRIDGE END TY A	EACH	13	3			16	See sheet "Guardrail Summary"
2367	GUARDRAIL END TREATMENT TYPE 1	EACH	3	0			3	See sheet "Guardrail Summary"
2369	GUARDRAIL END TREATMENT TYPE 2A	EACH	12	1			13	See sheet "Guardrail Summary"
2387	GUARDRAIL CONNECTOR TO BRIDGE END TY A-1	EACH	16	3			19	See sheet "Guardrail Summary"
2391	GUARDRAIL END TREATMENT TYPE 4A	EACH	5	0			5	See sheet "Guardrail Summary", embankment-in-place incidental to type 4a end treatment
8100	CONCRETE-CLASS A	CU YD	20	0			20	Bid item may not be necessary, use at discretion of the Engineer to repair barrier wall damaged during construction
8150	STEEL REINFORCEMENT	LB	2,000	0			2,000	Bid item may not be necessary, use at discretion of the Engineer to repair barrier wall damaged during construction
8908	CRASH CUSHION TYPE VII CLASS C	EACH	2	0			2	See sheet "Guardrail Summary"
21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	LIN FT	18,600	1,100			19,700	See sheet "Guardrail Summary"
21935EN	REMOVE CONC MEDIAN BARRIER	LIN FT	13,022	0			13,022	See sheet "Slip Form Single Slope Barrier - 50"
22880ED	BARRIER WALL TRANSITION	LIN FT	350	0			350	See sheets "Barrier Wall Transition" 3 Sheets
23633EC	SINGLE SLOPE CONC MEDIAN BARRIER-50	LIN FT	12,372	0			12,372	See sheet "Slip Form Single Slope Barrier - 50"
23624EC	REMOVE & RESET CRASH CUSHION	EACH	1	3			4	See sheet "Guardrail Summary"
1000	PERFORATED PIPE-4 INCH	LIN FT	330	0			330	Use from Sta. 2200+93 TO Sta. 2202+41 and as directed by Engineer for full depth repair locations
1010	NON-PERFORATED PIPE-4 INCH	LIN FT	120	0			120	Use from Sta. 2200+93 TO Sta. 2202+41 and as directed by Engineer for full depth repair locations
1020	PERF PIPE HEADWALL TY 1-4 INCH	EACH	4	0			4	Use as directed by Engineer for full depth repair locations; quantity may not be necessary
1480	CURB BOX INLET TYPE B	EACH	3	0			3	See sheet "Drainage Summary"
1484	CURB BOX INLET TYPE B-T	EACH	8	0			8	See sheet "Drainage Summary"
1565	DROP BOX INLET TYPE 13 G-T	EACH	22	0			22	See sheet "Drainage Summary"
1691	FLUME INLET TYPE 2	EACH	1	0			1	See plan sheets for location, any modifications necessary to fit flume to curb are incidental to "FLUME INLET TYPE 2"
1740	CORE HOLE DRAINAGE BOX CON-4 IN	EACH	4	0			4	See sheet "Phillips to Manning Full Depth Repair" and use as directed by Engineer
1792	ADJUST MANHOLE	EACH	6	0			6	See sheet "Drainage Summary"
1830	STANDARD INTEGRAL CURB	LIN FT	2,590	0			2,590	See sheet "Drainage Summary" and use at bridge ends as directed by the Engineer, some of this quantity may not be necessary
1904	REMOVE CURB	LIN FT	2,510	0			2,510	See sheet "Drainage Summary" and use at bridge ends as directed by the Engineer, some of this quantity may not be necessary
2237	DITCHING	LIN FT	5,000	0			5,000	3,000 lin. ft. added to be used at the discretion of the Engineer, this quantity may not be necessary
2483	CHANNEL LINING CLASS II	TON	1,000	0			1,000	700 ton added to be used at the discretion of the Engineer, this quantity may not be necessary
5985	SEEDING AND PROTECTION	SO YD	5,000	0			5,000	Use as directed by Engineer
24436EC	CONC MED BARR BOX INLET TYPE 12BI-T	EACH	54	0			54	See sheet "Concrete Median Barrier Box Inlet Modified"
24437EC	CONC MED BARR BOX INLET TYPE 12AI-T	EACH	3	0			3	See sheet "Concrete Median Barrier Box Inlet Modified"
24461ED	DRAINAGE GEOCOMPOSITE	SO YD	250	0			250	See sheet "Asphalt Pavement Drains"
6592	PAVEMENT MARKER TYPE V - B W/R	EACH	1,396	210			1,606	
6593	PAVEMENT MARKER TYPE V - B Y/R	EACH	558	229			787	
23159EN	DURABLE WATERBORNE MARKING - 6 IN W	LIN FT	72,807	13,700			86,507	
23160EN	DURABLE WATERBORNE MARKING - 6 IN Y	LIN FT	44,667	9,200			53,867	
24191ER	DURABLE WATERBORNE MARKING - 12 IN W	LIN FT	5,360	5,360			10,720	
2014	BARRICADE - TYPE III	EACH	6	6			12	
2562	SIGNS	SO FT	4,500	2,000			6,500	
2650	MAINTAIN & CONTROL TRAFFIC	LS	1	0			1	
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	4	8			12	
3171	CONCRETE BARRIER WALL TYPE 9T	LIN FT	900	0			900	
6511	PAVE STRIPING - TEMP PAINT - 6 IN	LIN FT	350,000	0			350,000	
6549	PAVE STRIPING - TEMP REM TAPE - B	LIN FT	1,000	0			1,000	
6550	PAVE STRIPING - TEMP REM TAPE - W	LIN FT	3,000	0			3,000	
6551	PAVE STRIPING - TEMP REM TAPE - Y	LIN FT	3,000	0			3,000	
8905	CRASH CUSHION TYPE VI CLASS C-T	EACH	2	0			2	
20411ED	LAW ENFORCEMENT OFFICER	HRS	5,000	0			5,000	Number of officers at any given time to be determined by the Engineer
23237ENIOW	WATERBLAST STRIPE REMOVAL	LIN FT	350,000	0			350,000	

ALL QUANTITIES EXCEPT PAVING QUANTITIES AND BRIDGE QUANTITIES INCLUDED IN THIS SUMMARY. FOR BRIDGE QUANTITIES, SEE SHEET "BRIDGE SUMMARY" (R2g) AND FOR PAVING QUANTITIES, SEE SHEET "PAVING SUMMARY" (R2d).

GENERAL SUMMARY

FILE NAME: G:\PWORK\VERDA-WYLE\0493995\0020BSL.DGN

USER: Verda.Wyle
DATE PLOTTED: February 22, 2012

E-SHEET NAME:

MicroStation v8.11.7.180

GENERAL SUMMARY

REVISD 2-22-12

COUNTY OF	ITEM NO.	SHEET NO.
JEFFERSON	5-2808.00	R2b

ITEM	DESCRIPTION	UNIT	I-65	RAMPS		PROJECT TOTALS	NOTES
1967	CONC MEDIAN BARRIER TYPE 12C	LIN FT	300	0		300	See Drainage note in sheet "Project Notes" and see sheet "Drainage Summary"
1982	DELINEATOR FOR GUARDRAIL - WHITE	EACH	200	0		200	
1984	DELINEATOR FOR BARRIER - WHITE	EACH	500	0		500	
1985	DELINEATOR FOR BARRIER - YELLOW	EACH	500	0		500	
2262	FENCE-WOVEN WIRE TYPE I	LIN FT	200	0		200	Use to repair ROW fence near Sta. 149+00 and as directed by Engineer
2265	REMOVE FENCE	LIN FT	200	0		200	Use to repair ROW fence near Sta. 149+00 and as directed by Engineer
2381	REMOVE GUARDRAIL	LIN FT	19,675	1,225		20,900	See sheet "Guardrail Summary"
2363	GUARDRAIL CONNECTOR TO BRIDGE END TY A	EACH	13	3		16	See sheet "Guardrail Summary"
2367	GUARDRAIL END TREATMENT TYPE 1	EACH	3	0		3	See sheet "Guardrail Summary"
2369	GUARDRAIL END TREATMENT TYPE 2A	EACH	12	1		13	See sheet "Guardrail Summary"
2387	GUARDRAIL CONNECTOR TO BRIDGE END TY A-1	EACH	16	3		19	See sheet "Guardrail Summary"
2391	GUARDRAIL END TREATMENT TYPE 4A	EACH	5	0		5	See sheet "Guardrail Summary", embankment-in-place incidental to type 4a end treatment
8100	CONCRETE-CLASS A	CU YD	20	0		20	Bid item may not be necessary, use at discretion of the Engineer to repair barrier wall damaged during construction
8150	STEEL REINFORCEMENT	LB	2,000	0		2,000	Bid item may not be necessary, use at discretion of the Engineer to repair barrier wall damaged during construction
8908	CRASH CUSHION TYPE VII CLASS C	EACH	2	0		2	See sheet "Guardrail Summary"
21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	LIN FT	18,600	1,100		19,700	See sheet "Guardrail Summary"
21935EN	REMOVE CONC MEDIAN BARRIER	LIN FT	13,022	0		13,022	See sheet "Slip Form Single Slope Barrier - 50"
22880ED	BARRIER WALL TRANSITION	LIN FT	350	0		350	See sheets "Barrier Wall Transition" 3 Sheets
23633EC	SINGLE SLOPE CONC MEDIAN BARRIER-50	LIN FT	12,372	0		12,372	See sheet "Slip Form Single Slope Barrier - 50"
23624EC	REMOVE & RESET CRASH CUSHION	EACH	1	3		4	See sheet "Guardrail Summary"
1000	PERFORATED PIPE-4 INCH	LIN FT	330	0		330	Use from Sta. 2200+93 TO Sta. 2202+41 and as directed by Engineer for full depth repair locations
1010	NON-PERFORATED PIPE-4 INCH	LIN FT	120	0		120	Use from Sta. 2200+93 TO Sta. 2202+41 and as directed by Engineer for full depth repair locations
1020	PERF PIPE HEADWALL TY 1-4 INCH	EACH	4	0		4	Use as directed by Engineer for full depth repair locations; quantity may not be necessary
1480	CURB BOX INLET TYPE B	EACH	3	0		3	See sheet "Drainage Summary"
1484	CURB BOX INLET TYPE B-T	EACH	8	0		8	See sheet "Drainage Summary"
1565	DROP BOX INLET TYPE 13 G-T	EACH	22	0		22	See sheet "Drainage Summary"
1691	FLUME INLET TYPE 2	EACH	1	0		1	See plan sheets for location, any modifications necessary to fit flume to curb are incidental to "FLUME INLET TYPE 2"
1740	CORE HOLE DRAINAGE BOX CON-4 IN	EACH	4	0		4	See sheet "Phillips to Manning Full Depth Repair" and use as directed by Engineer
1792	ADJUST MANHOLE	EACH	6	0		6	See sheet "Drainage Summary"
1830	STANDARD INTEGRAL CURB	LIN FT	2,590	0		2,590	See sheet "Drainage Summary" and use at bridge ends as directed by the Engineer, some of this quantity may not be necessary
1904	REMOVE CURB	LIN FT	2,510	0		2,510	See sheet "Drainage Summary" and use at bridge ends as directed by the Engineer, some of this quantity may not be necessary
2237	DITCHING	LIN FT	5,000	0		5,000	3,000 lin. ft. added to be used at the discretion of the Engineer, this quantity may not be necessary
2483	CHANNEL LINING CLASS II	TON	1,000	0		1,000	700 ton added to be used at the discretion of the Engineer, this quantity may not be necessary
5985	SEEDING AND PROTECTION	SO YD	5,000	0		5,000	Use as directed by Engineer
24436EC	CONC MED BARR BOX INLET TYPE 12B1-T	EACH	54	0		54	See sheet "Concrete Median Barrier Box Inlet Modified"
24437EC	CONC MED BARR BOX INLET TYPE 12A1-T	EACH	3	0		3	See sheet "Concrete Median Barrier Box Inlet Modified"
24461ED	DRAINAGE GEOCOMPOSITE	SO YD	250	0		250	See sheet "Asphalt Pavement Drains"
6592	PAVEMENT MARKER TYPE V - B W/R	EACH	1,396	210		1,606	
6593	PAVEMENT MARKER TYPE V - B Y/R	EACH	558	229		787	
23159EN	DURABLE WATERBORNE MARKING - 6 IN W	LIN FT	72,807	13,700		86,507	
23160EN	DURABLE WATERBORNE MARKING - 6 IN Y	LIN FT	44,667	9,200		53,867	
24191ER	DURABLE WATERBORNE MARKING - 12 IN W	LIN FT	5,360	5,360		10,720	
2014	BARRICADE - TYPE III	EACH	6	6		12	
2562	SIGNS	SO FT	4,500	2,000		6,500	
2650	MAINTAIN & CONTROL TRAFFIC	LS	1	0		1	
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	4	8		12	
3171	CONCRETE BARRIER WALL TYPE 9T	LIN FT	900	0		900	
6511	PAVE STRIPING - TEMP PAINT - 6 IN	LIN FT	350,000	0		350,000	
6549	PAVE STRIPING - TEMP REM TAPE - B	LIN FT	1,000	0		1,000	
6550	PAVE STRIPING - TEMP REM TAPE - W	LIN FT	3,000	0		3,000	
6551	PAVE STRIPING - TEMP REM TAPE - Y	LIN FT	3,000	0		3,000	
8905	CRASH CUSHION TYPE VI CLASS C-T	EACH	2	0		2	
20411ED	LAW ENFORCEMENT OFFICER	HRS	5,000	0		5,000	Number of officers at any given time to be determined by the Engineer
23237ENIOW	WATERBLAST STRIPE REMOVAL	LIN FT	350,000	0		350,000	

ALL QUANTITIES EXCEPT PAVING QUANTITIES AND BRIDGE QUANTITIES INCLUDED IN THIS SUMMARY. FOR BRIDGE QUANTITIES, SEE SHEET "BRIDGE SUMMARY" (R2g) AND FOR PAVING QUANTITIES, SEE SHEET "PAVING SUMMARY" (R2d).

GENERAL SUMMARY

FILE NAME: G:\PWORK\VERDA-WY\IE\0493995\RO020BSL.DGN
 USER: Verda.Wytle
 DATE PLOTTED: February 22, 2012
 E-SHEET NAME:
 MicroStation v8.11.7.180

GUARDRAIL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
JEFFERSON	5-2808.00	R2e

GUARDRAIL STATION TO STATION	STEEL "W" BEAM GUARDRAIL		BRIDGE END CONN. TY. A	END TREAT-MENT TYPE 1	END TREAT-MENT TYPE 2A	BRIDGE END CONN. TY. A-1	END TREAT-MENT TYPE 4A	CRASH CUSHION TYPE VII CLASS C	REMOVE & RESET CRASH CUSHION	REMARKS
	SF	REMOVE								
	LINEAR FEET									
ITEM NUMBER	21802EN	2381	2363	2367	2369	2387	2391	8908	23624EC	
NORTHBOUND GUARDRAIL										
RT STA 2204+15 TO 2207+65	300.0	350.0	1			1				Remove and replace in existing location
RT STA 2209+13 TO 2232+50	2,312.5	2,337.5			1	1				Remove and replace in existing location
RT STA 2232+50 TO 2250+50	1,737.5	1,800.0	1				1			Remove and replace in existing location
RT STA 2251+88 TO 2257+50	537.5	562.5			1	1				Remove and replace in existing location
RT STA 2265+00 TO 2268+00	237.5	300.0	1				1			Remove and replace in existing location
RT STA 2275+90 TO 2283+53	737.5	762.5			1	1				Remove and replace in existing location
RT STA 2284+70 TO 2287+20	200.0	250.0	1			1				Remove and replace in existing location
RT STA 164+91 TO 168+28	287.5	337.5	1			1				Remove and replace in existing location
RT STA 161+40 TO 163+40	175.0	200.0			1	1				Remove and replace in existing location
RT STA 150+25 TO 156+50	575.0	625.0	1			1				Remove and replace in existing location
RT STA 141+88 TO 148+88	675.0	700.0			1	1				Remove and replace in existing location
RT STA 128+85 TO 133+60	437.5	475.0			1		1			Remove and replace in existing location
RT STA 122+95 TO 128+20	462.5	525.0	1				1			Remove and replace in existing location
RT STA 115+65 TO 119+65	375.0	400.0			1	1				On ramp; remove and replace in existing location
RT STA 114+00 TO 117+25	300.0	325.0	1			1			1	On ramp; remove and reset crash cushion in existing location, remove and replace guardrail in existing location
RT STA 114+00 TO 115+00	50.0	100.0	1			1			1	On ramp; remove and reset crash cushion in existing location, remove and replace guardrail in existing location
RT STA 56+75 TO 56+75									1	Remove and reset crash cushion in existing location
RT STA 43+73 TO 43+73									1	Remove and reset crash cushion in existing location
SOUTHBOUND GUARDRAIL										
LT STA 2203+70 TO 2207+70	350.0	400.0	1			1				Remove and replace in existing location
LT STA 2209+25 TO 2250+00	4,025.0	4,075.0	1			1				Remove and replace in existing location
LT STA 2251+00 TO 2258+00	625.0	700.0	1				1			Remove and replace in existing location
LT STA 2262+25 TO 2267+38	487.5	512.5			1	1				Remove and replace in existing location
LT STA 2272+33 TO 2272+33	100.0	100.0						1		On ramp; remove and replace crash cushion in existing location; removal of crash cushion incidental to new crash cushion
LT STA 2279+50 TO 2282+50	275.0	300.0	1							On ramp; remove and replace in existing location
LT STA 2283+19 TO 2288+06	462.5	487.5			1	1				Remove and replace in existing location
LT STA 164+82 TO 169+20	412.5	437.5			1	1				Remove and replace in existing location
LT STA 156+78 TO 163+40	587.5	662.5	1	1						Remove and replace in existing location
LT STA 150+25 TO 156+50	600.0	625.0			1	1				Remove and replace in existing location
LT STA 138+00 TO 149+00	1,025.0	1,100.0	1	1						Remove and replace in existing location
LT STA 129+70 TO 136+45	625.0	675.0		1	1					Remove and replace in existing location
LT STA 123+00 TO 129+75	650.0	675.0			1	1				Remove and replace in existing location
LT STA 118+35 TO 119+35	100.0	100.0	1							Remove and replace in existing location
LT STA 73+90 TO 73+90								1		Remove and replace crash cushion in existing location; removal incidental to new crash cushion
PROJECT TOTALS	19,725	20,900	16	3	13	19	5	2	4	

ALL QUANTITIES CARRIED OVER AND INCLUDED IN THE "GENERAL SUMMARY"

CONTRACT ID: 121305
COUNTY: JEFFERSON
PROPOSAL: IM 0656 (083)

PAGE: 1
LETTING: 02/24/12
CALL NO: 101

LINE NO	ITEM	DESCRIPTION	APPROXIMATE QUANTITY	UNIT	UNIT PRICE	AMOUNT
SECTION 0001 PAVING						
0010	00001	DGA BASE	1,785.000	TON		
0020	00003	CRUSHED STONE BASE	1,795.000	TON		
0030	00078	CRUSHED AGGREGATE SIZE NO 2	2,384.000	TON		
0040	00100	ASPHALT SEAL AGGREGATE	243.000	TON		
0050	00103	ASPHALT SEAL COAT	28.000	TON		
0060	00190	LEVELING & WEDGING PG64-22	2,200.000	TON		
0070	00208	CL4 ASPH BASE 1.50D PG64-22	1,274.000	TON		
0080	00228	CL4 ASPH BASE 0.75D PG76-22	55,917.000	TON		
0090	00312	CL3 ASPH SURF 0.50D PG64-22	2,162.000	TON		
0100	02091	REMOVE PAVEMENT	3,716.000	SQYD		
0110	02599	FABRIC-GEOTEXTILE TYPE IV	6,988.000	SQYD		
0120	02677	ASPHALT PAVE MILLING & TEXTURING	58,570.000	TON		
0130	02696	SHOULDER RUMBLE STRIPS-SAWED	89,446.000	LF		
0140	21138ED	ASPHALT WATERPROOFING MIX	19,231.000	TON		
0150	21875EN	REFLECTIVE CRACK RELIEF INTERLAYER	9,475.000	TON		
SECTION 0002 ROADWAY						
0160	01000	PERFORATED PIPE-4 IN	330.000	LF		
0170	01010	NON-PERFORATED PIPE-4 IN	120.000	LF		
0180	01020	PERF PIPE HEADWALL TY 1-4 IN	4.000	EACH		
0190	01480	CURB BOX INLET TYPE B	3.000	EACH		

KENTUCKY TRANSPORTATION CABINET
DEPARTMENT OF HIGHWAYS
FRANKFORT, KY 40622

CONTRACT ID: 121305
COUNTY: JEFFERSON
PROPOSAL: IM 0656 (083)

PAGE: 2
LETTING: 02/24/12
CALL NO: 101

LINE NO	ITEM	DESCRIPTION	APPROXIMATE QUANTITY	UNIT	UNIT PRICE	AMOUNT
0200	01484	CURB BOX INLET TYPE B-T	8.000	EACH		
0210	01565	DROP BOX INLET TYPE 13GT	22.000	EACH		
0220	01691	FLUME INLET TYPE 2	1.000	EACH		
0230	01740	CORED HOLE DRAINAGE BOX CON-4 IN	4.000	EACH		
0240	01792	ADJUST MANHOLE	6.000	EACH		
0250	01830	STANDARD INTEGRAL CURB	2,590.000	LF		
0260	01904	REMOVE CURB	2,510.000	LF		
0270	01967	CONC MEDIAN BARRIER TYPE 12C	300.000	LF		
0280	01982	DELINEATOR FOR GUARDRAIL-WHITE	200.000	EACH		
0290	01984	DELINEATOR FOR BARRIER - WHITE	500.000	EACH		
0300	01985	DELINEATOR FOR BARRIER - YELLOW	500.000	EACH		
0310	02014	BARRICADE-TYPE III	12.000	EACH		
0320	02237	DITCHING	5,000.000	LF		
0330	02262	FENCE-WOVEN WIRE TYPE 1	200.000	LF		
0340	02265	REMOVE FENCE	200.000	LF		
0350	02363	GUARDRAIL CONNECTOR TO BRIDGE END TY A	16.000	EACH		
0360	02367	GUARDRAIL END TREATMENT TYPE 1	3.000	EACH		
0370	02369	GUARDRAIL END TREATMENT TYPE 2A	13.000	EACH		
0380	02381	REMOVE GUARDRAIL	20,900.000	LF		
0390	02387	GUARDRAIL CONNECTOR TO BRIDGE END TY A-1	19.000	EACH		
0400	02391	GUARDRAIL END TREATMENT TYPE 4A	5.000	EACH		

KENTUCKY TRANSPORTATION CABINET
DEPARTMENT OF HIGHWAYS
FRANKFORT, KY 40622

CONTRACT ID: 121305
COUNTY: JEFFERSON
PROPOSAL: IM 0656 (083)

PAGE: 3
LETTING: 02/24/12
CALL NO: 101

LINE NO	ITEM	DESCRIPTION	APPROXIMATE QUANTITY	UNIT	UNIT PRICE	AMOUNT
0410	02483	CHANNEL LINING CLASS II	1,000.000	TON		
0420	02562	SIGNS	6,500.000	SQFT		
0430	02650	MAINTAIN & CONTROL TRAFFIC	(1.00)	LS		
0440	02671	PORTABLE CHANGEABLE MESSAGE SIGN	12.000	EACH		
0450	02676	MOBILIZATION FOR MILL & TEXT	(1.00)	LS		
0460	02726	STAKING	(1.00)	LS		
0470	03171	CONCRETE BARRIER WALL TYPE 9T	900.000	LF		
0480	04795	CONDUIT-2 IN	130.000	LF		
0490	04820	TRENCHING AND BACKFILLING	120.000	LF		
0500	04830	LOOP WIRE	4,900.000	LF		
0510	04850	CABLE-NO. 14/1 PAIR	1,200.000	LF		
0520	04895	LOOP SAW SLOT AND FILL	900.000	LF		
0530	04903	REFERENCE MARKER	30.000	EACH		
0540	04904	BARRIER MOUNTING BRACKET	15.000	EACH		
0550	05985	SEEDING AND PROTECTION	5,000.000	SQYD		
0560	06511	PAVE STRIPING-TEMP PAINT-6 IN	350,000.000	LF		
0570	06549	PAVE STRIPING-TEMP REM TAPE-B	1,000.000	LF		
0580	06550	PAVE STRIPING-TEMP REM TAPE-W	3,000.000	LF		
0590	06551	PAVE STRIPING-TEMP REM TAPE-Y	3,000.000	LF		
0600	06592	PAVEMENT MARKER TYPE V-B W/R	1,606.000	EACH		
0610	06593	PAVEMENT MARKER TYPE V-B Y/R	787.000	EACH		

KENTUCKY TRANSPORTATION CABINET
DEPARTMENT OF HIGHWAYS
FRANKFORT, KY 40622

CONTRACT ID: 121305
COUNTY: JEFFERSON
PROPOSAL: IM 0656 (083)

PAGE: 4
LETTING: 02/24/12
CALL NO: 101

LINE NO	ITEM	DESCRIPTION	APPROXIMATE QUANTITY	UNIT	UNIT PRICE	AMOUNT
0620	08100	CONCRETE-CLASS A	20.000	CUYD		
0630	08150	STEEL REINFORCEMENT	2,000.000	LB		
0640	08908	CRASH CUSHION TY VII CLASS C REVISED 2-22-12	2.000	EACH		
0650	08905	CRASH CUSHION TY VI CLASS CT	2.000	EACH		
0660	20359NN	GALVANIZED STEEL CABINET	2.000	EACH		
0670	20360ES818	WOOD POST	4.000	EACH		
0680	20391NS835	JUNCTION BOX TYPE A	4.000	EACH		
0690	20411ED	LAW ENFORCEMENT OFFICER	5,000.000	HOUR		
0700	21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	19,700.000	LF		
0710	21935EN	REMOVE CONC MEDIAN BARRIER	13,022.000	LF		
0720	22880ED	BARRIER WALL TRANSITION	350.000	LF		
0730	23143ED	KPDES PERMIT AND TEMP EROSION CONTROL	(1.00)	LS		
0740	23159EN	DURABLE WATERBORNE MARKING-6 IN W	86,507.000	LF		
0750	23160EN	DURABLE WATERBORNE MARKING-6 IN Y	53,867.000	LF		
0760	23237EN10W	WATERBLAST STRIPE REMOVAL	350,000.000	LF		
0770	23624EC	REMOVE AND RESET CRASH CUSHION	4.000	EACH		
0780	23633EC	SINGLE SLOPE CONC MEDIAN BARRIER-50	12,372.000	LF		
0790	24191ER	DURABLE WATERBORNE MARKING-12 IN W	10,720.000	LF		
0800	24436EC	CONC MED BARR BOX INLET TY 12B1-T	54.000	EACH		
0810	24437EC	CONC MED BARR BOX INLET TY 12A1-T	3.000	EACH		
0820	24461ED	DRAINAGE GEOCOMPOSITE	250.000	SQYD		

SECTION 0003 BRIDGE

KENTUCKY TRANSPORTATION CABINET
DEPARTMENT OF HIGHWAYS
FRANKFORT, KY 40622

CONTRACT ID: 121305
COUNTY: JEFFERSON
PROPOSAL: IM 0656 (083)

PAGE: 5
LETTING: 02/24/12
CALL NO: 101

LINE NO	ITEM	DESCRIPTION	APPROXIMATE QUANTITY	UNIT	UNIT PRICE	AMOUNT
0830	02110	PARTIAL DEPTH PATCHING	1,572.000	CUFT		
0840	03295	EXPAN JOINT REPLACE 2 IN	310.000	LF		
0850	03305	RESET BEARING SHOE	59.000	EACH		
0860	08150	STEEL REINFORCEMENT	800.000	LB		
0870	08434	CLEAN & PAINT STRUCTURAL STEEL (B181 - WARNOCK)	(1.00)	LS		
0880	08434	CLEAN & PAINT STRUCTURAL STEEL (B182 - BRADELS)	(1.00)	LS		
0890	08434	CLEAN & PAINT STRUCTURAL STEEL (B184 - ST. CATHERINE)	(1.00)	LS		
0900	08434	CLEAN & PAINT STRUCTURAL STEEL (B185 - FLOYD)	(1.00)	LS		
0910	08434	CLEAN & PAINT STRUCTURAL STEEL (B186 - OAK)	(1.00)	LS		
0920	08434	CLEAN & PAINT STRUCTURAL STEEL (B187 - ORMBY)	(1.00)	LS		
0930	08434	CLEAN & PAINT STRUCTURAL STEEL (B188 - COLLEGE)	(1.00)	LS		
0940	08434	CLEAN & PAINT STRUCTURAL STEEL (B189 - BRECKINRIDGE)	(1.00)	LS		
0950	08434	CLEAN & PAINT STRUCTURAL STEEL (B190 - CALDWELL)	(1.00)	LS		
0960	08434	CLEAN & PAINT STRUCTURAL STEEL (B206 - WOODBINE)	(1.00)	LS		
0970	08435	JACK & SUPPORT BRIDGE SPAN (B180 - EASTERN PARKWAY)	(1.00)	LS		
0980	08435	JACK & SUPPORT BRIDGE SPAN (B181 - WARNOCK)	(1.00)	LS		
0990	08435	JACK & SUPPORT BRIDGE SPAN (B182 - BRADELS)	(1.00)	LS		
1000	08435	JACK & SUPPORT BRIDGE SPAN (B184 - ST. CATHERINE)	(1.00)	LS		
1010	08435	JACK & SUPPORT BRIDGE SPAN (B185 - FLOYD)	(1.00)	LS		
1020	08435	JACK & SUPPORT BRIDGE SPAN (B186 - OAK)	(1.00)	LS		
1030	08435	JACK & SUPPORT BRIDGE SPAN (B187 - ORMBY)	(1.00)	LS		

KENTUCKY TRANSPORTATION CABINET
DEPARTMENT OF HIGHWAYS
FRANKFORT, KY 40622

CONTRACT ID: 121305
COUNTY: JEFFERSON
PROPOSAL: IM 0656 (083)

PAGE: 6
LETTING: 02/24/12
CALL NO: 101

LINE NO	ITEM	DESCRIPTION	APPROXIMATE QUANTITY	UNIT	UNIT PRICE	AMOUNT
1040	08435	JACK & SUPPORT BRIDGE SPAN (B188 - COLLEGE)	(1.00)	LS		
1050	08435	JACK & SUPPORT BRIDGE SPAN (B189 - BRECKINRIDGE)	(1.00)	LS		
1060	08435	JACK & SUPPORT BRIDGE SPAN (B190 - CALDWELL)	(1.00)	LS		
1070	08435	JACK & SUPPORT BRIDGE SPAN (B206 - WOODBINE)	(1.00)	LS		
1080	08540	JOINT SEALING	260.000	LF		
1090	08549	BLAST CLEANING	68,075.000	SQYD		
1100	08551	MACHINE PREP OF SLAB	68,075.000	SQYD		
1110	21138ED	ASPHALT WATERPROOFING MIX	8,424.000	TON		
1120	21648EN	CONCRETE REPAIR	2.800	SQYD		
1130	21969NN	BEARING REPLACEMENT	17.000	EACH		
1140	23032EN	BRIDGE BARRIER RETROFIT	1,858.000	LF		
1150	24105EC	ASPHALT PLUG JOINT	7,586.000	LF		
1160	24460EC	REPLACE MASONRY PLATE	39.000	EACH		
1170	24462EC	REPLACE PIER PEDESTAL	28.000	EACH		
SECTION 0004 MOBILIZATION / DEMOBILIZATION						
1180	02568	MOBILIZATION (NO MORE THAN 5%)		LUMP		
1190	02569	DEMOBILIZATION (AT LEAST 1.5%)		LUMP		
		TOTAL BID				