



COMMONWEALTH OF KENTUCKY
TRANSPORTATION CABINET
www.transportation.ky.gov/

Andy Beshear
GOVERNOR

Jim Gray
SECRETARY

October 21, 2020

CALL NO. 102
CONTRACT ID NO. 201311
ADDENDUM # 2

Subject: NELSON COUNTY, STP 1501 (123)
Letting October 23, 2020

- (1) Revised - Proposal Bid Items - Pages 166-170 of 170
- (2) Revised - Plan Sheets - R2J and R2L

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

PROPOSAL BID ITEMS

Report Date 10/21/20

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	16,261.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	93.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	12.00	TON		\$	
0040	00190		LEVELING & WEDGING PG64-22	3,320.00	TON		\$	
0050	00205		CL3 ASPH BASE 1.50D PG64-22	14,406.00	TON		\$	
0060	00214		CL3 ASPH BASE 1.00D PG64-22	1,294.00	TON		\$	
0070	00216		CL3 ASPH BASE 1.00D PG76-22	7,221.00	TON		\$	
0080	00336		CL3 ASPH SURF 0.38A PG76-22	4,043.00	TON		\$	
0090	02101		CEM CONC ENT PAVEMENT-8 IN	115.00	SQYD		\$	
0100	02555		CONCRETE-CLASS B	99.00	CUYD		\$	
0110	02677		ASPHALT PAVE MILLING & TEXTURING	2,507.00	TON		\$	
0120	22906ES403		CL3 ASPH SURF 0.38A PG64-22	558.00	TON		\$	
0130	23314EC		CONCRETE TRENCH	3,264.00	LF		\$	
0140	24970EC		ASPHALT MATERIAL FOR TACK NON-TRACKING (REVISED: 10-21-20)	55.00	TON		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0150	00078		CRUSHED AGGREGATE SIZE NO 2	21,056.00	TON		\$	
0160	01585		REMOVE DROP BOX INLET	3.00	EACH		\$	
0170	01691		FLUME INLET TYPE 2	3.00	EACH		\$	
0180	01792		ADJUST MANHOLE	1.00	EACH		\$	
0190	01810		STANDARD CURB AND GUTTER	1,396.00	LF		\$	
0200	01811		STANDARD CURB AND GUTTER MOD	7,391.00	LF		\$	
0210	01812		REMOVE CURB AND GUTTER	953.00	LF		\$	
0220	01815		BARRIER CURB AND GUTTER	772.00	LF		\$	
0230	01897		ASPHALT WEDGE CURB	1,058.00	LF		\$	
0240	01982		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE	25.00	EACH		\$	
0250	01983		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL YELLOW	19.00	EACH		\$	
0260	02014		BARRICADE-TYPE III	40.00	EACH		\$	
0270	02091		REMOVE PAVEMENT	1,003.00	SQYD		\$	
0280	02159		TEMP DITCH	3,250.00	LF		\$	
0290	02160		CLEAN TEMP DITCH	3,250.00	LF		\$	
0300	02165		REMOVE PAVED DITCH	61.00	SQYD		\$	
0310	02230		EMBANKMENT IN PLACE (REVISED: 10-21-20)	56,329.00	CUYD		\$	
0320	02242		WATER	118.00	MGAL		\$	
0330	02262		FENCE-WOVEN WIRE TYPE 1	1,884.00	LF		\$	
0340	02360		GUARDRAIL TERMINAL SECTION NO 1	2.00	EACH		\$	
0350	02367		GUARDRAIL END TREATMENT TYPE 1	2.00	EACH		\$	
0360	02369		GUARDRAIL END TREATMENT TYPE 2A	3.00	EACH		\$	
0370	02381		REMOVE GUARDRAIL	2,434.00	LF		\$	
0380	02429		RIGHT-OF-WAY MONUMENT TYPE 1	43.00	EACH		\$	

PROPOSAL BID ITEMS

Report Date 10/21/20

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0390	02432		WITNESS POST	10.00	EACH		\$	
0400	02483		CHANNEL LINING CLASS II	4,231.00	TON		\$	
0410	02484		CHANNEL LINING CLASS III	41.00	TON		\$	
0420	02545		CLEARING AND GRUBBING (APPROXIMATELY 21.5 ACRES)	1.00	LS		\$	
0430	02562		TEMPORARY SIGNS	850.00	SQFT		\$	
0440	02585		EDGE KEY	259.00	LF		\$	
0450	02602		FABRIC-GEOTEXTILE CLASS 1	7,249.00	SQYD		\$	
0460	02603		FABRIC-GEOTEXTILE CLASS 2	127,790.00	SQYD		\$	
0470	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0480	02671		PORTABLE CHANGEABLE MESSAGE SIGN	8.00	EACH		\$	
0490	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0500	02690		SAFELoading	6.00	CUYD		\$	
0510	02701		TEMP SILT FENCE	6,500.00	LF		\$	
0520	02703		SILT TRAP TYPE A	42.00	EACH		\$	
0530	02704		SILT TRAP TYPE B	42.00	EACH		\$	
0540	02705		SILT TRAP TYPE C	42.00	EACH		\$	
0550	02706		CLEAN SILT TRAP TYPE A	42.00	EACH		\$	
0560	02707		CLEAN SILT TRAP TYPE B	42.00	EACH		\$	
0570	02708		CLEAN SILT TRAP TYPE C	42.00	EACH		\$	
0580	02720		SIDEWALK-4 IN CONCRETE	551.00	SQYD		\$	
0590	02721		REMOVE CONCRETE SIDEWALK	25.00	SQYD		\$	
0600	02726		STAKING	1.00	LS		\$	
0610	02775		ARROW PANEL	2.00	EACH		\$	
0620	05950		EROSION CONTROL BLANKET	7,123.00	SQYD		\$	
0630	05952		TEMP MULCH	135,520.00	SQYD		\$	
0640	05953		TEMP SEEDING AND PROTECTION	101,640.00	SQYD		\$	
0650	05963		INITIAL FERTILIZER	6.00	TON		\$	
0660	05964		MAINTENANCE FERTILIZER	9.00	TON		\$	
0670	05985		SEEDING AND PROTECTION	84,217.00	SQYD		\$	
0680	05989		SPECIAL SEEDING CROWN VETCH	4,475.00	SQYD		\$	
0690	05990		SODDING	6,219.00	SQYD		\$	
0700	05992		AGRICULTURAL LIMESTONE	63.00	TON		\$	
0710	06510		PAVE STRIPING-TEMP PAINT-4 IN	35,000.00	LF		\$	
0720	06514		PAVE STRIPING-PERM PAINT-4 IN	868.00	LF		\$	
0730	06530		PAVE STRIPING REMOVAL-4 IN	53.00	LF		\$	
0740	06540		PAVE STRIPING-THERMO-4 IN W	32.00	LF		\$	
0750	06541		PAVE STRIPING-THERMO-4 IN Y	1,794.00	LF		\$	
0780	06546		PAVE STRIPING-THERMO-12 IN W	1,288.00	LF		\$	
0790	06547		PAVE STRIPING-THERMO-12 IN Y	170.00	LF		\$	
0800	06565		PAVE MARKING-THERMO X-WALK-6 IN	317.00	LF		\$	
0810	06566		PAVE MARKING-THERMO X-WALK-12 IN	178.00	LF		\$	
0820	06567		PAVE MARKING-THERMO STOP BAR-12IN	20.00	LF		\$	
0830	06568		PAVE MARKING-THERMO STOP BAR-24IN	500.00	LF		\$	
0840	06569		PAVE MARKING-THERMO CROSS-HATCH	11,709.00	SQFT		\$	
0850	06574		PAVE MARKING-THERMO CURV ARROW	67.00	EACH		\$	
0860	06575		PAVE MARKING-THERMO COMB ARROW	5.00	EACH		\$	
0870	06576		PAVE MARKING-THERMO ONLY	2.00	EACH		\$	
0880	06598		PAVEMENT MARKING REMOVAL	705.00	SQFT		\$	
0890	10020NS		FUEL ADJUSTMENT	78,492.00	DOLL	\$1.00	\$	\$78,492.00

PROPOSAL BID ITEMS

Report Date 10/21/20

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0900	10030NS		ASPHALT ADJUSTMENT	114,813.00	DOLL	\$1.00	\$	\$114,813.00
0910	20071EC		JOINT ADHESIVE	16,939.00	LF		\$	
0920	20166ES810		TEMPORARY PIPE	200.00	LF		\$	
0930	20191ED		OBJECT MARKER TY 3	2.00	EACH		\$	
0940	20550ND		SAWCUT PAVEMENT	19,283.00	LF		\$	
0950	20758ED		REMOVE AND RESET PERF PIPE HEADWALL	2.00	EACH		\$	
0960	21289ED		LONGITUDINAL EDGE KEY	16,270.00	LF		\$	
0970	21802EN		G/R STEEL W BEAM-S FACE (7 FT POST)	2,200.00	LF		\$	
0980	22664EN		WATER BLASTING EXISTING STRIPE	22,500.00	LF		\$	
0990	23158ES505		DETECTABLE WARNINGS	180.00	SQFT		\$	
1000	23274EN11F		TURF REINFORCEMENT MAT 1	360.00	SQYD		\$	
1010	23607EC		PAVE MARK THERMO-LANE REDUCTION ARROW	3.00	EACH		\$	
1020	23871EC		PAVE STRIPE-WET REF TAPE-6 IN Y	476.00	LF		\$	
1030	23872EC		PAVE STRIPE-WET REF TAPE-6 IN W	659.00	LF		\$	
1040	23875NC		REMOVE THERMOPLASTIC ARROWS	4.00	EACH		\$	
1050	23911EC		GROUT	5.00	CUYD		\$	
1060	24114EC		PAVE MARK-THERMO-YIELD	12.00	EACH		\$	
1070	24489EC		INLAID PAVEMENT MARKER	647.00	EACH		\$	
1080	24683ED		PAVE MARKING-THERMO DOTTED LANE EXTEN	86.00	LF		\$	
1090	24894EC		REMOVE (3 Ramps)	3.00	EACH		\$	
1092	25008EC		PAVE STRIPING-THERMO-6 IN W-WET REFLECT (ADDED: 10-12-20)	16,206.00	LF		\$	
1093	25009EC		PAVE STRIPING-THERMO-6 IN Y-WET REFLECT (ADDED: 10-12-20)	22,796.00	LF		\$	
1095	25019EC		GROOVE FOR PAVE STRIPING - 7 IN (ADDED: 10-12-20)	39,002.00	LF		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1100	00078		CRUSHED AGGREGATE SIZE NO 2	6.00	TON		\$	
1110	00461		CULVERT PIPE-15 IN	16.00	LF		\$	
1120	00462		CULVERT PIPE-18 IN	186.00	LF		\$	
1130	00464		CULVERT PIPE-24 IN	90.00	LF		\$	
1140	00521		STORM SEWER PIPE-15 IN	4,544.00	LF		\$	
1150	00522		STORM SEWER PIPE-18 IN	1,137.00	LF		\$	
1160	00524		STORM SEWER PIPE-24 IN	1,312.00	LF		\$	
1170	01000		PERFORATED PIPE-4 IN	16,727.00	LF		\$	
1180	01010		NON-PERFORATED PIPE-4 IN	5,775.00	LF		\$	
1190	01015		INSPECT & CERTIFY EDGE DRAIN SYSTEM	1.00	LS		\$	
1200	01028		PERF PIPE HEADWALL TY 3-4 IN	6.00	EACH		\$	
1210	01202		PIPE CULVERT HEADWALL-15 IN	5.00	EACH		\$	
1220	01204		PIPE CULVERT HEADWALL-18 IN	6.00	EACH		\$	
1230	01208		PIPE CULVERT HEADWALL-24 IN	3.00	EACH		\$	
1240	01433		SLOPED BOX OUTLET TYPE 1-18 IN	1.00	EACH		\$	

PROPOSAL BID ITEMS

Report Date 10/21/20

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1250	01450		S & F BOX INLET-OUTLET-18 IN	4.00	EACH		\$	
1260	01451		S & F BOX INLET-OUTLET-24 IN	2.00	EACH		\$	
1270	01456		CURB BOX INLET TYPE A	39.00	EACH		\$	
1280	01487		CURB BOX INLET TYPE F	15.00	EACH		\$	
1290	01490		DROP BOX INLET TYPE 1	5.00	EACH		\$	
1300	01529		DROP BOX INLET TYPE 6D	1.00	EACH		\$	
1310	01544		DROP BOX INLET TYPE 11	1.00	EACH		\$	
1320	01568		DROP BOX INLET TYPE 13S	1.00	EACH		\$	
1330	01577		DROP BOX INLET TYPE 14	1.00	EACH		\$	
1340	01650		JUNCTION BOX	6.00	EACH		\$	
1350	01740		CORED HOLE DRAINAGE BOX CON-4 IN	87.00	EACH		\$	
1360	01761		MANHOLE TYPE B	1.00	EACH		\$	
1370	02607		FABRIC-GEOTEXTILE CLASS 2 FOR PIPE	10,468.00	SQYD	\$2.00	\$	\$20,936.00
1380	24814EC		PIPELINE INSPECTION	7,413.00	LF		\$	

Section: 0004 - SIGNALIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1390	04792		CONDUIT-1 IN	160.00	LF		\$	
1400	04811		ELECTRICAL JUNCTION BOX TYPE B	16.00	EACH		\$	
1410	04820		TRENCHING AND BACKFILLING	1,900.00	LF		\$	
1420	04830		LOOP WIRE	6,000.00	LF		\$	
1430	04844		CABLE-NO. 14/5C	2,600.00	LF		\$	
1440	04850		CABLE-NO. 14/1 PAIR	10,500.00	LF		\$	
1450	04885		MESSENGER-10800 LB	1,030.00	LF		\$	
1460	04895		LOOP SAW SLOT AND FILL	2,000.00	LF		\$	
1470	04932		INSTALL STEEL STRAIN POLE	8.00	EACH		\$	
1480	20094ES835		TEMP RELOCATION OF SIGNAL HEAD	14.00	EACH		\$	
1490	20188NS835		INSTALL LED SIGNAL-3 SECTION	20.00	EACH		\$	
1500	20266ES835		INSTALL LED SIGNAL- 4 SECTION	5.00	EACH		\$	
1510	20390NS835		INSTALL COORDINATING UNIT	2.00	EACH		\$	
1520	23157EN		TRAFFIC SIGNAL POLE BASE	33.60	CUYD		\$	
1530	24900EC		PVC CONDUIT-1 1/4 IN-SCHEDULE 80	1,260.00	LF		\$	
1540	24901EC		PVC CONDUIT-2 IN-SCHEDULE 80	650.00	LF		\$	
1550	24908EC		INSTALL SIGNAL CONTROLLER-TY ATC	2.00	EACH		\$	
1560	24955ED		REMOVE SIGNAL EQUIPMENT	2.00	EACH		\$	

Section: 0005 - WATERLINE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1570	14008		W ENCASMENT STEEL BORED RANGE 3	245.00	LF		\$	
1580	14009		W ENCASMENT STEEL BORED RANGE 4	145.00	LF		\$	
1590	14014		W ENCASMENT STEEL OPEN CUT RANGE 3	118.00	LF		\$	
1600	14015		W ENCASMENT STEEL OPEN CUT RANGE 4	12.00	LF		\$	
1610	14019		W FIRE HYDRANT ASSEMBLY	1.00	EACH		\$	
1620	14061		W PIPE PVC 10 INCH	245.00	LF		\$	
1630	14062		W PIPE PVC 12 INCH	145.00	LF		\$	

PROPOSAL BID ITEMS

Report Date 10/21/20

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1640	14096		W TIE-IN 10 INCH	1.00	EACH		\$	
1650	14097		W TIE-IN 12 INCH	1.00	EACH		\$	
1660	14602		W VALVE CUT-IN 12 INCH INST	1.00	EACH		\$	
1670	15021		S ENCASEMENT STEEL OPEN CUT RANGE 2	31.00	LF		\$	

Section: 0006 - DEMOBILIZATION / MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1680	02568		MOBILIZATION	1.00	LS		\$	
1690	02569		DEMOBILIZATION	1.00	LS		\$	

ITEM	DESCRIPTION	UNIT	US 150	KY 245	APPROACH ROAD #1	APPROACH ROAD #2	OLD FILIAITREAU	RAMP A	RAMP A-1	RAMP B	RAMP C	RAMP D-1	RAMP D	MAYWOOD AVENUE	PARKWAY DRIVE	LESLIE BALLARD	PROJECT TOTAL
78	CRUSHED AGGREGATE SIZE NO 2 (1)	TON															21056
1585	REMOVE DROP BOX INLET	EACH	2						1								3
1691	FLUME INLET TY 2	EACH						1	1			1					3
1792	ADJUST MANHOLE	EACH					1										1
1810	STANDARD CURB AND GUTTER	LF	6124	1071			196						1396				1396
1811	STANDARD CURB AND GUTTER MOD	LF	467	27													7391
1812	REMOVE CURB AND GUTTER	LF	772														953
1815	BARRIER CURB AND GUTTER	LF															772
1897	ASPHALT WEDGE CURB	LF						672	68	252		66					1058
1983	DELINEATOR FOR GUARDRAIL M/W	EACH															25
2014	DELINATOR FOR GUARDRAIL M/Y	EACH															19
2091	BARRICADE-TYPE III	EACH															40
2091	REMOVE PAVEMENT	SOYD	495										508				1003
2159	TEMP DITCH	LF															3250
2160	CLEAN TEMP DITCH	LF															61
2165	REMOVE PAVED DITCH	SOYD	25														56329
2230	EMBANKMENT-IN-PLACE	CUYD															118
2242	WATER (4)	MGAL															1884
2262	FENCE-WOVEN WIRE TYPE 1 (3)	LF	1781				96						7				2
2360	GUARDRAIL TERMINAL SECTION NO 1	EACH	2														2
2367	GUARDRAIL END TREATMENT TYPE 1	EACH						1									2
2369	GUARDRAIL END TREATMENT TYPE 2A	EACH						2									3
2381	REMOVE GUARDRAIL	LF	388				129	842	150	659	203	63					2434
2429	RIGHT-OF-WAY MONUMENT TYPE 1	EACH															43
2432	WITNESS POST	EACH															10
2483	CHANNEL LINING CLASS II	TON	3760		65	260		38	8				65		35	4231	41
2484	CHANNEL LINING CLASS III	TON	41														1
2545	CLEARING AND GRUBBING (2)	LS															850
2562	TEMPORARY SIGNS (7)	SOFT															1
2568	MOBILIZATION	LS															1
2569	DEMOLITION	LS															1
2585	EDGE KEY	LF	49	70						25	26			36		15	259
2602	FABRIC-GEOTEXTILE CLASS 1	SOYD	6466		115	454		38	8				103		65	7249	127790
2603	FABRIC-GEOTEXTILE CLASS 2 (8)	SOYD															8
2650	MAINTAIN AND CONTROL TRAFFIC (6)	LS															1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH															8
2676	MOBILIZATION FOR MILL & TEXT	LS															1
2690	SAFELOADING	CUYD	6														6
2701	TEMP SILT FENCE	LF															6500
2703	SILT TRAP TYPE A	EACH															42
2704	SILT TRAP TYPE B	EACH															42
2705	SILT TRAP TYPE C	EACH															42
2706	CLEAN SILT TRAP TYPE A	EACH															42
2707	CLEAN SILT TRAP TYPE B	EACH															42
2708	CLEAN SILT TRAP TYPE C	EACH															42
2720	SIDEWALK-4 IN CONCRETE	SOYD	188											363			551
2721	REMOVE CONCRETE SIDEWALK	SOYD	25														25
2726	STAKING	LS															1
2775	ARROW PANEL	EACH															2
5950	EROSION CONTROL BLANKET (5)	SOYD	1502	151	104	352	414	1911	178	1541			750	46	174	7123	135520
5952	TEMP MULCH	SOYD															101640
5953	TEMP SEEDING AND PROTECTION	SOYD															6
5963	INITIAL FERTILIZER	TON															9
5964	MAINTENANCE FERTILIZER	TON															6
5985	SEEDING AND PROTECTION	SOYD	55771	5582	1724	4397	992	3370	622	1899	2448	525	2412	1817	2658	84217	4475
5989	SPECIAL SEEDING CROWN VETCH	SOYD															6219
5990	SODDING	SOYD	5366	490			72							291			63
5992	AGRICULTURAL LIMESTONE	TON															35000
6510	PAVE STRIPING-TEMP PAINT-4 IN	LF															868
6514	PAVE STRIPING-PERM PAINT-4 IN	LF	685	183													53
6530	PAVE STRIPING REMOVAL-4 IN	LF	32	53													32
6540	PAVE STRIPING- THERMO- 4 IN W	LF															3
6541	PAVE STRIPING-THERMO- 4 IN Y	LF	70		636									526	56	506	1794
6542	PAVE STRIPING-THERMO- 6 IN W (12)	LF	11297	1424			165	680	220	463	1290	158	451	58	28	16206	22796
6543	PAVE STRIPING-THERMO- 6 IN Y	LF	19290	1600			489	489	225	284	664	164	80				1288
6546	PAVE STRIPING-THERMO- 12 IN W	LF	498	135			98	123			185		113	136			170
6547	PAVE STRIPING-THERMO- 12 IN Y	LF					170										317
6565	PAVE MARKING-THERMO X-WALK- 4 IN	LF	317														178
6567	PAVE MARKING-THERMO X-WALK- 6 IN	LF															20
6568	PAVE MARKING-THERMO STOP BAR- 12 IN	LF	20														500
6569	PAVE MARKING-THERMO STOP BAR- 24 IN	LF	225	66	28	26				53	25			37	12		11709
6574	PAVE MARKING-THERMO CROSS-HATCH	SOFT	9299	1178						4	690		2	542			67
6575	PAVE MARKING-THERMO CURV ARROW	EACH	41	12													5
6576	PAVE MARKING-THERMO COMBO ARROW	EACH	2	4	1												2
6598	PAVE MARKING-THERMO ONLY	EACH															705
10020NS	PAVEMENT MARKING REMOVAL (10)	SOFT		705													78492
10030NS	FUEL ADJUSTMENT	DOLL															114813
20071EC	ASPHALT ADJUSTMENT	DOLL															16939
20166ES810	JOINT ADHESIVE	LF															200
20166ES810	TEMPORARY PIPE	LF															

NOTES:

- ESTIMATED 19000 TONS FOR USE AS ROCK ROADBED AS SHOWN IN TYPICAL SECTIONS. REMAINING QUANTITY FOR WORKING PLATFORM WHERE SATURATED AREAS MAY BE ENCOUNTERED PER GEOTECHNICAL RECOMMENDATIONS. COORDINATE PLACEMENT WITH THE ENGINEER.
- APPROXIMATELY 21.5 ACRES. REMOVAL OF EXISTING PIPES, HEADWALLS, FENCES, LANE SEPARATOR CURBS, WEDGE CURBS, CONCRETE PAID SIGNS, CUTTING PIPES) ETC. ARE INCIDENTAL TO CLEARING AND GRUBBING AND NO DIRECT PAYMENT WILL BE MADE FOR THOSE ITEMS.
- INCLUDES AN ADDITIONAL QUANTITY OF 500 LF. COORDINATE PLACEMENT WITH THE ENGINEER.
- WATER IS FOR CONTROLLING DUST CONTROLLED BY MAINTAINING TRAFFIC AND IS ESTIMATED AT 50 M GALLONS PER MILE
- INCLUDES AN ADDITIONAL QUANTITY FOR SLOPE STABILIZATION ON STEEP SLOPES
- INCLUDES ALL NECESSARY ITEMS TO MAINTAIN AND CONTROL TRAFFIC
- FOR MAINTAINING AND CONTROLLING TRAFFIC
- FOR USE IN WRAPPING THE WORKING PLATFORM, ROCK ROADBED, PERF PIPE, ETC. COORDINATE PLACEMENT WITH THE ENGINEER.
- USE LONG POST GUARDRAIL
- FOR REMOVAL OF HATCHING ON KY 245 OUTSIDE THE PAVING LIMITS
- FOR REMOVAL OF EXISTING ARROWS ON BRIDGE OVER BLUEGRASS PARKWAY
- INCLUDES ADDITIONAL QUANTITY FOR EDGE LINE STRIPING ON US 150 AND KY 245 NOT DEPICTED ON STRIPING PLANS. PRIOR TO PLACING ANY STRIPING CONTACT JUSTIN WALLACE AT DISTRICT 4 AT (270-766-5066).
- INCLUDES QUANTITIES FOR US 150 AND KY 245 NOT DEPICTED ON STRIPING PLANS. PRIOR TO PLACING ANY INLAND PAVEMENT MARKERS CONTACT JUSTIN WALLACE AT DISTRICT 4 AT (270-766-5066).
- INCLUDES ALL NECESSARY ITEMS TO REMOVE FLUMES

EARTHWORK CALCULATION NOTE:

ESTIMATE FOR EARTHWORK CALCULATIONS ARE FOR DESIGN ONLY. THE CONTRACTOR IS ADVISED THAT THE CALCULATIONS SHOWN ARE FOR INFORMATIONAL AS FACTORS FOR SURFACE AND SLOPE FACTORS ARE THE CONTRACTOR'S RESPONSIBILITY.

EARTHWORK TOTALS
31234 CUYD COMMON
9994 CUYD ROCK
14743 CUYD EMBANKMENT BENCHING
1196 CUYD TRANSVERSE BENCHING
115 CUYD COMMON LESLIE BALLARD OUTLET DITCH
57282 CUYD TOTAL EXCAVATION
40390 CUYD EMBANKMENT
0 CUYD ROCK ROADBED
14743 CUYD EMBANKMENT BENCHING
1196 CUYD TRANSVERSE BENCHING
56329 CUYD TOTAL EMBANKMENT

ITEM	DESCRIPTION	UNIT	US 150	KY 245	APPROACH ROAD #1	APPROACH ROAD #2	OLD FILIAITREAU ROAD	RAMP A	RAMP A-1	RAMP B	RAMP C	RAMP D-1	RAMP D	MAYWOOD AVENUE	PARKWAY DRIVE	LESLIE BALLARD	PROJECT TOTAL
78	CRUSHED AGGREGATE SIZE NO 2 ①	TON															21056
1585	REMOVE DROP BOX INLET	EACH	2						1								3
1691	FLUME INLET TY 2	EACH						1	1			1					3
1792	ADJUST MANHOLE	EACH					1										1
1810	STANDARD CURB AND GUTTER	LF	6124	1071			196						1396				1396
1811	STANDARD CURB AND GUTTER MOD	LF															7391
1812	REMOVE CURB AND GUTTER	LF	467	27										459			953
1815	BARRIER CURB AND GUTTER	LF	772														772
1897	ASPHALT WEDGE CURB	LF						672	68	252		66					1058
1983	DELINEATOR FOR GUARDRAIL M/W	EACH															25
2014	DELINEATOR FOR GUARDRAIL M/Y	EACH															19
2091	BARRICADE-TYPE III	EACH												508			40
2091	REMOVE PAVEMENT	SOYD	495														1003
2159	TEMP DITCH	LF															3250
2160	CLEAN TEMP DITCH	LF															3250
2165	REMOVE PAVED DITCH	SOYD	25														61
2230	EMBANKMENT-IN-PLACE	CUYD						36									56329
2242	WATER ④	MGAL															118
2262	FENCE-WOVEN WIRE TYPE 1 ③	LF	1781				96						7				1884
2360	GUARDRAIL TERMINAL SECTION NO 1	EACH	2														2
2367	GUARDRAIL END TREATMENT TYPE 1	EACH						1									2
2369	GUARDRAIL END TREATMENT TYPE 2A	EACH						2				1					3
2381	REMOVE GUARDRAIL	LF	388				129	842	150	659	203	63					2434
2429	RIGHT-OF-WAY MONUMENT TYPE 1	EACH															43
2432	WITNESS POST	EACH															10
2483	CHANNEL LINING CLASS II	TON	3760		65	260		38	8			65				35	4231
2484	CHANNEL LINING CLASS III	TON	41														41
2545	CLEARING AND GRUBBING ②	LS															1
2562	TEMPORARY SIGNS ⑦	SOFT															850
2568	MOBILIZATION	LS															1
2569	DEMOLITION	LS															1
2585	EDGE KEY	LF	49	70						25	26		36			15	259
2602	FABRIC-GEOTEXTILE CLASS 1	SOYD	6466		115	454		38	8				103			65	7249
2603	FABRIC-GEOTEXTILE CLASS 2 ⑧	SOYD															127790
2650	MAINTAIN AND CONTROL TRAFFIC ⑥	LS															1
2671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH															8
2676	MOBILIZATION FOR MILL & TEXT	LS															1
2690	SAFELOADING	CUYD	6														6
2701	TEMP SILT FENCE	LF															6500
2703	SILT TRAP TYPE A	EACH															42
2704	SILT TRAP TYPE B	EACH															42
2705	SILT TRAP TYPE C	EACH															42
2706	CLEAN SILT TRAP TYPE A	EACH															42
2707	CLEAN SILT TRAP TYPE B	EACH															42
2708	CLEAN SILT TRAP TYPE C	EACH															42
2720	SIDEWALK-4 IN CONCRETE	SOYD	188										363				551
2721	REMOVE CONCRETE SIDEWALK	SOYD	25														25
2726	STAKING	LS															1
2775	ARROW PANEL	EACH															2
5950	EROSION CONTROL BLANKET ⑤	SOYD	1502	151	104	352	414	1911	178	1541		750		46	174	7123	
5952	TEMP MULCH	SOYD															135520
5953	TEMP SEEDING AND PROTECTION	SOYD															101640
5963	INITIAL FERTILIZER	TON															6
5964	MAINTENANCE FERTILIZER	TON															9
5985	SEEDING AND PROTECTION	SOYD	55771	5582	1724	4397	992	3370	622	1899	2448	525	2412	1817		2658	84217
5989	SPECIAL SEEDING CROWN VETCH	SOYD															4475
5992	SODDING	SOYD	5366	490			72							291			6219
6510	PAVE STRIPING-TEMP PAINT-4 IN	LF															63
6514	PAVE STRIPING-PERM PAINT-4 IN	LF	685	183													35000
6530	PAVE STRIPING REMOVAL-4 IN	LF	32	53													868
6540	PAVE STRIPING-THERMO- 4 IN W	LF															53
6541	PAVE STRIPING-THERMO- 4 IN Y	LF	70		636												32
6542	PAVE STRIPING-THERMO- 6 IN W ⑩	LF	11297	1424			165	680	220	463	1290	158	451	526	56	506	1794
6543	PAVE STRIPING-THERMO- 6 IN Y	LF	19290	1600			489	489	225	284	664	164	80	58			16206
6546	PAVE STRIPING-THERMO- 12 IN W	LF	498	135			98	123		185			113	136			22796
6547	PAVE STRIPING-THERMO- 12 IN Y	LF					170										1288
6565	PAVE MARKING-THERMO X-WALK- 6 IN	LF	317														170
6567	PAVE MARKING-THERMO STOP BAR- 12 IN	LF	20	178													317
6568	PAVE MARKING-THERMO STOP BAR- 24 IN	LF	20														178
6569	PAVE MARKING-THERMO CROSS-HATCH	LF	225	66	28	26				53	25		37	12	28		500
6574	PAVE MARKING-THERMO CURV ARROW	SOFT	9299	1178						4	690		542				11709
6575	PAVE MARKING-THERMO COMBO ARROW	EACH	41	12	1					4	8	2					67
6576	PAVE MARKING-THERMO ONLY	EACH	2	4													5
6598	PAVEMENT MARKING REMOVAL ⑩	SOFT		705													2
10020NS	FUEL ADJUSTMENT	DOLL															705
10030NS	ASPHALT ADJUSTMENT	DOLL															78492
20071EC	JOINT ADHESIVE	LF															114813
20166ES810	TEMPORARY PIPE	LF															16939
																	200

NOTES:

- ① ESTIMATED 19000 TONS FOR USE AS ROCK ROADBED AS SHOWN IN TYPICAL SECTIONS. REMAINING QUANTITY FOR WORKING PLATFORM WHERE SATURATED AREAS MAY BE ENCOUNTERED PER GEOTECHNICAL RECOMMENDATIONS. COORDINATE PLACEMENT WITH THE ENGINEER.
- ② APPROXIMATELY 21.5 ACRES. REMOVAL OF EXISTING PIPES, HEADWALLS, FENCES, LANE SEPARATOR CURBS, WEDGE CURBS, CONCRETE PAID SIGNS, CUTTING PIPES) ETC. ARE INCIDENTAL TO CLEARING AND GRUBBING AND NO DIRECT PAYMENT WILL BE MADE FOR THOSE ITEMS.
- ③ INCLUDES AN ADDITIONAL QUANTITY OF 500 LF. COORDINATE PLACEMENT WITH THE ENGINEER.
- ④ WATER IS FOR CONTROLLING DUST CONTROLLED BY MAINTAINING TRAFFIC AND IS ESTIMATED AT 50 M GALLONS PER MILE
- ⑤ INCLUDES AN ADDITIONAL QUANTITY FOR SLOPE STABILIZATION ON STEEP SLOPES
- ⑥ INCLUDES ALL NECESSARY ITEMS TO MAINTAIN AND CONTROL TRAFFIC
- ⑦ FOR MAINTAINING AND CONTROLLING TRAFFIC
- ⑧ FOR USE IN WRAPPING THE WORKING PLATFORM, ROCK ROADBED, PERF PIPE, ETC. COORDINATE PLACEMENT WITH THE ENGINEER.
- ⑨ USE LONG POST GUARDRAIL
- ⑩ FOR REMOVAL OF HATCHING ON KY 245 OUTSIDE THE PAVING LIMITS
- ⑪ FOR REMOVAL OF EXISTING ARROWS ON BRIDGE OVER BLUEGRASS PARKWAY
- ⑫ INCLUDES ADDITIONAL QUANTITY FOR EDGE LINE STRIPING ON US 150 AND KY 245 NOT DEPICTED ON STRIPING PLANS. PRIOR TO PLACING ANY STRIPING CONTACT JUSTIN WALLACE AT DISTRICT 4 AT (270-766-5066).
- ⑬ INCLUDES QUANTITIES FOR US 150 AND KY 245 NOT DEPICTED ON STRIPING PLANS. PRIOR TO PLACING ANY INLAID PAVEMENT MARKERS CONTACT JUSTIN WALLACE AT DISTRICT 4 AT (270-766-5066).
- ⑭ INCLUDES ALL NECESSARY ITEMS TO REMOVE FLUMES

EARTHWORK CALCULATION NOTE:

ESTIMATE FOR EARTHWORK CALCULATIONS ARE FOR DESIGN ONLY. THE CONTRACTOR IS ADVISED THAT THE CALCULATIONS SHOWN ARE FOR INFORMATIONAL PURPOSES ONLY. SWEET'S AND SLOPE FACTORS ARE THE CONTRACTOR'S RESPONSIBILITY.

EARTHWORK TOTALS

31234	CUYD COMMON
9994	CUYD ROCK
14743	CUYD EMBANKMENT BENCHING
1196	CUYD TRANSVERSE BENCHING
115	CUYD COMMON LESLIE BALLARD OUTLET DITCH
57282	CUYD TOTAL EXCAVATION
40390	CUYD EMBANKMENT
0	CUYD ROCK ROADBED
14743	CUYD EMBANKMENT BENCHING
1196	CUYD TRANSVERSE BENCHING
56329	CUYD TOTAL EMBANKMENT

NOTES
 ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.
 ① ESTIMATED AT 115 LBS. PER SQ. YD. PER INCH OF DEPTH
 ② TWO (2) APPLICATIONS FROM OUTSIDE EDGE OF PAVED SHOULDER TO 2 FEET DOWN THE DITCH OR FILL SLOPE. ASPHALT SEAL COAT APPLIED AT 2.40 LBS/SY
 ASPHALT SEAL AGGREGATE APPLIED AT 20 LBS/SY (SIZE NO. 8 OR 9M)
 ③ INCLUDES AN ADDITIONAL 15% OVERRUN FOR MAINTAINING AND CONTROLLING TRAFFIC
 ④ APPLY ASPHALT MATERIAL FOR TACK NON-TRACKING AT A RATE OF 0.50 LBS/SY
 ⑤ CONCRETE - CLASS B FOR MEDIAN FILL STA. 126+00 TO STA. 130+75 AND INCLUDES ADDITIONAL QUANTITY FOR WOVEN WIRE FENCE TYPE 1
 ⑥ SEE TYPICAL SECTIONS FOR APPLICATION (USE CONCRETE - CLASS B)

ITEM	DESCRIPTION	UNIT	US 150	KY 245	APPROACH ROAD #1	APPROACH ROAD #2	MAYWOOD AVENUE	LESLIE BALLARD ROAD	PARKWAY DRIVE	OLD FILIATREAU ROAD	RAMP A	RAMP A-1	RAMP B	RAMP C	RAMP D	RAMP D-1	ENTRANCES	TOTAL
3	CRUSHED STONE BASE ①③	TON	7325	316	399	477	982	564	128	254	743	250	498	850	392	188	774	16261
100	ASPHALT SEAL AGGREGATE ②	TON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
103	ASPHALT SEAL COAT ②	TON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
190	LEVELING & WEDGING PG64-22	TON	2418	221	-	-	-	67	38	65	154	40	87	139	64	27	-	3320
205	CL 3 ASPH BASE 1.50D PG64-22	TON	11122	635	172	197	506	197	168	375	140	90	296	260	248	-	-	14406
214	CL 3 ASPH BASE 1.00D PG64-22	TON	-	136	155	405	154	-	-	-	-	-	-	-	-	-	444	1294
216	CL 3 ASPH BASE 1.00D PG76-22	TON	6098	154	-	-	-	-	46	104	324	24	84	220	167	-	-	7221
336	CL 3 ASPH SURF 0.38A PG76-22	TON	3022	276	-	-	-	-	47	81	193	50	87	173	80	34	-	4043
22906ES403	CL 3 ASPH SURF 0.38A PG64-22	TON	-	-	56	64	169	84	-	-	-	-	-	-	-	-	185	558
2101	CEM CONC ENT PAVEMENT - 8 IN	SQYD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115	115
2555	CONCRETE - CLASS B ⑤	CUYD	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
2677	ASPHALT PAVE MILLING & TEXTURING	TON	1701	212	-	-	-	20	28	41	180	41	52	147	51	34	-	2507
23314EC	CONCRETE TRENCH ⑥	LF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3264
24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING ④	TON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55

ITEM	US 150	KY 245	APPROACH ROAD #1	APPROACH ROAD #2	MAYWOOD AVENUE	LESLIE BALLARD ROAD	PARKWAY DRIVE	OLD FILIATREAU ROAD	RAMP A	RAMP A-1	RAMP B	RAMP C	RAMP D	RAMP D-1	ENTRANCES	TOTAL
CRUSHED STONE BASE	31847	1375	1156	1383	2847	1635	557	1104	3232	1088	2164	3696	1705	819	2807	57415
ASPHALT SEAL AGGREGATE	1930	-	170	225	-	315	44	71	486	158	278	605	235	137	-	4654
ASPHALT SEAL COAT	1930	-	170	225	-	315	44	71	486	158	278	605	235	137	-	4654
LEVELING & WEDGING PG64-22	43961	4014	-	-	-	1222	686	1180	2801	728	1259	2523	1166	488	-	60028
CL 3 ASPH BASE 1.50D PG64-22	40445	2310	835	953	2455	952	611	1364	509	328	1077	944	901	-	-	53684
CL 3 ASPH BASE 1.00D PG64-22	-	-	825	939	2455	933	-	-	-	-	-	-	-	-	2692	7844
CL 3 ASPH BASE 1.00D PG76-22	36957	935	-	-	-	-	281	629	1961	146	507	1334	1014	-	-	43764
CL 3 ASPH SURF 0.38A PG76-22	43961	4014	-	-	-	-	686	1180	2801	728	1259	2523	1166	488	-	58807
CL 3 ASPH SURF 0.38A PG64-22	-	-	820	933	2455	1222	-	-	-	-	-	-	-	-	2692	8122
ASPHALT MATERIAL FOR TACK NON-TRACKING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	201766
CONCRETE ENTRANCE PAVEMENT - 8 INCH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115	115
CONCRETE - CLASS B	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	375
ASPHALT PAVE MILLING & TEXTURING	24741	3079	-	-	-	296	406	590	2612	589	760	2136	749	488	-	36446

NOTES
ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.
① ESTIMATED AT 115 LBS. PER SQ. YD. PER INCH OF DEPTH
② TWO (2) APPLICATIONS FROM OUTSIDE EDGE OF PAVED SHOULDER TO 2 FEET DOWN THE DITCH OR FILL SLOPE. ASPHALT SEAL COAT APPLIED AT 2.40 LBS/SY
ASPHALT SEAL AGGREGATE APPLIED AT 20 LBS/SY (SIZE NO. 8 OR 9M)
③ INCLUDES AN ADDITIONAL 15% OVERRUN FOR MAINTAINING AND CONTROLLING TRAFFIC
④ APPLY ASPHALT MATERIAL FOR TACK NON-TRACKING AT A RATE OF 0.50 LBS/SY
⑤ CONCRETE - CLASS B FOR MEDIAN FILL STA. 126+00 TO STA. 130+75 AND INCLUDES ADDITIONAL QUANTITY FOR WOVEN WIRE FENCE TYPE 1
⑥ SEE TYPICAL SECTIONS FOR APPLICATION (USE CONCRETE - CLASS B)

ITEM	DESCRIPTION	UNIT	US 150	KY 245	APPROACH ROAD #1	APPROACH ROAD #2	MAYWOOD AVENUE	LESLIE BALLARD ROAD	PARKWAY DRIVE	OLD FILIATREAU ROAD	RAMP A	RAMP A-1	RAMP B	RAMP C	RAMP D	RAMP D-1	ENTRANCES	TOTAL
3	CRUSHED STONE BASE ①③	TON	7325	316	399	477	982	564	128	254	743	250	498	850	392	188	774	16261
100	ASPHALT SEAL AGGREGATE ②	TON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
103	ASPHALT SEAL COAT ②	TON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
190	LEVELING & WEDGING PG64-22	TON	2418	221	-	-	-	67	38	65	154	40	87	139	64	27	-	3320
205	CL 3 ASPH BASE 1.50D PG64-22	TON	11122	635	172	197	506	197	168	375	140	90	296	260	248	-	-	14406
214	CL 3 ASPH BASE 1.00D PG64-22	TON	-	136	155	405	154	-	-	-	-	-	-	-	-	-	444	1294
216	CL 3 ASPH BASE 1.00D PG76-22	TON	6098	154	-	-	-	-	46	104	324	24	84	220	167	-	-	7221
336	CL 3 ASPH SURF 0.38A PG76-22	TON	3022	276	-	-	-	-	47	81	193	50	87	173	80	34	-	4043
22906ES403	CL 3 ASPH SURF 0.38A PG64-22	TON	-	-	56	64	169	84	-	-	-	-	-	-	-	-	185	558
2101	CEM CONC ENT PAVEMENT - 8 IN	SQYD	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115	115
2555	CONCRETE - CLASS B ⑤	CUYD	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
2677	ASPHALT PAVE MILLING & TEXTURING	TON	1701	212	-	-	-	20	28	41	180	41	52	147	51	34	-	2507
23314EC	CONCRETE TRENCH ⑥	LF	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3264
24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING ④	TON	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55

⑥ SEE TYPICAL SECTIONS FOR APPLICATION (USE CONCRETE - CLASS B)

ITEM	US 150	KY 245	APPROACH ROAD #1	APPROACH ROAD #2	MAYWOOD AVENUE	LESLIE BALLARD ROAD	PARKWAY DRIVE	OLD FILIATREAU ROAD	RAMP A	RAMP A-1	RAMP B	RAMP C	RAMP D	RAMP D-1	ENTRANCES	TOTAL
CRUSHED STONE BASE	31847	1375	1156	1383	2847	1635	557	1104	3232	1088	2164	3696	1705	819	2807	57415
ASPHALT SEAL AGGREGATE	1930	-	170	225	-	315	44	71	486	158	278	605	235	137	-	4654
ASPHALT SEAL COAT	1930	-	170	225	-	315	44	71	486	158	278	605	235	137	-	4654
LEVELING & WEDGING PG64-22	43961	4014	-	-	-	1222	686	1180	2801	728	1259	2523	1166	488	-	60028
CL 3 ASPH BASE 1.50D PG64-22	40445	2310	835	953	2455	952	611	1364	509	328	1077	944	901	-	-	53684
CL 3 ASPH BASE 1.00D PG64-22	-	-	825	939	2455	933	-	-	-	-	-	-	-	-	2692	7844
CL 3 ASPH BASE 1.00D PG76-22	36957	935	-	-	-	-	281	629	1961	146	507	1334	1014	-	-	43764
CL 3 ASPH SURF 0.38A PG76-22	43961	4014	-	-	-	-	686	1180	2801	728	1259	2523	1166	488	-	58807
CL 3 ASPH SURF 0.38A PG64-22	-	-	820	933	2455	1222	-	-	-	-	-	-	-	-	2692	8122
ASPHALT MATERIAL FOR TACK NON-TRACKING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	201766
CONCRETE ENTRANCE PAVEMENT - 8 INCH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	115	115
CONCRETE - CLASS B	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	375
ASPHALT PAVE MILLING & TEXTURING	24741	3079	-	-	-	296	406	590	2612	589	760	2136	749	488	-	36446

④ ASPHALT MATERIAL FOR TACK NON-TRACKING AT A RATE OF 0.50 LBS/SY

⑤ CONCRETE - CLASS B FOR MEDIAN FILL STA. 126+00 TO STA. 130+75 AND INCLUDES ADDITIONAL QUANTITY FOR WOVEN WIRE FENCE TYPE 1

⑥ SEE TYPICAL SECTIONS FOR APPLICATION (USE CONCRETE - CLASS B)