



COMMONWEALTH OF KENTUCKY  
TRANSPORTATION CABINET

[www.transportation.ky.gov/](http://www.transportation.ky.gov/)

Andy Beshear  
GOVERNOR

Jim Gray  
SECRETARY

September 24, 2020

CALL NO. 106  
CONTRACT ID NO. 204000  
ADDENDUM # 1

Subject: WARREN COUNTY, HSIP 5073 (005)  
Letting September 25, 2020

- (1) Revised - General Summary - Page 104 of 294
- (2) Revised - Pipe Replacement and Extension Summary - Pages 106-107 of 294
- (3) Revised - Proposal Bid Items - Pages 292-294 of 294

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.  
Director  
Division of Construction Procurement

RM:mr  
Enclosures

GENERAL SUMMARY

Item	Description	Unit	Quantity
1	DGA BASE	TON	1,820
100	ASPHALT SEAL AGGREGATE	TON	424
103	ASPHALT SEAL COAT	TON	50.7
190	Leveling and Wedging PG 64-22	TON	564
212	CL 2 ASPH BASE 1,00D PG 64-22	TON	3,719
301	CL 2 ASPH SURF 0.38D PG 64-22	TON	5,640
24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	TON	26
462	CULVERT PIPE - 18 IN	LF	408
464	CULVERT PIPE - 24 IN	LF	35
1310	REMOVE PIPE	LF	75
1585	REMOVE DROP BOX INLET	EACH	1
1643	Junction Box - 24 IN	EACH	2
1726	SAFETY BOX INLET - 18 IN SDB-1	EACH	1
1728	SAFETY BOX INLET - 18 IN DBL SDB-5	EACH	2
2014	BARRICADE TYPE III	EACH	4
2159	TEMP DITCH	LF	19,056
2160	CLEAN TEMP DITCH	LF	9,528
2237	DITCHING	LF	167
2259	FENCE-TEMP	LF	4,400
2268	REMOVE AND REPLACE FENCE	LF	4,400
2367	GUARDRAIL END TREATMENT TYPE 1	EACH	11
2381	REMOVE GUARDRAIL	LF	550
2483	CHANNEL LINING CLASS II	TON	548
2562	TEMPORARY SIGNS	SQFT	470
2568	MOBILIZATION	LS	1
2569	DEMOLITION	LS	1
2575	DITCHING & SHOULDERING	LF	2,450
2625	REMOVE HEADWALL	EACH	27
2650	MAINTAIN & CONTROL TRAFFIC	LS	1
2676	MOBILIZATION FOR MILLING & TEXTURING	LS	1
2677	ASPHALT PAVE MILLING & TEXTURING	TON	50
2690	SAFELOADING	CUYD	30
2697	EDGELINE RUMBLE STRIPS	LF	76,222
2701	TEMP SILT FENCE	LF	19,056
2703	SILT TRAP TYPE A	EACH	32
2704	SILT TRAP TYPE B	EACH	32
2705	SILT TRAP TYPE C	EACH	32
2706	CLEAN SILT TRAP TYPE A	EACH	32
2707	CLEAN SILT TRAP TYPE B	EACH	32
2708	CLEAN SILT TRAP TYPE C	EACH	32
2726	STAKING	LS	1
3240	BASE FAILURE REPAIR	SQYD	505
5950	EROSION CONTROL BLANKET	SQYD	5,000

Item	Description	Unit	Quantity
5952	TEMP MULCH	SQYD	102,797
5953	TEMP SEEDING AND PROTECTION	SQYD	76,714
5963	INITIAL FERTILIZER	TON	5
5964	MAINTENANCE FERTILIZER	TON	7.9
5985	SEEDING AND PROTECTION	SQYD	153,428
5992	AGRICULTURAL LIMESTONE	TON	95.1
6406	SBM ALUM SHEET SIGNS 0.080 INCH	SQFT	1,110.63
6410	STEEL POST TYPE 1	LF	3,360
6427	TRENCHING	LF	76,068
6510	PAVE STRIPING - TEMP PAINT - 4 IN	LF	90,522
6514	PAVE STRIPING - PERM PAINT - 4 IN	LF	143,000
6568	PAVE MARKING - THERMO STOP BAR - 24 IN	LF	170
10020NS	FUEL ADJUSTMENT	DOLLARS	15,223
10030NS	ASPHALT ADJUSTMENT	DOLLARS	36,590
20257NC	SITE PREP - RT STA 48+00 TO 51+00	LS	1
20257NC	SITE PREP - RT STA 53+50 TO 57+00	LS	1
20257NC	SITE PREP - RT STA 62+00 TO 64+00	LS	1
20257NC	SITE PREP - LT STA 124+00 TO 131+00	LS	1
20257NC	SITE PREP - RT STA 124+00 TO 131+00	LS	1
20257NC	SITE PREP - LT STA 162+50 TO 165+50	LS	1
20257NC	SITE PREP - RT STA 177+00 TO 179+00	LS	1
20257NC	SITE PREP - LT STA 189+00 TO 193+50	LS	1
20257NC	SITE PREP - RT STA 188+50 TO 195+00	LS	1
20257NC	SITE PREP - LT STA 216+00 TO 219+00	LS	1
20257NC	SITE PREP - LT STA 222+00 TO 224+00	LS	1
20257NC	SITE PREP - RT STA 222+00 TO 224+00	LS	1
20257NC	SITE PREP - LT STA 236+00 TO 239+50	LS	1
20257NC	SITE PREP - RT STA 241+00 TO 242+00	LS	1
20257NC	SITE PREP - RT STA 249+50 TO 251+50	LS	1
20257NC	SITE PREP - LT STA 257+00 TO 259+00	LS	1
20257NC	SITE PREP - LT STA 263+00 TO 267+00	LS	1
20257NC	SITE PREP - LT STA 272+00 TO 274+00	LS	1
20257NC	SITE PREP - RT STA 273+00 TO 274+00	LS	1
20257NC	SITE PREP - LT STA 339+00 TO 341+50	LS	1
20257NC	SITE PREP - LT STA 344+00 TO 346+50	LS	1
20257NC	SITE PREP - RT STA 344+00 TO 346+50	LS	1
20257NC	SITE PREP - LT STA 361+00 TO 362+50	LS	1
20257NC	SITE PREP - LT STA 367+00 TO 368+00	LS	1
21373ND	REMOVE SIGN	EACH	26
23126EN	BORE AND JACK PIPE - 18 IN	LF	252
24575E610	HEADWALL (SLOPED & MITTERED CONCRETE FOR 18 INCH PIPE)	EACH	25
24575E610	HEADWALL (SLOPED & MITTERED CONCRETE FOR 24 INCH PIPE)	EACH	2
24631EC	BARCODE SIGN INVENTORY	EACH	319

Mile Point	Station	Pipe Size, Type	Existing			PIPE REPLACEMENT & EXTENSION SUMMARY													Comments											
			Left Hdwl	Right Hdwl	Skew	Length (LF)	Remove Pipe (LF)		Pipe Extension Length (LF)		Remove Headwall (Each)		Remove Drop Box (Each)	Safeload Pipe (CY)	Class A Concrete for Intermediate Anchor/Colar (CU YD) <sup>a</sup>	Culvert Pipe 18" (LF)	Culvert Pipe 24" (LF)	Bore and Jack (LF)		Junction Box TV A 24" (EA)	Headwall or Drainage Box		Ditching & Shouldering (LF)(Note 4)		Ditching (LF) (Perpndr to Rdwy)		Channel Lining (TON)			
							Left	Right	Left	Right	Left	Right									Left	Right	Left	Right	Left	Right	Left	Right	Left	Right
2.42	127+58	24" RCP	STD.	STD.	0°	39	4	4	21	14	1	1	1	---	---	3.18	---	35	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	6	9	---	---	Construct with embankment widening	
2.93	154+56	18" RCP	STD.	STD.	0°	34	4	4	12	13	1	1	---	---	2.14	25	---	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	---	---	---	---	---	Construct with embankment widening	
3.10	163+56	18" CMP	---	STD.	0°	57	18	---	---	13	---	1	---	---	1.13	13	---	---	---	Sloped & Mitered Conc.	DBL Safety Box Inlet	---	100	---	---	---	---	---	Construct with embankment widening	
3.37	178+05	18" RCP	STD.	STD.	0°	40	---	---	---	---	1	1	---	4	---	---	---	---	---	Sloped & Mitered Conc.	---	---	---	---	---	---	---	---	Construct with embankment widening	
3.37	178+15	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	46	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	100	---	---	18	---	---	7	---	Construct with embankment widening & Flowable Fill Required
3.62	191+05	18" RCP	STD.	STD.	0°	41	4	4	17	16	1	1	---	---	2.14	33	---	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	---	8	---	---	---	Construct with embankment widening	
4.11	216+80	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	49	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	100	---	---	21	---	---	8	---	Construct with embankment widening & Flowable Fill Required
4.11	217+02	18" RCP	STD.	DBI	0°	54	---	---	---	---	1	---	1	4	---	---	---	---	---	Sloped & Mitered Conc.	---	---	---	---	---	---	---	---	Construct with embankment widening	
4.22	222+68	18" RCP	STD.	STD.	0°	69	---	---	---	---	1	1	---	5	---	---	---	---	---	Sloped & Mitered Conc.	---	---	---	---	---	---	---	---	Construct with embankment widening	
4.22	222+73	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	109	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	8	3	4	---	---	Construct with embankment widening	
4.49	237+10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	52	---	---	Sloped & Mitered Conc.	DBL Safety Box Inlet	---	100	---	33	---	12	---	---	Construct with embankment widening & Flowable Fill Required
4.49	237+16	18" RCP	STD.	STD.	0°	48	---	---	---	---	1	1	---	4	---	---	---	---	---	Sloped & Mitered Conc.	---	---	---	---	---	---	---	---	Construct with embankment widening	
4.57	241+35	18" RCP	STD.	STD.	0°	40	---	5	---	19	---	1	---	---	1.13	19	---	---	1	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	---	---	---	---	---	Construct with embankment widening	
4.75	250+78	18" RCP	STD.	STD.	0°	45	---	4	---	27	---	1	---	---	1.13	27	---	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	---	---	---	---	---	Construct with embankment widening	
4.89	258+40	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	44	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	30	---	11	---	---	Construct with embankment widening & Flowable Fill Required	
4.90	258+50	18" RCP	STD.	STD.	0°	45	---	---	---	---	1	1	---	4	---	---	---	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	---	---	---	---	---	Construct with embankment widening	

Mile Point	Station	Pipe Size, Type	Existing			Length (LF)	Remove Pipe (LF) <sup>1</sup>		Pipe Extension Length (LF)		Remove Headwall (Each)		Remove Drop Box (Each)	Safeload Pipe (CY)	Class A Concrete for Intermediate Anchor/Colar (CU YD) <sup>4</sup>	Culvert Pipe 18" (LF)	Culvert Pipe 24" (LF)	Bore and Jack (LF)	Junction Box TV A 24" (EA)	Headwall or Safety Box Inlet		Ditching & Shouldering (LF)(Note 4)		Ditching (LF) (Perpendicular to Rdwy)		Channel Lining (TON)		Comments
			Left Hdwl	Right Hdwl	Skew		Left	Right	Left	Right	Left	Right								Left	Right	Left	Right	Left	Right			
			Left	Right	Left		Right	Left	Right	Left	Right	Left								Right	Left	Right	Left	Right				
4.98	263+12	18" RCP	STD.	STD.	0°	36	4	4	16	10	1	1	---	2.26	26	---	---	1	Sloped & Mitered Conc.	Safety Box Inlet	---	100	8	---	1	---	Construct with embankment widening	
5.03	265+66	18" RCP	STD.	STD.	0°	40	4	---	26	---	1	---	---	1.13	26	---	---	---	Sloped & Mitered Conc.	---	---	---	---	---	---	---	Construct with embankment widening	
5.18	273+65	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	75	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	13	---	5	---	Construct with embankment widening	
5.18	273+74	18" RCP	STD.	STD.	0°	57	---	---	---	---	1	1	4	---	---	---	---	---	---	---	---	---	---	---	---	---	Construct with embankment widening	
6.45	340+53	18" RCP	STD.	UNK.	UNK.	UNK.	4	---	21	---	1	---	---	1.07	21	---	---	---	Sloped & Mitered Conc.	---	---	---	4	---	---	---	Construct with embankment widening	
6.53	344+84	18" RCP	---	STD.	0°	44	---	---	---	---	---	1	5	---	---	---	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	---	---	---	---	Construct with embankment widening	
6.53	344+90	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	68	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	---	---	6	---	---	Construct with embankment widening	
6.96	367+53	18" RCP	STD.	STD.	0°	33	4	4	16	11	1	1	---	2.26	27	---	---	---	Sloped & Mitered Conc.	Sloped & Mitered Conc.	---	100	---	---	---	---	Construct with embankment widening	
						TOTALS:	75 LF	4	4	16	11	1	1	1 EA	30 CU YD	17.57 CU YD	408 LF	35 LF	252 LF	2 EA	600 LF	157 LF	48 TON					

- NOTES:
1. These Pipe and Drainage Item quantities and locations are approximate and are intended to provide a basis for bid. Final locations, flow line elevations, grate elevations, and quantities will be determined by the contractor and approved by the engineer in the field.
  2. Clearing and grubbing necessary to install drainage items, as directed by the Engineer, will be considered part of Site Preparation, which is incidental to the Contract.
  3. See Standard Drawing RDX-060-03 for Intermediate Anchor details. Intermediate anchors shall be incidental to the construction of new pipe.
  4. These locations of Ditching & Shouldering are already accounted for in the Ditching and Shouldering Summary and are NOT duplicated in the PROJECT TOTALS.
  5. All quantities were carried over to the General Summary.

Item	Description	Unit	Quantity
462	Culvert Pipe - 18 IN	LF	408
464	Culvert Pipe - 24 IN	LF	35
1310	Remove Pipe	LF	75
1585	Remove Drop Box Inlet	Each	1
1643	Junction Box - 24 IN	Each	2
1726	Safety Box Inlet - 18 In SDB-1	Each	1
1728	Safety Box Inlet - 18 In DBL SDB-5	Each	2
2237	Ditching	LF	167
2483	Channel Lining Class II	Ton	48
2625	Remove Headwall	Each	27
2690	Safeloading	CY	30
23126EN	Bore and Jack Pipe - 18 IN	LF	252
24575E3G10	Headwall (Sloped & Mitered Conc. for 18")	Each	25
24575E5G11	Headwall (Sloped & Mitered Conc. for 24")	Each	2

**PROPOSAL BID ITEMS**

204000

Page 1 of 3

Report Date 9/24/20

**Section: 0001 - PAVING**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	1,820.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	424.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	50.70	TON		\$	
0040	00190		LEVELING & WEDGING PG64-22	564.00	TON		\$	
0050	00212		CL2 ASPH BASE 1.00D PG64-22	3,719.00	TON		\$	
0060	00301		CL2 ASPH SURF 0.38D PG64-22	5,640.00	TON		\$	
0070	02676		MOBILIZATION FOR MILL & TEXT (Warren Co KY 234)	1.00	LS		\$	
0080	02677		ASPHALT PAVE MILLING & TEXTURING	50.00	TON		\$	
0090	10020NS		FUEL ADJUSTMENT	15,223.00	DOLL	\$1.00	\$	\$15,223.00
0100	10030NS		ASPHALT ADJUSTMENT	36,590.00	DOLL	\$1.00	\$	\$36,590.00
0110	24970EC		ASPHALT MATERIAL FOR TACK NON- TRACKING	26.00	TON		\$	

**Section: 0002 - ROADWAY**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0120	02014		BARRICADE-TYPE III	4.00	EACH		\$	
0130	02159		TEMP DITCH	19,056.00	LF		\$	
0140	02160		CLEAN TEMP DITCH	9,528.00	LF		\$	
0150	02237		DITCHING	167.00	LF		\$	
0160	02259		FENCE-TEMP	4,400.00	LF		\$	
0170	02268		REMOVE & REPLACE FENCE	4,400.00	LF		\$	
0180	02483		CHANNEL LINING CLASS II	548.00	TON		\$	
0190	02562		TEMPORARY SIGNS	470.00	SQFT		\$	
0200	02575		DITCHING AND SHOULDERING	2,450.00	LF		\$	
0210	02650		MAINTAIN & CONTROL TRAFFIC (Warren Co KY 234)	1.00	LS		\$	
0220	02697		EDGELINE RUMBLE STRIPS	76,222.00	LF		\$	
0230	02701		TEMP SILT FENCE	19,056.00	LF		\$	
0240	02703		SILT TRAP TYPE A	32.00	EACH		\$	
0250	02704		SILT TRAP TYPE B	32.00	EACH		\$	
0260	02705		SILT TRAP TYPE C	32.00	EACH		\$	
0270	02706		CLEAN SILT TRAP TYPE A	32.00	EACH		\$	
0280	02707		CLEAN SILT TRAP TYPE B	32.00	EACH		\$	
0290	02708		CLEAN SILT TRAP TYPE C	32.00	EACH		\$	
0300	02726		STAKING (Warren Co KY 234)	1.00	LS		\$	
0310	03240		BASE FAILURE REPAIR	505.00	SQYD		\$	
0320	05950		EROSION CONTROL BLANKET	5,000.00	SQYD		\$	
0330	05952		TEMP MULCH	102,797.00	SQYD		\$	
0340	05953		TEMP SEEDING AND PROTECTION	76,714.00	SQYD		\$	
0350	05963		INITIAL FERTILIZER	5.00	TON		\$	
0360	05964		MAINTENANCE FERTILIZER	7.90	TON		\$	
0370	05985		SEEDING AND PROTECTION	153,428.00	SQYD		\$	
0380	05992		AGRICULTURAL LIMESTONE	95.10	TON		\$	
0390	06427		TRENCHING	76,068.00	LF		\$	

**PROPOSAL BID ITEMS**

204000

Report Date 9/24/20

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0400	06510		PAVE STRIPING-TEMP PAINT-4 IN	90,522.00	LF		\$	
0410	06514		PAVE STRIPING-PERM PAINT-4 IN	143,000.00	LF		\$	
0420	06568		PAVE MARKING-THERMO STOP BAR-24IN	170.00	LF		\$	
0430	20257NC		SITE PREPARATION (LT STA 124+00 TO 131+00)	1.00	LS		\$	
0440	20257NC		SITE PREPARATION (LT STA 162+50 TO 165+50)	1.00	LS		\$	
0450	20257NC		SITE PREPARATION (LT STA 189+00 TO 193+50)	1.00	LS		\$	
0460	20257NC		SITE PREPARATION (LT STA 216+00 TO 219+00)	1.00	LS		\$	
0470	20257NC		SITE PREPARATION (LT STA 222+00 TO 224+00)	1.00	LS		\$	
0480	20257NC		SITE PREPARATION (LT STA 236+00 TO 239+50)	1.00	LS		\$	
0490	20257NC		SITE PREPARATION (LT STA 257+00 TO 259+00)	1.00	LS		\$	
0500	20257NC		SITE PREPARATION (LT STA 263+00 TO 267+00)	1.00	LS		\$	
0510	20257NC		SITE PREPARATION (LT STA 272+00 TO 274+00)	1.00	LS		\$	
0520	20257NC		SITE PREPARATION (LT STA 339+00 TO 341+50)	1.00	LS		\$	
0530	20257NC		SITE PREPARATION (LT STA 344+00 TO 346+50)	1.00	LS		\$	
0540	20257NC		SITE PREPARATION (LT STA 361+00 TO 362+50)	1.00	LS		\$	
0550	20257NC		SITE PREPARATION (LT STA 367+00 TO 368+00)	1.00	LS		\$	
0560	20257NC		SITE PREPARATION (RT STA 124+00 TO 131+00)	1.00	LS		\$	
0570	20257NC		SITE PREPARATION (RT STA 177+00 TO 179+00)	1.00	LS		\$	
0580	20257NC		SITE PREPARATION (RT STA 188+50 TO 195+00)	1.00	LS		\$	
0590	20257NC		SITE PREPARATION (RT STA 222+00 TO 224+00)	1.00	LS		\$	
0600	20257NC		SITE PREPARATION (RT STA 241+00 TO 242+00)	1.00	LS		\$	
0610	20257NC		SITE PREPARATION (RT STA 249+50 TO 251+50)	1.00	LS		\$	
0620	20257NC		SITE PREPARATION (RT STA 273+00 TO 274+00)	1.00	LS		\$	
0630	20257NC		SITE PREPARATION (RT STA 344+00 TO 346+50)	1.00	LS		\$	
0640	20257NC		SITE PREPARATION (RT STA 48+00 TO 51+00)	1.00	LS		\$	
0650	20257NC		SITE PREPARATION (RT STA 53+50 TO 57+00)	1.00	LS		\$	
0660	20257NC		SITE PREPARATION (RT STA 62+00 TO 64+00)	1.00	LS		\$	

**Section: 0003 - DRAINAGE**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
------	----------	-----	-------------	----------	------	-----------	----	--------

**PROPOSAL BID ITEMS**

204000

Page 3 of 3

Report Date 9/24/20

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0670	00462		CULVERT PIPE-18 IN (REVISED: 9-24-20)	408.00	LF		\$	
0680	00464		CULVERT PIPE-24 IN	35.00	LF		\$	
0690	01310		REMOVE PIPE	75.00	LF		\$	
0700	01585		REMOVE DROP BOX INLET	1.00	EACH		\$	
0710	01643		JUNCTION BOX-24 IN	2.00	EACH		\$	
0720	01726		SAFETY BOX INLET-18 IN SDB-1	1.00	EACH		\$	
0730	01728		SAFETY BOX INLET-18 IN DBL SDB-5	2.00	EACH		\$	
0740	02625		REMOVE HEADWALL	27.00	EACH		\$	
0750	02690		SAFELOADING	30.00	CUYD		\$	
0760	23126EN		BORE AND JACK PIPE-18 IN	252.00	LF		\$	
0770	24575ES610		HEADWALL (SLOPED AND MITERED CONCRETE FOR 18 INCH PIPE)	25.00	EACH		\$	
0780	24575ES610		HEADWALL (SLOPED AND MITERED CONCRETE FOR 24 INCH PIPE)	2.00	EACH		\$	

**Section: 0004 - SIGNING**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0790	06406		SBM ALUM SHEET SIGNS .080 IN	1,110.60	SQFT		\$	
0800	06410		STEEL POST TYPE 1	3,360.00	LF		\$	
0810	21373ND		REMOVE SIGN	26.00	EACH		\$	
0820	24631EC		BARCODE SIGN INVENTORY	319.00	EACH		\$	

**Section: 0005 - GUARDRAIL**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0830	02367		GUARDRAIL END TREATMENT TYPE 1	11.00	EACH		\$	
0840	02381		REMOVE GUARDRAIL	550.00	LF		\$	

**Section: 0006 - DEMOBILIZATION**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0850	02568		MOBILIZATION	1.00	LS		\$	
0860	02569		DEMOBILIZATION	1.00	LS		\$	