



**COMMONWEALTH OF KENTUCKY
TRANSPORTATION CABINET**
Frankfort, Kentucky 40622
www.transportation.ky.gov/

Matthew G. Bevin
Governor

Greg Thomas
Secretary

October 24, 2017

CALL NO. 108
CONTRACT ID NO. 171249
ADDENDUM # 2

Subject: Larue County, STP BRZ 0611 (070)
Letting October 27, 2017

- (1) Revised - Plan Sheet - R1
- (2) Revised - Special Note - Page 17 of 113
- (3) Revised - Summary - Page 28 of 113
- (4) Revised - Bid Items - Pages 112-113 of 113

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

Plan revisions are available at <http://www.lynnimaging.com/kytransportation/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:ks
Enclosures



An Equal Opportunity Employer M/F/D

SUMMARY OF QUANTITIES

COUNTY OF	ITEM NO.	SHEET NO.
LARUE	4-1087	RI

ITEM CODE	DESCRIPTION	UNIT	TOTAL
02230	EMBANKMENT IN PLACE ⑤ ③	CUYD	614
02562	TEMPORARY SIGNS	SF	200
05985	SEEDING AND PROTECTION ②	SOYD	510
05989	SPECIAL SEEDING CROWN VETCH	SOYD	335
02545	CLEARING AND GRUBBING ①	LS	1
02159	TEMP DITCH	LF	138
02160	CLEAN TEMP DITCH	LF	69
02701	TEMP SILT FENCE	LF	138
05952	TEMP MULCH	SOYD	336
05953	TEMP SEEDING AND PROTECTION	SOYD	255
02704	SILT TRAP TYPE B	EA	2
02707	CLEAN SILT TRAP TYPE B	EA	2
04933	TEMPORARY SIGNAL 2 PHASE	EA	1
02650	MAINTAIN AND CONTROL TRAFFIC ④	LS	1
02726	STAKING	LS	1
02697	EDGE LINE RUMBLE STRIPS	LF	550
06514	PAVEMENT STRIPING - PERMANENT PAINT - 4 IN	LF	1100
06510	PAVE STRIPING-TEMP PAINT-4 IN	LF	825
02585	EDGE KEY	LF	40
21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	LF	150
02367	GUARDRAIL END TREATMENT TYPE 1	EA	4
02731	REMOVE STRUCTURE ⑥	EA	1
21289ED	LONGITUDINAL EDGE KEY	LF	550
02569	DEMobilIZATION	LS	1
03171	CONCRETE BARRIER WALL TYPE 9T	LF	200
01987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	EA	8
2019IED	OBJECT MARKER TY 3	EA	4
23010EN	PAVE MARK TEMP PAINT STOP BAR-24IN	LF	22
02653	LANE CLOSURES	EA	2
08901	CRASH CUSHION TY VI CLASS BT TL2 ⑦	EA	1

NOTES:

- ① APPROXIMATELY 0.11 ACRES
- ② THE FOLLOWING SHALL BE INCIDENTAL TO SEEDING AND PROTECTION:
INITIAL FERTILIZER @ 0.157 TONS/ACRE OF CLEARING AND GRUBBING
20-10-10 FERTILIZER @ 0.25 TONS/ACRE OF SEEDING
AGRICULTURAL LIMESTONE @ 3.0 TONS/ACRE OF CLEARING AND GRUBBING
- ③ QUANTITIES ARE APPROXIMATE AND ARE FOR INFORMATION ONLY

COM: 56 CU YDS
EMB: 361 CU YDS
EMB BENCH: 253 CU YDS
- ④ WATER SHALL BE INCIDENTAL TO MAINTAIN AND CONTROL TRAFFIC
- ⑤ TEMP FENCE DURING CONST & PERM FENCE REPLACED IN LIKE KIND
INCIDENTAL TO EMBANKMENT IN PLACE (APPROX 200 LF EACH)
- ⑥ REMOVE EXISTING 20'W X 7.85H X 31LF CONCRETE T-BEAM BRIDGE AT
STA 11+59.58
- ⑦ RELOCATION OF TEMPORARY CRASH CUSHION SHALL BE INCIDENTAL TO THE BID ITEM.

STANDARD DRAWINGS

RBI-001-11	RBR-055
RBR-020-06	TTC-110-03
RBM-115-10	TTS-100-02
RBR-001-12	RDX-225-01
RBR-005-11	RDX-210-03
RBR-015-05	RBE-100-10

TOTAL STANDARD DRAWINGS: 12

PAVING AREAS

ITEM	MAINLINE KY 61
SQUARE YARDS	
1.25" CL2 ASPH SURF 0.38D PG 64-22	811
4.00" CL2 ASPH BASE 1.00D PG64-22 (TOP LAYER)	331
4.00" CL2 ASPH BASE 1.00D PG64-22 (BOTTOM LAYER)	290

ITEM CODE	ITEM	UNIT	TOTAL PROJECT
00301	CL2 ASPH SURF 0.38D PG 64-22	TON	56
00212	CL2 ASPH BASE 1.00D PG64-22	TON	137
00003	CRUSHED STONE BASE ①	TON	225
00103	ASPHALT SEAL COAT	TON	0.37
00100	ASPHALT SEAL AGGREGATE	TON	3.06

NOTES:

ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE. TONNAGE BASED ON END-AREA OF CROSS-SECTIONS

① ESTIMATED AT 115 LBS. PER SQ.YD. PER INCH OF DEPTH.

COMPACTION OF ASPHALT MIXTURES
WILL ACCEPT THE COMPACTION OF ASPHALT MIXTURES FURNISHED ON THIS PROJECT BY OPTION B ACCORDING TO SUBSECTIONS 402.03.02 AND 403.03.10 OF THE STANDARD SPECIFICATIONS.

STANDARD DRAWINGS

STANDARD DRAWINGS ARE NOT ATTACHED TO THESE PLANS. A STANDARD DRAWING BOOK MAY BE OBTAINED FROM THE POLICY SUPPORT BRANCH OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES IN FRANKFORT, KY. AT (502) 564-3670

EDGE KEY

THIS WORK INCLUDES CUTTING OUT THE EXISTING ASPHALT SURFACE TO A MINIMUM DEPTH AND WIDTH AS DETAILED ELSEWHERE IN THE PLANS SO THAT THE NEW SURFACE MAY HEEL INTO THE EXISTING SURFACE. THE CONTRACT UNIT PRICE BID LINEAR FOOT (PER METER) FOR "EDGE KEY" INCLUDES ALL NECESSARY MATERIALS, LABOR AND EQUIPMENT NECESSARY TO PERFORM THE WORK AND DISPOSE OF THE REMOVED ASPHALT MATERIAL.

LONGITUDINAL EDGE KEY

THIS WORK INCLUDES MILLING OF THE EXISTING ASPHALT SURFACE ALONG THE EDGE OF THE EXISTING PAVEMENT TO CREATE A SHELF FOR THE PROPOSED ASPHALT BASE COURSE TO SPAN THE EXISTING PAVEMENT EDGE, REDUCING THE LIKELIHOOD OF REFLECTIVE CRACKING ALONG THE OLD EDGE OF PAVEMENT.

DIVISION OF AIR QUALITY NOI

THE CONTRACTOR WILL BE RESPONSIBLE FOR SUBMITTING A NOI (NOTICE OF INTENT) TO THE APPROPRIATE KENTCKY DIVISION OF AIR QUALITY REGIONAL OFFICE AT LEAST 10 BUSINESS DAYS PRIOR TO DEMOLITION OF BRIDGE STRUCTURE.

SPECIAL NOTE

SPECIAL NOTE FOR FIXED COMPLETION DATE

BEFORE YOU DIG

THE CONTRACTOR IS INSTRUCTED TO CALL 1-800-752-6007 TO REACH KY 811, THE ONE-CALL SYSTEM FOR INFORMATION ON THE LOCATION OF EXISTING UNDERGROUND UTILITIES. THE CALL IS TO BE PLACED A MINMUM OF TWO (2) AND NO MORE THAN TEN (10) BUSINESS DAYS PRIOR TO EXCAVATION. THE CONTRACTOR SHOULD BE AWARE THAT THE OWNERS OF UNDERGROUND FACILITIES ARE NOT REQUIRED TO BE MEMBERS OF THE KY 811 ONE-CALL BEFORE-U-DIG (BUD) SERVICE. THE CONTRACTOR MUST COORDINATE EXVACATION WITH THE UTILTY OWNERS, INCLUDING THOSE WHOM DO NOT SUBSCRIBE TO KY 811. IT MAY BE NECESSARY FOR THE CONTRACTOR TO CONTACT THE COUNTY COURT CLERK TO DETERMINE WHAT UTILITY COMPANIES HAVE FACILITIES IN THE AREA.

KY 61 - MT SHERMAN
SOUTH FORK BRIDGE REPLACEMENT
SUMMARY OF QUANTITIES
NOT TO SCALE

GENERAL AND SPECIAL NOTES

FILE NAME: C:\PWORK\BRADLEY.BOTTOMS\01354048\27731.DGN

USER: BradleyBottoms
DATE PLOTTED: October 24, 2017

E-SHEET NAME:

MicroStation v8.11.7.443

SUMMARY OF QUANTITIES

COUNTY OF	ITEM NO.	SHEET NO.
LARUE	4-1087	RI

ITEM CODE	DESCRIPTION	UNIT	TOTAL
02230	EMBANKMENT IN PLACE ⑤ ③	CUYD	614
02562	TEMPORARY SIGNS	SF	200
05985	SEEDING AND PROTECTION ②	SOYD	510
05989	SPECIAL SEEDING CROWN VETCH	SOYD	335
02545	CLEARING AND GRUBBING ①	LS	1
02159	TEMP DITCH	LF	138
02160	CLEAN TEMP DITCH	LF	69
02701	TEMP SILT FENCE	LF	138
05952	TEMP MULCH	SOYD	336
05953	TEMP SEEDING AND PROTECTION	SOYD	255
02704	SILT TRAP TYPE B	EA	2
02707	CLEAN SILT TRAP TYPE B	EA	2
04933	TEMPORARY SIGNAL 2 PHASE	EA	1
02650	MAINTAIN AND CONTROL TRAFFIC ④	LS	1
02726	STAKING	LS	1
02697	EDGE LINE RUMBLE STRIPS	LF	550
06514	PAVEMENT STRIPING - PERMANENT PAINT - 4 IN	LF	1100
06510	PAVE STRIPING-TEMP PAINT-4 IN	LF	825
02585	EDGE KEY	LF	40
21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	LF	150
02367	GUARDRAIL END TREATMENT TYPE 1	EA	4
02731	REMOVE STRUCTURE ⑥	EA	1
21289ED	LONGITUDINAL EDGE KEY	LF	550
02569	DEMobilIZATION	LS	1
03171	CONCRETE BARRIER WALL TYPE 9T	LF	200
01987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	EA	8
2019IED	OBJECT MARKER TY 3	EA	4
23010EN	PAVE MARK TEMP PAINT STOP BAR-24IN	LF	22
02653	LANE CLOSURES	EA	2
08901	CRASH CUSHION TY VI CLASS BT TL2 ⑦	EA	1

NOTES:

- ① APPROXIMATELY 0.11 ACRES
- ② THE FOLLOWING SHALL BE INCIDENTAL TO SEEDING AND PROTECTION:
INITIAL FERTILIZER @ 0.157 TONS/ACRE OF CLEARING AND GRUBBING
20-10-10 FERTILIZER @ 0.25 TONS/ACRE OF SEEDING
AGRICULTURAL LIMESTONE @ 3.0 TONS/ACRE OF CLEARING AND GRUBBING
- ③ QUANTITIES ARE APPROXIMATE AND ARE FOR INFORMATION ONLY
COM: 56 CU YDS
EMB: 361 CU YDS
EMB BENCH: 253 CU YDS
- ④ WATER SHALL BE INCIDENTAL TO MAINTAIN AND CONTROL TRAFFIC
- ⑤ TEMP FENCE DURING CONST & PERM FENCE REPLACED IN LIKE KIND
INCIDENTAL TO EMBANKMENT IN PLACE (APPROX 200 LF EACH)
- ⑥ REMOVE EXISTING 20'W X 7.85H X 31LF CONCRETE T-BEAM BRIDGE AT
STA 11+59.58
- ⑦ RELOCATION OF TEMPORARY CRASH CUSHION SHALL BE INCIDENTAL TO THE BID ITEM.

STANDARD DRAWINGS

RBI-001-11	RBR-055
RBR-020-06	TTC-110-03
RBM-115-10	TTS-100-02
RBR-001-12	RDX-225-01
RBR-005-11	RDX-210-03
RBR-015-05	RBE-100-10

TOTAL STANDARD DRAWINGS: 12

PAVING AREAS

ITEM	MAINLINE KY 61
SQUARE YARDS	
1.25" CL2 ASPH SURF 0.38D PG 64-22	811
4.00" CL2 ASPH BASE 1.00D PG64-22 (TOP LAYER)	331
4.00" CL2 ASPH BASE 1.00D PG64-22 (BOTTOM LAYER)	290

ITEM CODE	ITEM	UNIT	TOTAL PROJECT
00301	CL2 ASPH SURF 0.38D PG 64-22	TON	56
00212	CL2 ASPH BASE 1.00D PG64-22	TON	137
00003	CRUSHED STONE BASE ①	TON	225
00103	ASPHALT SEAL COAT	TON	0.37
00100	ASPHALT SEAL AGGREGATE	TON	3.06

NOTES:

ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE. TONNAGE BASED ON END-AREA OF CROSS-SECTIONS

① ESTIMATED AT 115 LBS. PER SQ.YD. PER INCH OF DEPTH.

GENERAL AND SPECIAL NOTES

COMPACTION OF ASPHALT MIXTURES

WILL ACCEPT THE COMPACTION OF ASPHALT MIXTURES FURNISHED ON THIS PROJECT BY OPTION B ACCORDING TO SUBSECTIONS 402.03.02 AND 403.03.10 OF THE STANDARD SPECIFICATIONS.

STANDARD DRAWINGS

STANDARD DRAWINGS ARE NOT ATTACHED TO THESE PLANS. A STANDARD DRAWING BOOK MAY BE OBTAINED FROM THE POLICY SUPPORT BRANCH OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES IN FRANKFORT, KY. AT (502) 564-3670

EDGE KEY

THIS WORK INCLUDES CUTTING OUT THE EXISTING ASPHALT SURFACE TO A MINIMUM DEPTH AND WIDTH AS DETAILED ELSEWHERE IN THE PLANS SO THAT THE NEW SURFACE MAY HEEL INTO THE EXISTING SURFACE. THE CONTRACT UNIT PRICE BID LINEAR FOOT (PER METER) FOR "EDGE KEY" INCLUDES ALL NECESSARY MATERIALS, LABOR AND EQUIPMENT NECESSARY TO PERFORM THE WORK AND DISPOSE OF THE REMOVED ASPHALT MATERIAL.

LONGITUDINAL EDGE KEY

THIS WORK INCLUDES MILLING OF THE EXISTING ASPHALT SURFACE ALONG THE EDGE OF THE EXISTING PAVEMENT TO CREATE A SHELF FOR THE PROPOSED ASPHALT BASE COURSE TO SPAN THE EXISTING PAVEMENT EDGE, REDUCING THE LIKELIHOOD OF REFLECTIVE CRACKING ALONG THE OLD EDGE OF PAVEMENT.

DIVISION OF AIR QUALITY NOI

THE CONTRACTOR WILL BE RESPONSIBLE FOR SUBMITTING A NOI (NOTICE OF INTENT) TO THE APPROPRIATE KENTCKY DIVISION OF AIR QUALITY REGIONAL OFFICE AT LEAST 10 BUSINESS DAYS PRIOR TO DEMOLITION OF BRIDGE STRUCTURE.

SPECIAL NOTE

SPECIAL NOTE FOR FIXED COMPLETION DATE

BEFORE YOU DIG

THE CONTRACTOR IS INSTRUCTED TO CALL 1-800-752-6007 TO REACH KY 811, THE ONE-CALL SYSTEM FOR INFORMATION ON THE LOCATION OF EXISTING UNDERGROUND UTILITIES. THE CALL IS TO BE PLACED A MINMUM OF TWO (2) AND NO MORE THAN TEN (10) BUSINESS DAYS PRIOR TO EXCAVATION. THE CONTRACTOR SHOULD BE AWARE THAT THE OWNERS OF UNDERGROUND FACILITIES ARE NOT REQUIRED TO BE MEMBERS OF THE KY 811 ONE-CALL BEFORE-U-DIG (BUD) SERVICE. THE CONTRACTOR MUST COORDINATE EXVACATION WITH THE UTILTY OWNERS, INCLUDING THOSE WHOM DO NOT SUBSCRIBE TO KY 811. IT MAY BE NECESSARY FOR THE CONTRACTOR TO CONTACT THE COUNTY COURT CLERK TO DETERMINE WHAT UTILITY COMPANIES HAVE FACILITIES IN THE AREA.

KY 61 - MT SHERMAN
SOUTH FORK BRIDGE REPLACEMENT
SUMMARY OF QUANTITIES
NOT TO SCALE

FILE NAME: C:\PWORK\BRADLEY.BOTTOMS\01354048\27731.DGN

USER: BradleyBottoms
DATE PLOTTED: October 24, 2017

E-SHEET NAME:

MicroStation v8.11.7.443

SPECIAL NOTE FOR FIXED COMPLETION DATE

PROJECT SHALL BE COMPLETED BY AUGUST 1, 2018. CONTRACTOR SHALL HAVE 60
CALENDAR DAYS FROM INITIAL LANE CLOSURE TO LANES OPEN WITH ALL SAFETY DEVICES
INSTALLED.

SUMMARY OF QUANTITIES

COUNTY OF	ITEM NO.	SHEET NO.
LARUE	4-1087	RI

ITEM CODE	DESCRIPTION	UNIT	TOTAL
02330	EMBANKMENT IN PLACE	CUYD	614
02562	TEMPORARY SIGNS	SF	200
05985	SEEDING AND PROTECTION	50YD	510
05989	SPECIAL SEEDING CROWN WETCH	50YD	335
02545	CLEARING AND GRUBBING	LS	1
02160	CLEAN TEMP DITCH	LF	138
02701	TEMP SILT FENCE	LF	138
05952	TEMP MULCH	50YD	336
05953	TEMP SEEDING AND PROTECTION	50YD	255
02704	SILT TRAP TYPE B	EA	2
02707	CLEAN SILT TRAP TYPE B	EA	2
04933	TEMPORARY SIGNAL 2 PHASE	EA	1
02650	MAINTAIN AND CONTROL TRAFFIC	LS	1
02726	STAKING	LS	1
02697	EDGE LINE RUMBLE STRIPS	LF	550
06514	PAVEMENT STRIPING - PERMANENT PAINT - 4 IN	LF	1100
06510	PAVE STRIPING-TEMP PAINT-4 IN	LF	825
02585	EDGE KEY	LF	40
21802EN	G/R STEEL W BEAM-S FACE (7 FT POST)	LF	150
02367	GUARDRAIL END TREATMENT TYPE 1	EA	4
02731	REMOVE STRUCTURE	EA	1
21289ED	LONGITUDINAL EDGE KEY	LF	550
02569	DEMOLITION	LS	1
03171	CONCRETE BARRIER WALL TYPE 9T	LF	200
01987	DELINATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	EA	8
2019IED	OBJECT MARKER TY 3	EA	4
2301DEN	PAVE MARK TEMP PAINT STOP BAR-24IN	LF	22
02653	LANE CLOSURES	EA	2
08901	CRASH CUSHION TY VI CLASS BT TL2	EA	1

RBR-001-11	RBR-055
RBR-026-06	TTC-106-03
RBR-001-12	RBR-001-12
RBR-005-11	RDX-225-01
RBR-005-05	RDX-210-03
	RBE-1000-10

TOTAL STANDARD DRAWINGS: 12

- NOTES:**
- APPROXIMATELY 0.11 ACRES
 - THE FOLLOWING SHALL BE INCIDENTAL TO SEEDING AND PROTECTION:
INITIAL FERTILIZER @ 0.157 TONS/ACRE OF CLEARING AND GRUBBING
20-10-10 FERTILIZER @ 0.125 TONS/ACRE OF SEEDING
AGRICULTURAL LIMESTONE @ 3.0 TONS/ACRE OF CLEARING AND GRUBBING
 - QUANTITIES ARE APPROXIMATE AND ARE FOR INFORMATION ONLY
 - CON: 56 CU YDS
EMB: 361 CU YDS
EMB BENCH: 253 CU YDS
 - WATER SHALL BE INCIDENTAL TO MAINTAIN AND CONTROL TRAFFIC
 - TEMP FENCE DURING CONST & PERM FENCE REPLACED IN LIKE KIND INCIDENTAL TO EMBANKMENT IN PLACE (APPROX 200 LF EACH)
 - REMOVE EXISTING 20'W X 7.85'H X 3/16" CONCRETE T-BEAM BRIDGE AT STA 11+95.58
 - RELOCATION OF TEMPORARY CRASH CUSHION SHALL BE INCIDENTAL TO THE BID ITEM.

PAVING AREAS

ITEM	SQUARE YARDS
1.25" CL2 ASPH SURF 0.38D PG 64-22	811
4.00" CL2 ASPH BASE 1.00D PG64-22 (TOP LAYER)	331
4.00" CL2 ASPH BASE 1.00D PG64-22 (BOTTOM LAYER)	290

ITEM CODE	ITEM	UNIT	TOTAL PROJECT
00301	CL 2 ASPH SURF 0.38D PG 64-22	TON	56
00212	CL 2 ASPH BASE 1.00D PG64-22	TON	137
00003	CRUSHED STONE BASE	TON	225
00103	ASPHALT SEAL COAT	TON	0.37
00100	ASPHALT SEAL AGGREGATE	TON	3.06

- NOTES:**
- ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. OTHERS OF DIFFERENT MIXTURES SHALL BE ESTIMATED ON BASIS OF END-AREA OF CROSS-SECTIONS
 - ESTIMATED AT 115 LBS. PER SQ. YD. PER INCH OF DEPTH.

GENERAL AND SPECIAL NOTES

COMPACTATION OF ASPHALT MIXTURES WILL ACCEPT THE COMPACTION OF ASPHALT MIXTURES FURNISHED ON THIS PROJECT BY OPTION B ACCORDING TO SUBSECTIONS 402.03.02 AND 403.03.10 OF THE STANDARD SPECIFICATIONS.

STANDARD DRAWINGS ARE NOT ATTACHED TO THESE PLANS. A STANDARD DRAWING BOOK MAY BE OBTAINED FROM THE POLICY SUPPORT BRANCH OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES IN FRANKFORT, KY. AT (502) 564-3670

THIS WORK INCLUDES CUTTING OUT THE EXISTING ASPHALT SURFACE TO A MINIMUM DEPTH AND WIDTH AS DETAILED ELSEWHERE IN THE PLANS SO THAT THE NEW SURFACE MAY HEEL INTO THE EXISTING SURFACE. THE CONTRACT UNIT PRICE BID LINEAR FOOT (PER METER) FOR "EDGE KEY" INCLUDES ALL NECESSARY MATERIALS, LABOR AND EQUIPMENT NECESSARY TO PERFORM THE WORK AND DISPOSE OF THE REMOVED ASPHALT MATERIAL.

LONGITUDINAL EDGE KEY
THIS WORK INCLUDES MILLING OF THE EXISTING ASPHALT SURFACE ALONG THE EDGE OF THE EXISTING PAVEMENT TO CREATE A SHELF FOR THE PROPOSED ASPHALT BASE COURSE TO SPAN THE EXISTING PAVEMENT EDGE, REDUCING THE LIKELIHOOD OF REFLECTIVE CRACKING ALONG THE OLD EDGE OF PAVEMENT.

DIVISION OF AIR QUALITY NOI
THE CONTRACTOR WILL BE RESPONSIBLE FOR SUBMITTING A NOI (NOTICE OF INTENT) TO THE APPROPRIATE KENTUCKY DIVISION OF AIR QUALITY REGIONAL OFFICE AT LEAST 10 BUSINESS DAYS PRIOR TO DEMOLITION OF BRIDGE STRUCTURE.

SPECIAL NOTE
SPECIAL NOTE FOR FIXED COMPLETION DATE
BEFORE YOU DIG

THE CONTRACTOR IS INSTRUCTED TO CALL 1-800-752-6007 TO REACH KY 811. THE ONE-CALL SYSTEM FOR INFORMATION ON THE LOCATION OF EXISTING UNDERGROUND UTILITIES. THE CALL IS TO BE PLACED A MINIMUM OF TWO (2) AND NO MORE THAN TEN (10) BUSINESS DAYS PRIOR TO EXCAVATION. THE CONTRACTOR SHOULD BE AWARE THAT THE OWNERS OF UNDERGROUND FACILITIES ARE NOT REQUIRED TO BE MEMBERS OF THE KY 811 ONE-CALL BEFORE-U-DIG (BUID) SERVICE. THE CONTRACTOR MUST COORDINATE EXCAVATION WITH THE UTILITY OWNERS, INCLUDING THOSE WHO DO NOT SUBSCRIBE TO KY 811. IT MAY BE NECESSARY FOR THE CONTRACTOR TO CONTACT THE COUNTY CLERK OF THE COUNTY TO SCALE DETERMINE WHAT UTILITY COMPANIES HAVE FACILITIES IN THE AREA.

KY 61 - MT. SHERMAN
SOUTH FORK BRANCH BRIDGE REPLACEMENT
SUMMARY OF QUANTITIES

PROPOSAL BID ITEMS

Report Date 10/24/17

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	225.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	3.06	TON		\$	
0030	00103		ASPHALT SEAL COAT	.37	TON		\$	
0040	00212		CL2 ASPH BASE 1.00D PG64-22	137.00	TON		\$	
0050	00301		CL2 ASPH SURF 0.38D PG64-22	56.00	TON		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0060	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	8.00	EACH		\$	
0070	02159		TEMP DITCH	138.00	LF		\$	
0080	02160		CLEAN TEMP DITCH	69.00	LF		\$	
0090	02230		EMBANKMENT IN PLACE	614.00	CUYD		\$	
0100	02367		GUARDRAIL END TREATMENT TYPE 1	4.00	EACH		\$	
0110	02545		CLEARING AND GRUBBING (APPROXIMATELY 0.11 ACRES)	1.00	LS		\$	
0120	02562		TEMPORARY SIGNS	200.00	SQFT		\$	
0130	02585		EDGE KEY	40.00	LF		\$	
0140	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0150	02653		LANE CLOSURE	2.00	EACH		\$	
0160	02697		EDGELINE RUMBLE STRIPS	550.00	LF		\$	
0170	02701		TEMP SILT FENCE	138.00	LF		\$	
0180	02704		SILT TRAP TYPE B	2.00	EACH		\$	
0190	02707		CLEAN SILT TRAP TYPE B	2.00	EACH		\$	
0200	02726		STAKING	1.00	LS		\$	
0210	02731		REMOVE STRUCTURE	1.00	LS		\$	
0220	03171		CONCRETE BARRIER WALL TYPE 9T	200.00	LF		\$	
0230	04933		TEMP SIGNAL 2 PHASE	1.00	EACH		\$	
0240	05952		TEMP MULCH	336.00	SQYD		\$	
0250	05953		TEMP SEEDING AND PROTECTION	255.00	SQYD		\$	
0260	05985		SEEDING AND PROTECTION	510.00	SQYD		\$	
0270	05989		SPECIAL SEEDING CROWN VETCH	335.00	SQYD		\$	
0280	06510		PAVE STRIPING-TEMP PAINT-4 IN	825.00	LF		\$	
0290	06514		PAVE STRIPING-PERM PAINT-4 IN	1,100.00	LF		\$	
0295	08901		CRASH CUSHION TY VI CLASS BT TL2 (ADDED: 10-24-17)	1.00	EACH		\$	
0300	20191ED		OBJECT MARKER TY 3	4.00	EACH		\$	
0310	21289ED		LONGITUDINAL EDGE KEY	550.00	LF		\$	
0320	21802EN		G/R STEEL W BEAM-S FACE (7 FT POST)	150.00	LF		\$	
0330	23010EN		PAVE MARK TEMP PAINT STOP BAR-24 IN	22.00	LF		\$	

Section: 0003 - BRIDGE - CULVERT # 1 - SOUTH FORK BRANCH - DWG. 27731

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0340	08003		FOUNDATION PREPARATION	1.00	LS		\$	

LARUE COUNTY
 STP BRZ 0611 (070)
 171249

PROPOSAL BID ITEMS

Report Date 10/24/17

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0350	08100		CONCRETE-CLASS A	215.90	CUYD		\$	
0360	08150		STEEL REINFORCEMENT	31,284.00	LB		\$	

Section: 0004 - DEMOBILIZATION &/OR MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0370	02569		DEMOBILIZATION	1.00	LS		\$	