



**COMMONWEALTH OF KENTUCKY
TRANSPORTATION CABINET**

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Matthew G. Bevin
Governor

Greg Thomas
Secretary

December 5, 2017

CALL NO. 201
CONTRACT ID NO. 171260
ADDENDUM # 2

Subject: Christian-Hopkins Counties, 121GR17D060
Letting December 8, 2017

- (1) Revised -Summary - Page 57 of 270
- (2) Revised -Summary - Page 60 of 270
- (3) Revised -Notes - Page 181 of 270
- (4) Revised -Notes - Page 207 of 270
- (5) Revised -Bid Items- Pages 267-270 of 270
- (6) Revised -Special Note- Page 4 of 4

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mw
Enclosures



An Equal Opportunity Employer M/F/D

**CHRISTIAN COUNTY
PENNYRILE PARKWAY (KY 9004)
PAVEMENT REHABILITATION, MILEPOST 16.556 TO 28.095
ITEM NO. 2-2082
GENERAL SUMMARY**

ITEM NUMBER	ITEM	UNIT	QUANTITY
2091	REMOVE PAVEMENT	SQ YD	18,917
2200	ROADWAY EXCAVATION (PAVEMENT UNDERCUTS) ⑦	CU YD	7,192
2575	DITCHING AND SHOULDERING	LIN FT	60,873
2599	FABRIC - GEOTEXTILE TYPE IV ⑧	SQ YD	21,103
2726	STAKING	LP SUM	1
21451ED	FILL AND GRADE MEDIAN	LIN FT	60,873
2555	CONCRETE - CLASS B	CU YD	20
2403	REMOVE CONCRETE MASONRY ⑤	CU YD	128
71	CRUSHED AGGREGATE SIZE NO 57 ⑤	TON	237
2230	EMBANKMENT IN PLACE ⑥	CU YD	2,770
2157	PAVED DITCH TYPE 1	SQ YD	10,901
5952	TEMP MULCH	SQ YD	126,566
2703	SILT TRAP TYPE A	EACH	40
2706	CLEAN SILT TRAP TYPE A	EACH	40
2704	SILT TRAP TYPE B	EACH	40
2707	CLEAN SILT TRAP TYPE B	EACH	40
2705	SILT TRAP TYPE C	EACH	40
2708	CLEAN SILT TRAP TYPE C	EACH	40
2701	TEMP SILT FENCE	LIN FT	35,235
2159	TEMP DITCH	LIN FT	35,235
2160	CLEAN TEMP DITCH	LIN FT	17,618
5950	EROSION CONTROL BLANKET	SQ YD	189,848
5963	INITIAL FERTILIZER	TON	19.70
5964	20-10-10 FERTILIZER	TON	9.90
5992	AGRICULTURAL LIMESTONE	TON	117.70
5953	TEMPORARY SEEDING AND PROTECTION	SQ YD	94,925
2545	CLEARING AND GRUBBING	LP SUM	1
6412	STEEL POST MILE MARKER	EACH	24
1985	DELINEATOR FOR BARRIER - Y	EACH	140
2003	RELOCATE TEMP CONC BARRIER	LIN FT	5,600
2898	RELOCATE CRASH CUSHION	EACH	4
6586	PAVEMENT MARKER TY IVA-MY TEMP	EACH	350
8903	CRASH CUSHION TY VI CLASS BT TL3	EACH	1
3171	CONC MEDIAN BARRIER WALL TYPE 9T	LIN FT	1,400
10020NS	FUEL ADJUSTMENT	DOLLAR	345,518
10030NS	ASPHALT ADJUSTMENT	DOLLAR	352,404
2568	MOBILIZATION	LP SUM	1
2569	DEMOBILIZATION	LP SUM	1

① CARRIED OVER FROM PAVING SUMMARY
 ② CARRIED OVER FROM GUARDRAIL SUMMARY
 ③ CARRIED OVER FROM DRAINAGE SUMMARIES
 ④ CARRIED OVER FROM PERF PIPE SUMMARY
 ⑤ CARRIED OVER FROM BRIDGE PIER DETAILS
 ⑥ CARRIED OVER FROM RAMP EXTENSION CROSS SECTIONS
 EMB 1,660 CY + EMB BENCH 1,110 CY = 2,770 CY
 ⑦ 640 CU YD FROM SLIDE REPAIR
 ⑧ 20,687 SY PAVEMENT UNDERCUTS, 416 SY SLIDE REPAIR. SHEET 3 of 6

- RPS-038-06 CONCRETE PAVEMENT JOINTS TYPES AND SPACING
- RPS-039-06 CONCRETE PAVEMENT JOINTS TYPES AND SPACING
- RPX-001-04 STATION MARKINGS CONCRETE PAVEMENT
- RPX-015-04 HOT-POURED ELASTIC JOINT SEALS FOR CONCRETE PAVEMENT
- TPM-105-03 PAVEMENT MARKER ARRANGEMENTS MULTI-LANE ROADWAYS
- TPM-125-03 PAVEMENT MARKER ARRANGEMENT EXIT-GORE AND OFF-RAMP
- TPM-130-03 PAVEMENT MARKER ARRANGEMENTS ON-RAMP WITH TAPERED ACCELERATION LANE
- TPM-135-03 PAVEMENT MARKER ARRANGEMENT ON-RAMP WITH PARALLEL ACCELERATION LANE
- TPM-170 FLEXIBLE DELINEATOR POST ARRANGEMENTS FOR HORIZONTAL CURVES
- TPM-171 FLEXIBLE DELINEATOR POST ARRANGEMENTS FOR INTERCHANGE RAMPS AND CROSSOVERS
- TTC-115-02 LANE CLOSURE MULTI-LANE HIGHWAY CASE I
- TTC-120-02 LANE CLOSURE MULTI-LANE HIGHWAY CASE II
- TTC-135-01 SHOULDER CLOSURE
- TTC-145-03 MEDIAN CROSSOVER CASE II
- TTC-146-03 MEDIAN CROSSOVER CASE II
- TTD-110-01 POST SPLICING DETAIL
- TTD-120 WORK ZONE SPEED LIMIT AND DOUBLE FINE SIGNS
- TTD-125 PAVEMENT CONDITION WARNING SIGNS
- TTS-110-01 MOBILE OPERATION FOR PAINT STRIPING CASE III
- 4TTS-115-01 MOBILE OPERATION FOR PAINT STRIPING CASE IV

Kentucky Transportation Cabinet, Department of Highways, Standard Specifications for Road and Bridge Construction, Edition of 2012, Appendix B - Supplemental Specifications, as applicable:

- Special Note II Portable Changeable Message Signs *attached*
- Special Note Typical Section Dimensions *attached*
- Special Note Before You Dig *attached*
- Special Note Guardrail Delivery Verification Sheet *attached*
- Special Note Fixed Completion Date and Liquidated Damages *attached*
- Special Note Longitudinal Pavement Joint Adhesive *attached*
- Special Note Inlaid Pavement Markers *attached*
- General Note 555 JPC Pavement Ride Quality *attached*
- General Note 447 Compaction of Asphalt Mixtures *attached*
- Special Note Longitudinal Pavement Joint Adhesive *attached*
- Special Note Special Note for Significant Project-Project Traffic Coordinator *attached*
- Special Note Special Note for Shoulder Paving Alternates *attached*
- Special Note Special Note for Roller Compacted Concrete *attached*
- Special Note Special Note for Channel Lining and Paved Ditch Removal *attached*
- Special Note Special Note for JPC Pavement Joint Sealant
- Special Note Special Note for Staking *attached*
- Public Inf. Plan Public Information Plan *attached*
- Special Note Special Note for Surface Preparation (Waterblasting) *attached*
- Special Note Special Note for Dowel Bar & Tie Bar Placement in JPC Pavement *attached*
- Special Note Special Note for Longitudinal Texturing of Concrete Pavement *attached*
- Special Note Special Note for Pavement Types *attached*

**SPECIAL NOTE FOR CHANNEL LINING AND PAVED DITCH
REMOVAL
PENNYRILE PARKWAY
CHRISTIAN AND HOPKINS COUNTIES
ITEM NO. 2-2082
MP 16.566 TO MP 29.900 NB & SB**

DESCRIPTION. A quantity of Class III Channel Lining has been established for the mitigation of ditch erosion, erosion at pipe inlets and outlets, and for the removal of paved ditches. Locations for the installation of Class III Channel Lining are suggested in the plans and listed herein, however final determination of locations of removal of paved ditches as well as erosion mitigation will be determined in the field during construction by the engineer.

PAVED DITCH REMOVAL. Existing paved ditches selected for removal will be broken into fragments of no larger than 2 feet in diameter. Broken paved ditch fragments are to be reshaped to fill any undercutting or cavities. Apply Class III Channel Lining at an approximate thickness of 1 foot, in order to supplement the protection provided by the broken concrete and to fill any voids.

DITCH EROSION. Reshape selected eroded ditches as directed by the engineer. Excavate and dispose of ditch soil and debris off right of way, to the depth required to accept the installed channel lining. Place Class B Concrete at an average thickness of 6" over Class III Channel Lining where indicated as grouted, working concrete into the voids in the aggregate.

MATERIALS. Use Class III Channel Lining meeting requirements of Section 805 of the KYTC Standard Specifications for Road and Bridge Construction. Use Class B Concrete meeting requirements of Section 601 of the KYTC Standard Specifications where required.

MEASUREMENT AND PAYMENT. Class III Channel Lining will be measured and paid for in accordance with KYTC Standard Specifications for Road and Bridge Construction for the weighed quantity acceptably placed. The contract unit price per ton of Class III Channel Lining will be full compensation for any ditch excavation or grading, ditch repair grading, and disposal of excess material. A quantity of Remove Paved Ditch has been established for the paved ditch removal or rubblization and shaping of existing paved ditches. No direct payment for the grading of ditches or the rubblization of existing paved ditches will be made. Class B Concrete used for grouting channel lining will be paid by the quantity indicated on the delivery ticket for quantities accepted in the field.

**SPECIAL NOTE FOR PAVEMENT TYPES
PENNYRILE PARKWAY
CHRISTIAN AND HOPKINS COUNTIES
ITEM NO. 2-2082
MP 16.566 TO MP 29.900 NB & SB**

PAVEMENT TYPE

Mainline Pennyrile Parkway pavement will be JPC Pavement-9 in, no alternates. Mainline Pennyrile Parkway inside shoulder will be JPC Pavement-9 in Shld, no alternates. Proposals for use of alternate pavements for the mainline Pennyrile Parkway and the mainline Pennyrile Parkway inside shoulder will not be considered.

VALUE ENGINEERING

In accordance with Section 111.03.03 of the KY Standard Specifications, the Department will not consider any Value Engineering Change Proposal. The Department will not accept any Value Engineering Change Proposal that includes the substitution or elimination of JPC Pavement on the mainline Pennyrile Parkway or mainline Pennyrile Parkway inside shoulder, by use of an alternate paving material.

PROPOSAL BID ITEMS

171260

Report Date 12/5/17

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	127,910.00	TON		\$	
0020	00003		CRUSHED STONE BASE	8,307.00	TON		\$	
0030	00078		CRUSHED AGGREGATE SIZE NO 2	70,386.00	TON		\$	
0040	00100		ASPHALT SEAL AGGREGATE	2,774.00	TON		\$	
0050	00103		ASPHALT SEAL COAT	333.00	TON		\$	
0060	00190		LEVELING & WEDGING PG64-22	9,700.00	TON		\$	
0070	00212		CL2 ASPH BASE 1.00D PG64-22	16,934.00	TON		\$	
0080	00214		CL3 ASPH BASE 1.00D PG64-22	7,745.00	TON		\$	
0090	00301		CL2 ASPH SURF 0.38D PG64-22	64,099.00	TON		\$	
0100	00324		CL3 ASPH SURF 0.50B PG64-22	1,084.00	TON		\$	
0110	02064		PCC BASE-9 IN	1,100.00	SQYD		\$	
0120	02073		JPC PAVEMENT-9 IN	382,789.00	SQYD		\$	
0130	02082		JPC PAVEMENT-9 IN SHLD	217,521.00	SQYD		\$	
0140	20071EC		JOINT ADHESIVE	5,000.00	LF		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0150	00071		CRUSHED AGGREGATE SIZE NO 57	237.00	TON		\$	
0160	01890		ISLAND HEADER CURB TYPE 1	150.00	LF		\$	
0170	01982		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL WHITE	757.00	EACH		\$	
0180	01983		DELINEATOR FOR GUARDRAIL MONO DIRECTIONAL YELLOW	32.00	EACH		\$	
0182	01985		DELINEATOR FOR BARRIER - YELLOW (ADDED: 12-5-17)	168.00	EACH		\$	
0184	02003		RELOCATE TEMP CONC BARRIER (ADDED: 12-5-17)	7,000.00	LF		\$	
0190	02014		BARRICADE-TYPE III	12.00	EACH		\$	
0200	02091		REMOVE PAVEMENT	37,905.00	SQYD		\$	
0210	02157		PAVED DITCH TYPE 1 (REVISED: 12-1-17)	11,623.00	SQYD		\$	
0220	02159		TEMP DITCH	40,000.00	LF		\$	
0230	02160		CLEAN TEMP DITCH	20,001.00	LF		\$	
0240	02200		ROADWAY EXCAVATION	13,520.00	CUYD		\$	
0250	02230		EMBANKMENT IN PLACE	2,770.00	CUYD		\$	
0260	02352		GUARDRAIL-STEEL W BEAM-D FACE	275.00	LF		\$	
0270	02363		GUARDRAIL CONNECTOR TO BRIDGE END TY A	6.00	EACH		\$	
0280	02365		CRASH CUSHION TYPE IX-A	2.00	EACH		\$	
0290	02367		GUARDRAIL END TREATMENT TYPE 1	84.00	EACH		\$	
0300	02369		GUARDRAIL END TREATMENT TYPE 2A	29.00	EACH		\$	
0310	02373		GUARDRAIL END TREATMENT TYPE 3	15.00	EACH		\$	
0320	02378		GUARDRAIL CONNECTOR TO BRIDGE END TY D	2.00	EACH		\$	
0330	02381		REMOVE GUARDRAIL	62,112.50	LF		\$	
0340	02391		GUARDRAIL END TREATMENT TYPE 4A	15.00	EACH		\$	
0350	02397		TEMP GUARDRAIL	300.00	LF		\$	

PROPOSAL BID ITEMS

REVISED ADDENDUM #2: 12-5-17

171260

Page 2 of 4

Report Date 12/5/17

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0360	02403		REMOVE CONCRETE MASONRY	128.00	CUYD		\$	
0370	02545		CLEARING AND GRUBBING (APPROXIMATELY 0.5 ACRES IN HOPKINS COUNTY)	1.00	LS		\$	
0380	02545		CLEARING AND GRUBBING (APPROXIMATELY 1.1 ACRES IN CHRISTIAN COUNTY)	1.00	LS		\$	
0390	02555		CONCRETE-CLASS B	25.00	CUYD		\$	
0400	02562		TEMPORARY SIGNS	2,600.00	SQFT		\$	
0410	02575		DITCHING AND SHOULDERING	70,403.00	LF		\$	
0420	02587		HOOK BOLT WITH EXPAN ANCHOR	940.00	EACH		\$	
0430	02599		FABRIC-GEOTEXTILE TYPE IV	41,590.00	SQYD		\$	
0440	02650		MAINTAIN & CONTROL TRAFFIC (HOPKINS COUNTY)	1.00	LS		\$	
0450	02650		MAINTAIN & CONTROL TRAFFIC (CHRISTIAN COUNTY)	1.00	LS		\$	
0460	02655		CROSSOVER (CROSSOVER 1, CHRISTIAN COUNTY)	1.00	LS		\$	
0470	02655		CROSSOVER (CROSSOVER 2, CHRISTIAN COUNTY)	1.00	LS		\$	
0480	02655		CROSSOVER (CROSSOVER 3, CHRISTIAN COUNTY)	1.00	LS		\$	
0490	02655		CROSSOVER (CROSSOVER 4, HOPKINS COUNTY)	1.00	LS		\$	
0500	02671		PORTABLE CHANGEABLE MESSAGE SIGN	6.00	EACH		\$	
0510	02695		RUMBLE STRIPS TYPE 3	1,578.00	LF		\$	
0520	02701		TEMP SILT FENCE	40,000.00	LF		\$	
0530	02703		SILT TRAP TYPE A	42.00	EACH		\$	
0540	02704		SILT TRAP TYPE B	42.00	EACH		\$	
0550	02705		SILT TRAP TYPE C	42.00	EACH		\$	
0560	02706		CLEAN SILT TRAP TYPE A	42.00	EACH		\$	
0570	02707		CLEAN SILT TRAP TYPE B	42.00	EACH		\$	
0580	02708		CLEAN SILT TRAP TYPE C	42.00	EACH		\$	
0590	02726		STAKING (HOPKINS COUNTY)	1.00	LS		\$	
0600	02726		STAKING (CHRISTIAN COUNTY)	1.00	LS		\$	
0610	02775		ARROW PANEL	2.00	EACH		\$	
0615	02898		RELOCATE CRASH CUSHION (ADDED: 12-5-17)	5.00	EACH		\$	
0620	02929		CRASH CUSHION TYPE IX	14.00	EACH		\$	
0625	03171		CONCRETE BARRIER WALL TYPE 9T (ADDED: 12-5-17)	1,400.00	LF		\$	
0630	03225		TUBULAR MARKERS	2,200.00	EACH		\$	
0640	05950		EROSION CONTROL BLANKET	215,865.00	SQYD		\$	
0650	05952		TEMP MULCH	143,911.00	SQYD		\$	
0660	05953		TEMP SEEDING AND PROTECTION	107,934.00	SQYD		\$	
0670	05963		INITIAL FERTILIZER	22.40	TON		\$	
0680	05964		20-10-10 FERTILIZER	11.30	TON		\$	
0690	05992		AGRICULTURAL LIMESTONE	133.90	TON		\$	
0700	06401		FLEXIBLE DELINEATOR POST-M/W	938.00	EACH		\$	
0710	06404		FLEXIBLE DELINEATOR POST-M/Y	83.00	EACH		\$	
0720	06412		STEEL POST MILE MARKERS	26.00	EACH		\$	

PROPOSAL BID ITEMS

REVISED ADDENDUM #2: 12-5-17

171260

Page 3 of 4

Report Date 12/5/17

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0730	06511		PAVE STRIPING-TEMP PAINT-6 IN	525,000.00	LF		\$	
0740	06549		PAVE STRIPING-TEMP REM TAPE-B	2,000.00	LF		\$	
0750	06550		PAVE STRIPING-TEMP REM TAPE-W	4,000.00	LF		\$	
0760	06551		PAVE STRIPING-TEMP REM TAPE-Y	4,000.00	LF		\$	
0765	06586		PAVEMENT MARKER TY IVA-MY TEMP (ADDED: 12-5-17)	420.00	EACH		\$	
0770	08016		REINF CONC SLOPE WALL-6 IN	137.00	SQYD		\$	
0775	08903		CRASH CUSHION TY VI CLASS BT TL3 (ADDED: 12-5-17)	1.00	EACH		\$	
0780	10020NS		FUEL ADJUSTMENT	401,052.00	DOLL	\$1.00	\$	\$401,052.00
0790	10030NS		ASPHALT ADJUSTMENT	389,248.00	DOLL	\$1.00	\$	\$389,248.00
0800	21451ED		FILL AND GRADE MEDIAN	67,964.00	LF		\$	
0810	21802EN		G/R STEEL W BEAM-S FACE (7 FT POST)	59,262.50	LF		\$	
0820	22664EN		WATER BLASTING EXISTING STRIPE	205,000.00	LF		\$	
0830	22861EN		HIGH STRENGTH GEOTEXTILE FABRIC TY V	13,140.00	SQYD		\$	
0840	24189ER		DURABLE WATERBORNE MARKING-6 IN W	193,224.00	LF		\$	
0850	24190ER		DURABLE WATERBORNE MARKING-6 IN Y	152,897.00	LF		\$	
0860	24191ER		DURABLE WATERBORNE MARKING-12 IN W	3,110.00	LF		\$	
0870	24489EC		INLAID PAVEMENT MARKER	2,200.00	EACH		\$	

Section: 0003 - DRAINAGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0880	00462		CULVERT PIPE-18 IN	8.00	LF		\$	
0890	00466		CULVERT PIPE-30 IN	12.00	LF		\$	
0900	00521		STORM SEWER PIPE-15 IN	44.00	LF		\$	
0910	01000		PERFORATED PIPE-4 IN	124,300.00	LF		\$	
0920	01001		PERFORATED PIPE-6 IN	117,465.00	LF		\$	
0930	01010		NON-PERFORATED PIPE-4 IN	4,572.00	LF		\$	
0940	01011		NON-PERFORATED PIPE-6 IN	3,852.00	LF		\$	
0950	01012		NON-PERFORATED PIPE-8 IN	19,510.00	LF		\$	
0960	01015		INSPECT & CERTIFY EDGE DRAIN SYSTEM (HOPKINS COUNTY)	1.00	LS		\$	
0970	01015		INSPECT & CERTIFY EDGE DRAIN SYSTEM (CHRISTIAN COUNTY)	1.00	LS		\$	
0980	01020		PERF PIPE HEADWALL TY 1-4 IN	131.00	EACH		\$	
0990	01024		PERF PIPE HEADWALL TY 2-4 IN	20.00	EACH		\$	
1000	01028		PERF PIPE HEADWALL TY 3-4 IN	110.00	EACH		\$	
1010	01202		PIPE CULVERT HEADWALL-15 IN	1.00	EACH		\$	
1020	01204		PIPE CULVERT HEADWALL-18 IN	1.00	EACH		\$	
1030	01210		PIPE CULVERT HEADWALL-30 IN	1.00	EACH		\$	
1040	01310		REMOVE PIPE	32.00	LF		\$	
1050	01450		S & F BOX INLET-OUTLET-18 IN	1.00	EACH		\$	
1060	01452		S & F BOX INLET-OUTLET-30 IN	2.00	EACH		\$	
1070	01490		DROP BOX INLET TYPE 1	1.00	EACH		\$	
1080	01633		RECONSTRUCT MEDIAN BOX INLET	63.00	EACH		\$	
1090	01641		JUNCTION BOX-15 IN	1.00	EACH		\$	
1100	01690		FLUME INLET TYPE 1	8.00	EACH		\$	
1110	01691		FLUME INLET TYPE 2	19.00	EACH		\$	
1120	01718		REMOVE INLET	1.00	EACH		\$	

PROPOSAL BID ITEMS

REVISED ADDENDUM #2: 12-5-17

171260

Page 4 of 4

Report Date 12/5/17

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1130	01741		CORED HOLE DRAINAGE BOX CON-6 IN	51.00	EACH		\$	
1140	01742		CORED HOLE DRAINAGE BOX CON-8 IN	45.00	EACH		\$	
1150	01831		STANDARD INTEGRAL CURB MOD	15,320.00	LF		\$	
1160	02165		REMOVE PAVED DITCH (REVISED: 12-1-17)	13,190.00	SQYD		\$	
1170	02483		CHANNEL LINING CLASS II	1,080.00	TON		\$	
1180	02484		CHANNEL LINING CLASS III	1,918.00	TON		\$	
1190	02625		REMOVE HEADWALL	6.00	EACH		\$	
1200	08100		CONCRETE-CLASS A	165.33	CUYD		\$	
1210	08150		STEEL REINFORCEMENT	5,623.00	LB		\$	
1220	20758ED		REMOVE AND RESET PERF PIPE HEADWALL	30.00	EACH		\$	
1230	22660EN		REPLACE GRATE	3,015.00	LB		\$	
1240	23629EC		REPAIR HEADWALL	2.00	EACH		\$	

Section: 0004 - TRAINEES

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1250	02742		TRAINEE PAYMENT REIMBURSEMENT GROUP 2, 3, OR 4 OPERATOR	1,400.00	HOURL		\$	

Section: 0005 - DEMOBILIZATION &/OR MOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1260	02568		MOBILIZATION	1.00	LS		\$	
1270	02569		DEMOBILIZATION	1.00	LS		\$	