



TRANSPORTATION CABINET

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Steven L. Beshear
Governor

Michael W. Hancock, P.E.
Secretary

December 4, 2012

CALL NO. 201
CONTRACT ID NO. 121068
ADDENDUM # 1

Subject: Rockcastle-Whitley Counties, 121GR12D068-DPR AND IM
Letting December 14, 2012

- (1) Revised - General Summary - Pages 18 & 37 of 91
- (2) Revised - Material Summary - Pages 54-54(a) of 91
- (3) Revised - Bid Items - Page 91 of 91

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in blue ink that reads "Ryan Griffith".

Ryan Griffith
Director
Division of Construction Procurement

RG:ks
Enclosures



An Equal Opportunity Employer M/F/D

GENERAL SUMMARY			
ITEM	DESCRIPTION	UNIT	PROJECT TOTALS
23147EN	HIGH TENSION CABLE-ROPE (1) (4) (6) (7)	LF	22,176
23148EN	END ANCHOR (2) (4) (6) (7)	EACH	6
22415EN	CONCRETE CLASS A FOR PAD (5)	SQ. YD.	9,856
06427	TRENCHING (3)	LF	22,176
00001	DGA BASE	TONS	1,700
00100	ASPHALT SEAL AGGREGATE (8)	TONS	99
00103	ASPHALT SEAL COAT (8)	TONS	12
02569	DEMOBILIZATION	LS	1
02562	SIGNS	SF	500
02650	MAINTAIN & CONTROL TRAFFIC	LS	1
02671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	2
02726	STAKING	LS	1
02775	ARROW PANEL	EACH	2
05950	EROSION CONTROL BLANKET (9)	SQ YD	19,712
23143ED	KPDES PERMIT AND TEMP EROSION CONTROL	LS	1

NOTES:

- (1) The HTC Median Barrier system includes all hardware, post, cables, labor, and incidentals within the End Anchors.
- (2) The HTC Median Barrier End Anchors includes all hardware, post, cables, labor, and incidentals.
- (3) The bid item "Trenching" is for the trenching and disposal of the material removed for the Concrete Class A Pad under the HTC Median Barrier system. Provided this material meets geotechnical requirements it may be used where median fill is needed. Waste area will be pre-approved by the Engineer.
- (4) Excavation for the posts and anchors is incidental to the HTC Median Barrier. This material may also be used where median fill is needed provided that requirements listed in note (3) above are followed.
- (5) Construct per the Section 505 of the *Standard Specifications for Road and Bridge Construction* for concrete sidewalks.
- (6) The Contractor shall select and install only one manufacturer's high tension cable barrier system for the entire project. Terminal sections and high tension cable barrier shall be produced by the same manufacturer.
- (7) Geotechnical work has been completed for the project. All Geotechnical Information has been included in this proposal so that the manufacturers may design the anchors and the post line footings.
- (8) Two applications each for Asphalt Seal Aggregate (20 lbs/sq yd) and Asphalt Seal Coat (2.4 lbs/sq yd).
- (9) See Special Note for Erosion Control Blanket.

PROPOSED HTC MEDIAN BARRIER		ITEM NO: 08-2014.00	
ROCKCASTLE COUNTY	ROUTE: I-75	MILEPOINT: 64.7 TO 68.9	

GENERAL SUMMARY			
ITEM	DESCRIPTION	UNIT	PROJECT TOTALS
23147EN	HIGH TENSION CABLE-ROPE (1) (4) (6) (7)	LF	44,773
23148EN	END ANCHOR (2) (4) (6) (7)	EACH	24
22415EN	CONCRETE CLASS A FOR PAD (5)	SQ YD	19,899
06427	TRENCHING (3)	LF	44,773
00001	DGA BASE	TONS	5,578
00100	ASPHALT SEAL AGGREGATE (8)	TONS	648
00103	ASPHALT SEAL COAT (8)	TONS	78
02569	DEMOBILIZATION	LS	1
02562	SIGNS	SF	500
02650	MAINTAIN & CONTROL TRAFFIC	LS	1
02671	PORTABLE CHANGEABLE MESSAGE SIGN	EACH	2
02726	STAKING	LS	1
02775	ARROW PANEL	EACH	2
24560EN	EROSION CONTROL BLANKET-SHORT TERM (9)	SQ YD	39,800
23143ED	KPDES PERMIT AND TEMP EROSION CONTROL	LS	1

NOTES:

- (1) The HTC Median Barrier system includes all hardware, post, cables, labor, and incidentals within the End Anchors.
- (2) The HTC Median Barrier End Anchors includes all hardware, post, cables, labor, and incidentals.
- (3) The bid item "Trenching" is for the trenching and disposal of the material removed for the Concrete Class A Pad under the HTC Median Barrier system. Provided this material meets geotechnical requirements it may be used where median fill is needed. Waste area will be pre-approved by the Engineer.
- (4) Excavation for the posts and anchors is incidental to the HTC Median Barrier. This material may also be used where median fill is needed provided that requirements listed in note (3) above are followed.
- (5) Construct per the Section 505 of the *Standard Specifications for Road and Bridge Construction* for concrete sidewalks.
- (6) The Contractor shall select and install only one manufacturer's high tension cable barrier system for the entire project. Terminal sections and high tension cable barrier shall be produced by the same manufacturer.
- (7) Geotechnical work has been completed for the project. All Geotechnical Information has been included in this proposal so that the manufacturers may design the anchors and the post line footings.
- (8) Two applications each for Asphalt Seal Aggregate (20 lbs/sq yd) and Asphalt Seal Coat (2.4 lbs/sq yd).
- (9) See Special Note for Erosion Control Blanket-Short Term.

PROPOSED HTC MEDIAN BARRIER		ITEM NO: 08-2014.00	
WHITLEY COUNTY	ROUTE: I-75	MILEPOINT: 0.00 TO 9.3	

MATERIAL SUMMARY

CONTRACT ID: 121068

121GR12D068-DPR AND IM

DE10200751268

MT. VERNON-BEREA ROAD (I-75) INSTALL HTC MEDIAN BARRIER ALONG I-75 FROM MP 64.700 TO MP 68.900. GUARDRAIL.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0010	23148EN	END ANCHORS - (REVISED: 12-4-12)	6.00	EACH
0020	23147EN	HIGH TENSION CABLE-ROPE BARRIER - (REVISED: 12-4-12)	22,176.00	LF
0030	22415EN	CONCRETE CLASS A FOR PAD	9,856.00	SQYD
0040	06427	TRENCHING	22,176.00	LF
0050	05950	EROSION CONTROL BLANKET	19,712.00	SQYD
0060	02775	ARROW PANEL	2.00	EACH
0070	02726	STAKING - (ROCKCASTLE CO.); (REVISED: 12-4-12)	1.00	LS
0080	02671	PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH
0090	02650	MAINTAIN & CONTROL TRAFFIC - (ROCKCASTLE CO.); (REVISED: 12-4-12)	1.00	LS
0100	02569	DEMOBILIZATION	1.00	LS
0110	23143ED	KPDES PERMIT AND TEMP EROSION CONTROL - (ROCKCASTLE CO.); (REVISED: 12-4-12)	1.00	LS
0120	02562	SIGNS	500.00	SQFT
0130	00103	ASPHALT SEAL COAT	12.00	TON
0140	00100	ASPHALT SEAL AGGREGATE	99.00	TON
0150	00001	DGA BASE	1,700.00	TON

MATERIAL SUMMARY

CONTRACT ID: 121068

121GR12D068-DPR AND IM

DE11800751268

TENNESSEE STATE LINE-WILLIAMSBURG ROAD (I-75) INSTALL HTC MEDIAN BARRIER ALONG I-75 FROM MP 0.000 TO MP 9.300. GUARDRAIL.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0160	23143ED	KPDES PERMIT AND TEMP EROSION CONTROL - (WHITLEY CO.); (REVISED: 12-4-12)	1.00	LS
0170	24560EN	EROSION CONTROL BLANKET-SHORT TERM	39,800.00	SQYD
0180	23148EN	END ANCHORS	24.00	EACH
0190	23147EN	HIGH TENSION CABLE-ROPE BARRIER	44,773.00	LF
0200	22415EN	CONCRETE CLASS A FOR PAD	19,899.00	SQYD
0210	06427	TRENCHING	44,773.00	LF
0220	02775	ARROW PANEL	2.00	EACH
0230	02726	STAKING - (WHITLEY CO.); (REVISED: 12-4-12)	1.00	LS
0240	02671	PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH
0250	02650	MAINTAIN & CONTROL TRAFFIC - (WHITLEY CO.); (REVISED: 12-4-12)	1.00	LS
0260	02569	DEMOBILIZATION	1.00	LS
0270	02562	SIGNS	500.00	SQFT
0280	00103	ASPHALT SEAL COAT	78.00	TON
0290	00100	ASPHALT SEAL AGGREGATE	648.00	TON
0300	00001	DGA BASE	5,578.00	TON

121068

PROPOSAL BID ITEMS

Page 1 of 1

Report Date 12/4/12

Section: 0001 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0010	00001		DGA BASE	7,278.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	747.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	90.00	TON		\$	
0040	02562		SIGNS	1,000.00	SQFT		\$	
0050	02650		MAINTAIN & CONTROL TRAFFIC (ROCKCASTLE CO.); (REVISED: 12-4-12)	1.00	LS		\$	
0060	02650		MAINTAIN & CONTROL TRAFFIC(WHITLEY CO.); (REVISED: 12-4-12)	1.00	LS		\$	
0070	02671		PORTABLE CHANGEABLE MESSAGE SIGN	4.00	EACH		\$	
0080	02726		STAKING(ROCKCASTLE CO.); (REVISED: 12-4-12)	1.00	LS		\$	
0090	02726		STAKING(WHITLEY CO.); (REVISED: 12-4-12)	1.00	LS		\$	
0100	02775		ARROW PANEL	4.00	EACH		\$	
0110	05950		EROSION CONTROL BLANKET	19,712.00	SQYD		\$	
0120	06427		TRENCHING	66,949.00	LF		\$	
0130	22415EN		CONCRETE CLASS A FOR PAD	29,755.00	SQYD		\$	
0140	23143ED		KPDES PERMIT AND TEMP EROSION CONTROL(ROCKCASTLE CO.); (REVISED: 12-4-12)	1.00	LS		\$	
0150	23143ED		KPDES PERMIT AND TEMP EROSION CONTROL(WHITLEY CO.); (REVISED: 12-4-12)	1.00	LS		\$	
0160	23147EN		HIGH TENSION CABLE-ROPE BARRIER (REVISED: 12-4-12)	66,949.00	LF		\$	
0170	23148EN		END ANCHORS(REVISED: 12-4-12)	30.00	EACH		\$	
0180	24560EN		EROSION CONTROL BLANKET-SHORT TERM	39,800.00	SQYD		\$	

Section: 0002 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0190	02569		DEMOBILIZATION	1.00	LS		\$	