



**TRANSPORTATION CABINET**

Frankfort, Kentucky 40622  
www.transportation.ky.gov/

**Steven L. Beshear**  
Governor

**Michael W. Hancock, P.E.**  
Secretary

November 17, 2015

CALL NO. 308  
CONTRACT ID NO. 151272  
ADDENDUM # 1

Subject: Oldham County, FD04 SPP 093 NEW ROUTE  
Letting November 20, 2015

- (1) Revised - Plan Sheet - U70
- (2) Revised - Front Sheet
- (3) Revised - Completion Date
- (4) Revised - Special Note - Page 25 of 285
- (5) Added - Special Note - Pages 1-2 of 2
- (6) Revised - Bid Items - Pages 281-285 of 285

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

Plan revisions are available at <http://www.lynnimaging.com/kytransportation/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in cursive script that reads "Rachel Mills".

Rachel Mills, P.E.  
Director  
Division of Construction Procurement

RM:ks  
Enclosures



An Equal Opportunity Employer M/F/D

Item	DOT Bid Item Code	Description	Unit	Quantity
1	14050	12-inch DI Water Main	LF	830
2	14049	10-inch DI Water Main w/ Casing Spacers	LF	260
3	14047	6-inch DI Water Main	LF	160
4	14062	12-inch PVCO Water Main	LF	1530
5	14061	10-inch PVCO Water Main	LF	1965
6	14060	8-inch PVCO Water Main	LF	335
7	14059	6-inch PVCO Water Main	LF	1455
8	14010	18-inch Steel Encasement Bored and Jacked beneath Existing KY 53 w/ Casing Spacers	LF	50
9	14016	18-inch Steel Encasement Open Cut beneath Proposed KY 53 w/ Casing Spacers	LF	180
10	14016	18-inch Steel Encasement Open Cut beneath New Moody Lane w/ Casing Spacers	LF	165
11	14016	18-inch Steel Encasement Open Cut beneath Ring Road w/ Casing Spacers	LF	120
12	14016	18-inch Steel Encasement Open Cut beneath Blakemore Lane w/ Casing Spacers	LF	40
13	14014	18-inch Steel Encasement Open Cut beneath Ring Road w/ Casing Spacers	LF	150
14	14014	12-inch Steel Encasement Open Cut beneath Ring Road w/ Casing Spacers	LF	120
15	14014	18-inch Steel Encasement Open Cut beneath Entrance w/ Casing Spacers	LF	60
16	14090	12-inch Wet Connect	EA	1
17	14090	8-inch Wet Connect	EA	1
18	14089	6-inch Wet Connect	EA	2
19	14097	12-inch Dry Connect	EA	4
20	14096	10-inch Dry Connect	EA	1
21	14094	6-inch Dry Connect	EA	3
22	14003	12-inch Cut and Cap	EA	4
23	14003	8-inch Cut and Cap	EA	1
24	14003	6-inch Cut and Cap	EA	2
25	14108	12-inch Gate Valve and Box	EA	13
26	14107	10-inch Gate Valve and Box	EA	1
27	14106	8-inch Gate Valve and Box	EA	3
28	14105	6-inch Gate Valve and Box	EA	7
29	20372EC	Line Stopper - 8-inch	EA	1
30	22610NN	Line Stopper - 6-inch	EA	2
31	24699EC	Insertion Valve (12-inch)	EA	1
32	24699EC	Insertion Valve (6-inch)	EA	3
33	14000	Air Release Valve	EA	5
34	14030	Water Meter Relocation	EA	2
35	14082	Water Service Short Side	EA	2
36	14020	Relocate 6-inch Fire Hydrant Assembly	EA	1
37	23667EC	Creek Crossing	LF	15
38	14076	Remove Transite (AC) Pipe	LF	1645

REVISED 11-16-15

Item	DOT Bid Item Code	Description	Unit	Quantity
1	14050	12-inch DI Water Main	LF	<del>620</del> 830
2	<del>14048</del> 14049	<del>8-inch DI Water Main w/ Casing Spacers</del> 10-inch DI Water Main w/ Casing Spacers	LF	260
3	14047	6-inch DI Water Main	LF	<del>370</del> 160
4	14062	12-inch PVC Water Main	LF	<del>1105</del> 1530
5	14061	10-inch PVC Water Main	LF	<del>1485</del> 1965
6	14060	8-inch PVC Water Main	LF	<del>815</del> 335
7	14059	6-inch PVC Water Main	LF	<del>1880</del> 1455
8	14010	18-inch Steel Encasement Bored and Jacked beneath Existing KY 53 w/ Casing Spacers	LF	50
9	14016	18-inch Steel Encasement Open Cut beneath Proposed KY 53 w/ Casing Spacers	LF	180
10	14016	18-inch Steel Encasement Open Cut beneath New Moody Lane w/ Casing Spacers	LF	165
11	14016	18-inch Steel Encasement Open Cut beneath Ring Road w/ Casing Spacers	LF	120
12	14016	18-inch Steel Encasement Open Cut beneath Blakemore Lane w/ Casing Spacers	LF	40
13	14014	<del>12-inch</del> Steel Encasement Open Cut beneath Ring Road w/ Casing Spacers 18-inch	LF	150
14	14014	12-inch Steel Encasement Open Cut beneath Ring Road w/ Casing Spacers	LF	120
15	14014	<del>12-inch</del> Steel Encasement Open Cut beneath Entrance w/ Casing Spacers 18-inch	LF	60
16	14090	12-inch Wet Connect	EA	1
17	14090	8-inch Wet Connect	EA	1
18	14089	6-inch Wet Connect	EA	2
19	14097	12-inch Dry Connect	EA	4
20	14096	10-inch Dry Connect	EA	1
21	14094	6-inch Dry Connect	EA	3
22	14003	12-inch Cut and Cap	EA	4
23	14003	8-inch Cut and Cap	EA	1
24	14003	6-inch Cut and Cap	EA	2
25	14108	12-inch Gate Valve and Box	EA	13
26	14107	10-inch Gate Valve and Box	EA	1
27	14106	8-inch Gate Valve and Box	EA	3
28	14105	6-inch Gate Valve and Box	EA	7
29	20372EC	Line Stopper - 8-inch	EA	1
30	22610NN	Line Stopper - 6-inch	EA	2
31	24699EC	Insertion Valve (12-inch)	EA	1
32	24699EC	Insertion Valve (6-inch)	EA	3
33	14000	Air Release Valve	EA	5
34	14030	Water Meter Relocation	EA	2
35	14082	Water Service Short Side	EA	2
36	14020	Relocate 6-inch Fire Hydrant Assembly	EA	1
37	23667EC	Creek Crossing	LF	15
38	14076	Remove Transite (AC) Pipe	LF	1645

FILE NAME: g:\4395-00\RD Ring Rd\Working Drawings\Design Drawings\U70.dgn

PLOTTED BY: ngunselman  
PRINTED: 10/26/2015 @ 11:39:58 AM

MicroStation v8.11.7.443



**CALL NO. 308**

**CONTRACT ID. 151272**

**OLDHAM COUNTY**

**FED/STATE PROJECT NUMBER FD04 SPP 093 NEW ROUTE**

**DESCRIPTION US 53 (RING ROAD NEW ROUTE)**

**WORK TYPE ASPHALT SURFACE WITH GRADE & DRAIN**

**PRIMARY COMPLETION DATE 6/1/2018**

**LETTING DATE: November 20,2015**

Sealed Bids will be received electronically through the Bid Express bidding service until 10:00 AM EASTERN STANDARD TIME November 20,2015. Bids will be publicly announced at 10:00 AM EASTERN STANDARD TIME.

**PLANS AVAILABLE FOR THIS PROJECT.**

**REQUIRED BID PROPOSAL GUARANTY:** Not less than 5% of the total bid.

## ADMINISTRATIVE DISTRICT - 05

REVISED ADDENDUM #1: 11-17-15

**CONTRACT ID - 151272**

**FD04 SPP 093 NEW ROUTE**

**COUNTY - OLDHAM**

**PCN - DE09300531572**

**FD04 SPP 093 NEW ROUTE**

US 53 (RING ROAD NEW ROUTE) PROVIDE A NEW FOUR LANE CONNECTOR BETWEEN THE NEW I-71 OVERPASS AND US 53 (RING ROAD) INCLUDING INTERSECTION IMPROVEMENTS AT US 53 AND BLAKEMORE LANE, A DISTANCE OF 02.24 MILES.ASPHALT SURFACE WITH GRADE & DRAIN SYP NO. 05-08708.00.  
GEOGRAPHIC COORDINATES LATITUDE 38:22:42.00 LONGITUDE 85:22:47.00

**COMPLETION DATE(S):**

COMPLETED BY 06/01/2018

APPLIES TO ENTIRE CONTRACT

# **SPECIAL NOTE FOR FIXED COMPLETION DATE**

**Oldham County**

**Ring Road**

**Item No. 5-8708.00**

**FOR EACH CALENDAR DAY BEYOND THE AGREED UPON  
COMPLETION DATE OF **June 1, 2018** THE DEPARTMENT WILL  
ASSESS LIQUIDATED DAMAGES PER SECTION 108.09 OF THE  
CURRENT EDITION OF THE STANDARD SPECIFICATIONS FOR  
ROAD AND BRIDGE CONSTRUCTION.**

The Completion Date for the project has been changed from December 1, 2017 to June 1, 2018.

## SPECIAL NOTE

For Geotechnical Investigation for 3 –Sided Culvert at Sta. 308+75

Oldham County - Ring Road Construction

Item No. 5-8708

As part of the foundation design for the 3 sided culvert at Sta. 308+75, the Contractor will be responsible for verifying the existing elevation of rock, before submitting a design for approval. Based on Geotechnical borings, it is anticipated that solid rock, viable for foundation construction, will be encountered at approximately 764.5.

In order to verify the elevation, the Contractor must first drain the existing pond at this location, using a slow release system. Once the pond has been drained, the Contractor shall expose the existing rock at the proposed inlet end, outlet end and at the Centerline of the roadway. All elevations must be verified in the presence of the Engineer or Project Lead Inspector.

Should the existing elevation of rock be more than 12 inches below the proposed flowline elevations at any point, the Contractor shall coordinate with the Engineer to adjust the culvert design accordingly. If the existing rock is less than 12 inches below the planned flowline elevation, the cost of extra concrete in the footers, shall be incidental to the culvert bid item.

Should the existing rock elevation be higher than the proposed flowline, all required rock removal inside the culvert to establish the desired flowline shall be calculated and paid as an overrun to the item, Roadway Excavation.

**5-8708.00**  
**SPECIAL NOTE FOR CONSERVATION SIGNS**

Per the language in the USACE permit modification document, Temporary Conservation signs may be used during construction but permanent signs will need to be installed no more than 30 days following the completion of the project. The sign locations will be decided upon in coordination with the KYTC Resident Engineer. The contractor may also choose to offset the permanent signs 10 feet inside of permanent Right-of-way in order to reduce the number of sign relocations.



**PROPOSAL BID ITEMS**

REVISED ADDENDUM #1: 11-17-15

151272

Page 1 of 5

Report Date 11/17/15

**Section: 0001 - PAVING**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00003		CRUSHED STONE BASE	29,150.00	TON		\$	
0020	00018		DRAINAGE BLANKET-TYPE II-ASPH	19,775.00	TON		\$	
0030	00100		ASPHALT SEAL AGGREGATE	59.00	TON		\$	
0040	00103		ASPHALT SEAL COAT	8.00	TON		\$	
0050	00190		LEVELING & WEDGING PG64-22	184.00	TON		\$	
0060	00212		CL2 ASPH BASE 1.00D PG64-22	182.00	TON		\$	
0070	00214		CL3 ASPH BASE 1.00D PG64-22	50,730.00	TON		\$	
0080	00307		CL2 ASPH SURF 0.38B PG64-22	70.00	TON		\$	
0090	00388		CL3 ASPH SURF 0.38B PG64-22	6,208.00	TON		\$	
0100	02101		CEM CONC ENT PAVEMENT-8 IN	216.00	SQYD		\$	

**Section: 0002 - ROADWAY**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0110	01310		REMOVE PIPE	417.00	LF		\$	
0120	01585		REMOVE DROP BOX INLET	1.00	EACH		\$	
0130	01811		STANDARD CURB AND GUTTER MOD	35,158.00	LF		\$	
0140	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	18.00	EACH		\$	
0150	02014		BARRICADE-TYPE III	25.00	EACH		\$	
0160	02091		REMOVE PAVEMENT	323.00	SQYD		\$	
0170	02159		TEMP DITCH	7,700.00	LF		\$	
0180	02160		CLEAN TEMP DITCH	3,850.00	LF		\$	
0190	02200		ROADWAY EXCAVATION	351,494.00	CUYD		\$	
0200	02223		GRANULAR EMBANKMENT	135.00	CUYD		\$	
0210	02242		WATER (FOR DUST CONTROL)	2,482.00	MGAL		\$	
0220	02351		GUARDRAIL-STEEL W BEAM-S FACE	1,050.00	LF		\$	
0230	02360		GUARDRAIL TERMINAL SECTION NO 1	2.00	EACH		\$	
0240	02367		GUARDRAIL END TREATMENT TYPE 1	2.00	EACH		\$	
0250	02371		GUARDRAIL END TREATMENT TYPE 7	8.00	EACH		\$	
0260	02381		REMOVE GUARDRAIL	1,789.00	LF		\$	
0270	02391		GUARDRAIL END TREATMENT TYPE 4A	3.00	EACH		\$	
0280	02396		REMOVE GUARDRAIL END TREATMENT	5.00	EACH		\$	
0290	02397		TEMP GUARDRAIL	812.50	LF		\$	
0300	02429		RIGHT-OF-WAY MONUMENT TYPE 1	86.00	EACH		\$	
0310	02432		WITNESS POST	86.00	EACH		\$	
0320	02488		CHANNEL LINING CLASS IV	5,959.00	CUYD		\$	
0330	02545		CLEARING AND GRUBBING (APPROXIMATELY 71.23 ACRES)	1.00	LS		\$	
0340	02555		CONCRETE-CLASS B	302.00	CUYD		\$	
0350	02562		TEMPORARY SIGNS	255.00	SQFT		\$	
0360	02585		EDGE KEY	170.00	LF		\$	
0370	02596		FABRIC-GEOTEXTILE TYPE I	10,153.00	SQYD		\$	
0380	02599		FABRIC-GEOTEXTILE TYPE IV	83,300.00	SQYD		\$	
0390	02625		REMOVE HEADWALL	11.00	EACH		\$	
0400	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	

**PROPOSAL BID ITEMS**

REVISED ADDENDUM #1: 11-17-15

151272

Page 2 of 5

Report Date 11/17/15

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0410	02651		DIVERSIONS (BY-PASS DETOURS)	1.00	LS		\$	
0420	02671		PORTABLE CHANGEABLE MESSAGE SIGN	4.00	EACH		\$	
0430	02701		TEMP SILT FENCE	31,696.00	LF		\$	
0440	02703		SILT TRAP TYPE A	32.00	EACH		\$	
0450	02704		SILT TRAP TYPE B	36.00	EACH		\$	
0460	02705		SILT TRAP TYPE C	151.00	EACH		\$	
0470	02706		CLEAN SILT TRAP TYPE A	32.00	EACH		\$	
0480	02707		CLEAN SILT TRAP TYPE B	108.00	EACH		\$	
0490	02708		CLEAN SILT TRAP TYPE C	453.00	EACH		\$	
0500	02720		SIDEWALK-4 IN CONCRETE	11,737.00	SQYD		\$	
0510	02726		STAKING	1.00	LS		\$	
0520	05950		EROSION CONTROL BLANKET	34,864.00	SQYD		\$	
0530	05952		TEMP MULCH	117,225.00	SQYD		\$	
0540	05953		TEMP SEEDING AND PROTECTION	87,919.00	SQYD		\$	
0550	05956		CORRECTIVE SEEDING-SEED	210.00	LB		\$	
0560	05963		INITIAL FERTILIZER	8.00	TON		\$	
0570	05964		20-10-10 FERTILIZER	13.00	TON		\$	
0580	05985		SEEDING AND PROTECTION	165,122.00	SQYD		\$	
0590	05990		SODDING	54,231.00	SQYD		\$	
0600	05992		AGRICULTURAL LIMESTONE	156.00	TON		\$	
0610	06510		PAVE STRIPING-TEMP PAINT-4 IN	7,500.00	LF		\$	
0620	06514		PAVE STRIPING-PERM PAINT-4 IN	70,881.00	LF		\$	
0630	06516		PAVE STRIPING-PERM PAINT-8 IN	583.00	LF		\$	
0640	06566		PAVE MARKING-THERMO X-WALK-12 IN	2,812.00	LF		\$	
0650	06568		PAVE MARKING-THERMO STOP BAR-24IN	649.00	LF		\$	
0660	06574		PAVE MARKING-THERMO CURV ARROW	47.00	EACH		\$	
0670	06575		PAVE MARKING-THERMO COMB ARROW	5.00	EACH		\$	
0680	06576		PAVE MARKING-THERMO ONLY	2.00	EACH		\$	
0690	08001		STRUCTURE EXCAVATION-COMMON	674.00	CUYD		\$	
0700	08002		STRUCTURE EXCAV-SOLID ROCK	1,075.00	CUYD		\$	
0710	08003		FOUNDATION PREPARATION	1.00	LS		\$	
0720	10020NS		FUEL ADJUSTMENT	143,388.00	DOLL	\$1.00	\$	\$143,388.00
0730	10030NS		ASPHALT ADJUSTMENT	138,222.00	DOLL	\$1.00	\$	\$138,222.00
0740	20166ES810		TEMPORARY PIPE	72.00	LF		\$	
0750	20550ND		SAWCUT PAVEMENT	2,660.00	LF		\$	
0760	21341ND		BOLLARDS	57.00	EACH		\$	
0770	21804EN		3-SIDED CULVERT	315.00	LF		\$	
0780	22664EN		WATER BLASTING EXISTING STRIPE	7,000.00	LF		\$	
0790	23158ES505		DETECTABLE WARNINGS	846.00	SQFT		\$	
0800	23274EN11F		TURF REINFORCEMENT MAT 1	3,416.00	SQYD		\$	
0810	23314EC		CONCRETE TRENCH	810.00	LF		\$	
0820	24247EC		DEWATERING	1.00	LS		\$	

**Section: 0003 - DRAINAGE**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0830	00078		CRUSHED AGGREGATE SIZE NO 2	2.00	TON		\$	
0840	00441		ENTRANCE PIPE-18 IN	72.00	LF		\$	
0850	00462		CULVERT PIPE-18 IN	1,117.00	LF		\$	

**PROPOSAL BID ITEMS**

REVISED ADDENDUM #1: 11-17-15

151272

Page 3 of 5

Report Date 11/17/15

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0860	00464		CULVERT PIPE-24 IN	594.00	LF		\$	
0870	00466		CULVERT PIPE-30 IN	142.00	LF		\$	
0880	00470		CULVERT PIPE-48 IN	82.00	LF		\$	
0890	00472		CULVERT PIPE-60 IN	293.00	LF		\$	
0900	00521		STORM SEWER PIPE-15 IN	3,567.00	LF		\$	
0910	00522		STORM SEWER PIPE-18 IN	6,850.00	LF		\$	
0920	00524		STORM SEWER PIPE-24 IN	1,388.00	LF		\$	
0930	00526		STORM SEWER PIPE-30 IN	278.00	LF		\$	
0940	00530		STORM SEWER PIPE-48 IN	65.00	LF		\$	
0950	01000		PERFORATED PIPE-4 IN	22,595.00	LF		\$	
0960	01010		NON-PERFORATED PIPE-4 IN	972.00	LF		\$	
0970	01020		PERF PIPE HEADWALL TY 1-4 IN	1.00	EACH		\$	
0980	01028		PERF PIPE HEADWALL TY 3-4 IN	1.00	EACH		\$	
0990	01204		PIPE CULVERT HEADWALL-18 IN	17.00	EACH		\$	
1000	01208		PIPE CULVERT HEADWALL-24 IN	11.00	EACH		\$	
1010	01210		PIPE CULVERT HEADWALL-30 IN	2.00	EACH		\$	
1020	01216		PIPE CULVERT HEADWALL-48 IN	2.00	EACH		\$	
1030	01220		PIPE CULVERT HEADWALL-60 IN	4.00	EACH		\$	
1040	01433		SLOPED BOX OUTLET TYPE 1-18 IN	5.00	EACH		\$	
1050	01480		CURB BOX INLET TYPE B	129.00	EACH		\$	
1060	01496		DROP BOX INLET TYPE 3	4.00	EACH		\$	
1070	01568		DROP BOX INLET TYPE 13S	1.00	EACH		\$	
1080	01650		JUNCTION BOX	3.00	EACH		\$	
1090	01740		CORED HOLE DRAINAGE BOX CON-4 IN	145.00	EACH		\$	
1100	01761		MANHOLE TYPE B	1.00	EACH		\$	
1110	01767		MANHOLE TYPE C (W/ CLASS A TOWER)	1.00	EACH		\$	
1120	02600		FABRIC GEOTEXTILE TY IV FOR PIPE	21,377.00	SQYD	\$2.00	\$	\$42,754.00
1130	21546ED		CURB BOX INLET TYPE B MODIFIED	2.00	EACH		\$	
1140	24814EC		PIPELINE INSPECTION	14,001.00	LF		\$	

**Section: 0004 - BRIDGE - CULVERT RCBC - 22' X 5'- DWG. 27471**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1150	02223		GRANULAR EMBANKMENT	10.00	CUYD		\$	
1160	08001		STRUCTURE EXCAVATION-COMMON	1,850.00	CUYD		\$	
1170	08002		STRUCTURE EXCAV-SOLID ROCK	1,850.00	CUYD		\$	
1180	08100		CONCRETE-CLASS A	610.00	CUYD		\$	
1190	08150		STEEL REINFORCEMENT	68,300.00	LB		\$	

**Section: 0005 - BRIDGE - CULVERT RCBC 8' X 5'- DWG. 27472**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1200	02403		REMOVE CONCRETE MASONRY	11.30	CUYD		\$	
1210	08002		STRUCTURE EXCAV-SOLID ROCK	6.70	CUYD		\$	
1220	08003		FOUNDATION PREPARATION	1.00	LS		\$	
1230	08100		CONCRETE-CLASS A	210.10	CUYD		\$	
1240	08150		STEEL REINFORCEMENT	17,273.00	LB		\$	

**PROPOSAL BID ITEMS**

REVISED ADDENDUM #1: 11-17-15

151272

Page 4 of 5

Report Date 11/17/15

**Section: 0006 - SIGNING**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1250	06406		SBM ALUM SHEET SIGNS .080 IN	785.00	SQFT		\$	
1260	06407		SBM ALUM SHEET SIGNS .125 IN	206.00	SQFT		\$	
1270	06410		STEEL POST TYPE 1	688.00	LF		\$	
1280	06411		STEEL POST TYPE 2	727.00	LF		\$	
1290	06490		CLASS A CONCRETE FOR SIGNS	12.20	CUYD		\$	
1300	20360ES818		WOOD POST (4-IN X 4-IN TREATED)	61.00	EACH		\$	
1310	20418ED		REMOVE & RELOCATE SIGNS	1.00	EACH		\$	
1320	24631EC		BARCODE SIGN INVENTORY	235.00	EACH		\$	

**Section: 0007 - WATERLINE**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1330	14000		W AIR RELEASE VALVE 1 INCH	5.00	EACH		\$	
1340	14003		W CAP EXISTING MAIN (12-IN CUT & CAP)	4.00	EACH		\$	
1350	14003		W CAP EXISTING MAIN (8-IN CUT & CAP)	1.00	EACH		\$	
1360	14003		W CAP EXISTING MAIN (6-IN CUT & CAP)	2.00	EACH		\$	
1370	14010		W ENCASMENT STEEL BORED RANGE 5 (18-IN BENEATH EXISTING KY 53 W/ CASING SPACERS)	50.00	LF		\$	
1380	14014		W ENCASMENT STEEL OPEN CUT RANGE 3 (18-IN BENEATH RING ROAD W/ CASING SPACERS) (REVISED: 11-17-15)	150.00	LF		\$	
1390	14014		W ENCASMENT STEEL OPEN CUT RANGE 3 (12 IN BENEATH RING ROAD W/ CASING SPACERS)	120.00	LF		\$	
1400	14014		W ENCASMENT STEEL OPEN CUT RANGE 3 (18-IN BENEATH ENTRANCE W/ CASING SPACERS) (REVISED: 11-17-15)	60.00	LF		\$	
1410	14016		W ENCASMENT STEEL OPEN CUT RANGE 5 (18-IN BENEATH PROPOSED KY 53 W/ CASING SPACERS)	180.00	LF		\$	
1420	14016		W ENCASMENT STEEL OPEN CUT RANGE 5 (18-IN BENEATH NEW MOODY LANE W/ CASING SPACERS)	165.00	LF		\$	
1430	14016		W ENCASMENT STEEL OPEN CUT RANGE 5	120.00	LF		\$	
1440	14016		W ENCASMENT STEEL OPEN CUT RANGE 5 (18-IN BENEATH BLAKEMORE LANE W/ CASING SPACERS)	40.00	LF		\$	
1450	14020		W FIRE HYDRANT RELOCATE (6-IN ASSEMBLY)	1.00	EACH		\$	
1460	14030		W METER RELOCATE	2.00	EACH		\$	
1470	14047		W PIPE DCTL IRON RSTRND JOINT 06 IN (WATER MAIN) (REVISED: 11-17-15)	160.00	LF		\$	

**PROPOSAL BID ITEMS**

REVISED ADDENDUM #1: 11-17-15

151272

Page 5 of 5

Report Date 11/17/15

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1480	14049		W PIPE DCTL IRON RSTRND JOINT 10 IN (WATER MAIN W/ CASING SPACERS) (REVISED: 11-17-15)	830.00	LF		\$	
1490	14050		W PIPE DCTL IRON RSTRND JOINT 12 IN (WATER MAIN)	620.00	LF		\$	
1500	14059		W PIPE PVC 06 INCH (WATER MAIN) (REVISED: 11-17-15)	1,455.00	LF		\$	
1510	14060		W PIPE PVC 08 INCH (WATER MAIN) (REVISED: 11-17-15)	335.00	LF		\$	
1520	14061		W PIPE PVC 10 INCH (WATER MAIN) (REVISED: 11-17-15)	1,965.00	LF		\$	
1530	14062		W PIPE PVC 12 INCH (WATER MAIN) (REVISED: 11-17-15)	1,530.00	LF		\$	
1540	14076		W REMOVE TRANSITE (AC) PIPE	1,645.00	LF		\$	
1550	14082		W SERV PE/PLST SHORT SIDE 1 IN	2.00	EACH		\$	
1560	14089		W TAPPING SLEEVE AND VALVE SIZE 1 (6-IN WET CONNECT)	2.00	EACH		\$	
1570	14090		W TAPPING SLEEVE AND VALVE SIZE 2 (12-IN WET CONNECT)	1.00	EACH		\$	
1580	14090		W TAPPING SLEEVE AND VALVE SIZE 2 (8-IN WET CONNECT)	1.00	EACH		\$	
1590	14094		W TIE-IN 06 INCH (DRY CONNECT)	3.00	EACH		\$	
1600	14096		W TIE-IN 10 INCH (DRY CONNECT)	1.00	EACH		\$	
1610	14097		W TIE-IN 12 INCH (DRY CONNECT)	4.00	EACH		\$	
1620	14105		W VALVE 06 INCH (GATE VALVE & BOX)	7.00	EACH		\$	
1630	14106		W VALVE 08 INCH (GATE VALVE & BOX)	3.00	EACH		\$	
1640	14107		W VALVE 10 INCH (GATE VALVE & BOX)	1.00	EACH		\$	
1650	14108		W VALVE 12 INCH (GATE VALVE & BOX)	13.00	EACH		\$	
1660	20372EC		LINE STOPPER-8 IN	1.00	EACH		\$	
1670	22610NN		LINE STOPPER-6 IN	2.00	EACH		\$	
1680	23667EC		WATER MAIN CREEK CROSSING	15.00	LF		\$	
1690	24699EC		INSERTION VALVE (12-IN)	1.00	EACH		\$	
1700	24699EC		INSERTION VALVE (6-IN)	3.00	EACH		\$	

**Section: 0008 - DEMOBILIZATION &/OR MOBILIZATION**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
1710	02568		MOBILIZATION	1.00	LS		\$	
1720	02569		DEMOBILIZATION	1.00	LS		\$	