



Andy Beshear
GOVERNOR

TRANSPORTATION CABINET

200 Mero Street
Frankfort, Kentucky 40601

Jim Gray
SECRETARY

December 5, 2023

CALL NO. 310
CONTRACT ID NO. 232497
ADDENDUM # 2

Subject: Clay County, FD04 026 9006 013-016
Letting December 14, 2023

- (1) Revised - Special Note - Page 40 of 80
- (2) Revised - Proposal Bid Items - Pages 79-80 of 80

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

Rachel Mills,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

SPECIAL NOTES FOR BASE FAILURE REPAIR

Repair locations listed on the summary are approximate only. The Engineer will determine actual repair locations and dimensions at the time of construction. Prior to milling and/or resurfacing, saw cut the existing pavement, asphalt surface, base, DGA, and PCC pavement (if present). Excavate to an approximate depth of 36 inches below the existing pavement surface level. Use all possible care to avoid damaging existing culvert pipes and any existing underground utilities. Repair or restore any damaged items at no additional cost to the Department. Remove and dispose of all materials off the Right-of-way at sites obtained by the Contractor at no additional cost to the Department.

On the same day trench is excavated, backfill the excavated area with 24 inches of Crushed Limestone size No. 23 wrapped on the bottom and sides in Class 2 Geotextile Fabric. Backfill the remaining area with Class 2 Asphalt Base 1.00D PG64-22 in 4 inch maximum courses up to the existing pavement surface. Compact the asphalt base to the compaction required in Section 403.03.10. Seal the asphalt base with leveling and wedging. Perform all base failure repairs in such a manner that removal and replacement are completed on the same day. Do this work as one of the Contractor's first operations in order to allow further compaction by traffic. Do not mill or place new asphalt surface over repaired base failure areas until a minimum of 7 calendar days have elapsed after placement of the final course of asphalt base. After a minimum of 7 calendar days and when the Engineer determines the base failure repair areas have sufficiently stabilized, begin milling and/or resurfacing operations. Prior to milling and/or constructing the new asphalt surface, level and wedge any settlement of the repair areas.

The bidder must draw conclusions as to the conditions encountered. The Department does not give any guarantee as to the accuracy of the data and will not consider any claim for additional compensation if the materials encountered that are not in accord with the classification shown.

Accept payment at the Contract unit prices per ton for Crushed Limestone size No. 23, Asphalt Base, and Leveling and Wedging as full compensation for all labor, materials, equipment, and incidentals for saw cutting pavement and excavating and disposing of all materials; furnishing and placing crushed limestone stone wrapped in geotextile fabric; furnishing and placing asphalt base up to the pavement boundary; leveling and wedging until the repair areas stabilize; and all other items necessary to complete the work according to these notes to the satisfaction of the Engineer. The Department will not measure pavement removal, excavation, and geotextile fabric but shall be incidental to Crushed Limestone and Asphalt Base as applicable.

PROPOSAL BID ITEMS

232497

Page 1 of 2

Report Date 12/5/23

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00100		ASPHALT SEAL AGGREGATE	80.00	TON		\$	
0020	00103		ASPHALT SEAL COAT	10.00	TON		\$	
0030	00190		LEVELING & WEDGING PG64-22	300.00	TON		\$	
0040	00212		CL2 ASPH BASE 1.00D PG64-22	3,180.00	TON		\$	
0050	00301		CL2 ASPH SURF 0.38D PG64-22	1,475.00	TON		\$	
0060	00336		CL3 ASPH SURF 0.38A PG76-22	2,605.00	TON		\$	
0070	00356		ASPHALT MATERIAL FOR TACK	55.00	TON		\$	
0080	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0090	02677		ASPHALT PAVE MILLING & TEXTURING	145.00	TON		\$	
0100	02696		SHOULDER RUMBLE STRIPS	17,921.00	LF		\$	
0110	10020NS		FUEL ADJUSTMENT	12,709.00	DOLL	\$1.00	\$	\$12,709.00
0120	10030NS		ASPHALT ADJUSTMENT	31,922.00	DOLL	\$1.00	\$	\$31,922.00

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0130	00001		DGA BASE	1,500.00	TON		\$	
0140	00080		CRUSHED AGGREGATE SIZE NO 23 REVISED (12-5-23)	300.00	TON		\$	
0150	01690		FLUME INLET TYPE 1	1.00	EACH		\$	
0160	01705		REMOVE CURB & GUTTER BOX INLET	1.00	EACH		\$	
0170	01892		ISLAND HEADER CURB TYPE 1 - MODIFIED	50.00	LF		\$	
0180	01904		REMOVE CURB	25.00	LF		\$	
0190	02562		TEMPORARY SIGNS	500.00	SQFT		\$	
0200	02568		MOBILIZATION	1.00	LS		\$	
0210	02575		DITCHING AND SHOULDERING	8,961.00	LF		\$	
0220	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0230	02671		PORTABLE CHANGEABLE MESSAGE SIGN	2.00	EACH		\$	
0240	02726		STAKING	1.00	LS		\$	
0250	02775		ARROW PANEL	2.00	EACH		\$	
0260	04933		TEMP SIGNAL 2 PHASE	2.00	EACH		\$	
0270	05950		EROSION CONTROL BLANKET	11,615.00	SQYD		\$	
0280	05953		TEMP SEEDING AND PROTECTION	5,000.00	SQYD		\$	
0290	05985		SEEDING AND PROTECTION	2,000.00	SQYD		\$	
0300	06403		FLEXIBLE DELINEATOR POST-B/W	205.00	EACH		\$	
0310	06427		TRENCHING	18,000.00	LF		\$	
0320	06511		PAVE STRIPING-TEMP PAINT-6 IN	22,813.00	LF		\$	
0330	06542		PAVE STRIPING-THERMO-6 IN W	20,367.00	LF		\$	
0340	06543		PAVE STRIPING-THERMO-6 IN Y	22,813.00	LF		\$	
0350	06549		PAVE STRIPING-TEMP REM TAPE-B	500.00	LF		\$	
0360	06550		PAVE STRIPING-TEMP REM TAPE-W	500.00	LF		\$	
0370	06551		PAVE STRIPING-TEMP REM TAPE-Y	500.00	LF		\$	
0380	06568		PAVE MARKING-THERMO STOP BAR-24IN	40.00	LF		\$	
0390	06574		PAVE MARKING-THERMO CURV ARROW	7.00	EACH		\$	
0400	06576		PAVE MARKING-THERMO ONLY	2.00	EACH		\$	
0410	06578		PAVE MARKING-THERMO MERGE ARROW	3.00	EACH		\$	

PROPOSAL BID ITEMS

232497

Page 2 of 2

Report Date 12/5/23

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0420	06610		INLAID PAVEMENT MARKER-MW	25.00	EACH		\$	
0430	06612		INLAID PAVEMENT MARKER-BY	225.00	EACH		\$	
0440	20191ED		OBJECT MARKER TY 3	20.00	EACH		\$	
0450	23821EC		CENTERLINE RUMBLE STRIPS-12 IN	9,000.00	LF		\$	

Section: 0003 - GUARDRAIL

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0460	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	185.00	EACH		\$	
0470	02367		GUARDRAIL END TREATMENT TYPE 1	10.00	EACH		\$	
0480	02381		REMOVE GUARDRAIL	9,550.00	LF		\$	
0490	02391		GUARDRAIL END TREATMENT TYPE 4A	10.00	EACH		\$	
0500	21802EN		G/R STEEL W BEAM-S FACE (7 FT POST)	9,550.00	LF		\$	
0510	24976EC		GUARDRAIL CONNECTOR TO BR END TY A CR	2.00	EACH		\$	

Section: 0004 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0520	02569		DEMOBILIZATION	1.00	LS		\$	