



**TRANSPORTATION CABINET**

Frankfort, Kentucky 40622  
www.transportation.ky.gov/

**Steven L. Beshear**  
Governor

**Michael W. Hancock, P.E.**  
Secretary

November 8, 2012

CALL NO. 312  
CONTRACT ID NO. 121058  
ADDENDUM # 2

Subject: Larue County, FD04 SPP 062 0031 010-021  
Letting November 16, 2012

- (1) Revised - Plan Sheets - R2B & R2C
- (2) Revised - Special Notes - Pages 10-11 of 77
- (3) Revised - Bid Items - Pages 76-77 of 77

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

Plan revisions are available at <http://www.lynnimaging.com/kytransportation/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in blue ink that reads "Ryan Griffith".

Ryan Griffith  
Director  
Division of Construction Procurement

RG:ks  
Enclosures



An Equal Opportunity Employer M/F/D

# GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
LARUE	04-8504	R2B

## PAVING AREAS

ITEM	DEVER	BOYHOOD	ENLOW	CURVE 4	OVERLAY	TOTAL PROJECT
	(A)	(B)	(C)	(D)	(E)	
	S Q U A R E Y A R D S					
CL2 ASPH SURF 0.38D PG64-22 (10)	4327	2368	8102	2248	16785	33830
CL2 ASPH BASE 0.75D PG64-22 (10)	6061		8909			15418
DENSE GRADE AGGREGATE (10)	4600		6574			17252
LEVEL & WEDGING PG64-22	2873	1200	3255	879		8206
ASPHALT SEAL AGGREGATE	604	606	1154	1100		3464
ASPHALT SEAL COAT	604	606	1154	1100		3464

## PAVING SUMMARY

ITEM CODE	ITEM	UNIT	DEVER	BOYHOOD (B)	ENLOW	CURVE 4	OVERLAY	TOTAL PROJECT
			(A)		(C)	(D)	(E)	
00301	CL2 ASPH SURF 0.38D PG64-22 (10)(11)	TON	311	163	557	155	1164	2383
00221	CL2 ASPH BASE 0.75D PG64-22 (10)(11)	TON	1156		1480		37	2710
00001	DENSE GRADE AGGREGATE (10)(12)(13)	TON	1130		1457		134	3027
00190	LEVEL & WEDGING PG64-22 (11)	TON	474	208	537	152		1371
00100	ASPHALT SEAL AGGREGATE	TON	6	3	12	6		27
00103	ASPHALT SEAL COAT	TON	0.73	0.33	1.39	.59		3.04

### NOTES

- (1) INCLUDES THE FOLLOWING QUANTITIES (CUYD)

BENCHING	COM
DEVER 1355	631
BOYHOOD 81	0
ENLOW 1186	1556
CURVE 4 387	5
OTHER 0	0

(2) CONTRARY TO STANDARD SPECIFICATIONS, ALL HEADWALL REMOVAL SHALL BE INCIDENTAL TO EMBANKMENT IN PLACE.

(3) FOR CONTROLLING DUST CAUSED BY MAINTAINING TRAFFIC ONLY.

(4) CONTRARY TO STANDARD DRAWINGS AND STANDARD SPECIFICATIONS, 9' POSTS SHALL BE REQUIRED FOR ALL GUARDRAIL AND INCIDENTAL TO THE W BEAM G/R BID ITEM.

(5) ALL GUARDRAIL, END TREATMENTS, AND ASSOCIATED HARDWARE FROM STA 67+29 TO STA 73+35 SHALL BE CORTEN STEEL. THE CONTRACTOR SHALL PAINT THE TERMINAL SECTION NO. 1 AND THE END TREATMENT TYPE 1 TO MATCH THE CORTEN COLOR TO THE SATISFACTION OF THE ENGINEER. ALL PAINTING SHALL BE INCIDENTAL TO INSTALLATION. THE CONTRACTOR SHALL USE AN APPROVED GUARDRAIL PAINT OR BRIDGE PAINT THAT IS READILY AVAILABLE. THE PAINT SHALL BE A MOISTURE CURE URETHANE COATING SYSTEM WITH MICACEOUS IRON OXIDE PIGMENTATION. GUARDRAIL POSTS SHALL BE SQUARE TIMBER POSTS IN ACCORDANCE WITH SECTION 814.04.

(6) DISMANTLE, SALVAGE, AND STOCKPILE ON THE RIGHT-OF-WAY AS DIRECTED BY THE ENGINEER. SALVAGED ITEMS SHALL BECOME THE PROPERTY OF THE DEPARTMENT OF HIGHWAYS.

(7) INCLUDES THE FOLLOWING AREAS:

DEVER	1.72AC
BOYHOOD	0.51AC
ENLOW	2.20AC
CURVE 4	0.41AC
OTHER	0.49AC
TOTAL 5.33 AC	

(8) 42' 4'X8' CULVERT AT STA 110+78 AND 28' 2'X4' AT 97+60

(9) SHALL BE A LOCKING BLOCK RETAINING WALL SUITED FOR STREAM USE. INCLUDES FOUNDATION PREPARATION. SEE DETAIL SHEETS.

(10) INCLUDES THE FOLLOWING QUANTITIES FOR ENTRANCES:

46 TONS OF SURFACE	
74 TONS OF BASE	
206 TONS OF DGA	

(11) ALL ASHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.

(12) ESTIMATED AT 115 LBS. PER SQ. YD. PER INCH OF DEPTH.

(13) INCLUDES 200 TONS FOR MAINTENANCE OF TRAFFIC.

(14) INCLUDES GEOTEXTILE FABRIC TYPE I AS REQUIRED BY SUPPLIER. SEE DETAIL SHEETS.

GENERAL & PAVING SUMMARY SHEET

ITEM	DESCRIPTION	UNIT	DEVER	BOYHOOD	ENLOW	CURVE 4	OTHER	TOTAL PROJECT
			(A)	(B)	(C)	(D)	(F)	
00440	ENTRANCE PIPE-15IN	L.F.	50	-----	51	-----	-----	101
01987	DELINEATOR FOR G-RAIL - BI DIRECTIONAL WHITE	EACH	-----	10	-----	-----	15	25
08001	STRUCTURE EXCAVATION - COMMON	CUYD	1756	2079	190	-----	-----	4025
02230	EMBANKMENT IN PLACE (1)(2)	CUYD	6380	435	6263	496	-----	13574
08002	STRUCTURE EXCAVATION - ROCK	CUYD	46	39	-----	-----	-----	85
02231	STRUCTURE GRANULAR BACKFILL (14)	CUYD	667	884	-----	-----	-----	1551
20060ES719	GUARDRAIL STEEL W BEAM-S FACE CR(4)(5)	L.F.	-----	550	-----	-----	-----	550
08018	RETAINING WALL (9)	SOFT	3218	3427	-----	-----	-----	6645
02237	DITCHING	L.F.	-----	-----	-----	70	238	308
02242	WATER (3)	MGAL	-----	-----	-----	-----	-----	59
02351	GUARDRAIL STEEL W BEAM-S FACE (4)	L.F.	-----	-----	-----	-----	1525	1525
02360	GUARDRAIL TERMINAL SECTION NO 1 (5)	EACH	-----	1	-----	-----	-----	1
02367	GUARDRAIL END TREATMENT TYPE 1 (5)	EACH	-----	1	-----	-----	6	7
02381	REMOVE GUARDRAIL (6)	L.F.	-----	-----	375	-----	-----	375
02429	RIGHT-OF-WAY MONUMENT TYPE 1	EACH	13	-----	30	-----	30	73
02432	WITNESS POST	EACH	6	-----	6	-----	-----	12
02483	CHANNEL LINING CL II	TON	21	8	20	-----	59	108
02484	CHANNEL LINING CL III	TON	-----	-----	-----	-----	414	414
02545	CLEARING AND GRUBBING (7)	LS	-----	-----	-----	-----	-----	1
02569	DEMobilIZATION	LS	-----	-----	-----	-----	-----	1
02600	FABRIC GEOTEXTILE TYPE IV FOR PIPE	SQYD	340	62	786	89	609	1886
02650	MAINTAIN & CONTROL TRAFFIC	LS	-----	-----	-----	-----	-----	1
02676	MOBILIZATION FOR MILLING AND TEXTURING	LS	-----	-----	-----	-----	-----	1
02677	ASPHALT PAVE MILLING AND TEXTURING	TON	56	24	151	40	-----	271
02690	SAFeloading	CUYD	-----	-----	14	3.5	-----	17.5
02726	STAKING	LS	-----	-----	-----	-----	-----	1
05950	EROSION CONTROL BLANKET	SQYD	-----	-----	-----	-----	-----	7295
05966	TOPDRESSING FERTILIZER	TON	0.05	0.01	0.06	0.01	0.01	0.14
05985	SEEDING AND PROTECTION	SQYD	8435	2007	11003	1277	3566	26288
06510	PAVE STRIPING-TEMPORARY PAINT-4 IN	L.F.	4318	1894	5990	1798	-----	14000
06514	PAVE STRIPING-PERMANENT PAINT-4 IN	L.F.	8636	3788	11980	3596	26856	54856
06600	REMOVE PAVEMENT MARKER TYPE V	EACH	54	24	75	23	168	344
04933	TEMP SIGNAL TWO PHASE	EACH	-----	-----	-----	-----	-----	2
23131ER701	PIPELINE VIDEO INSPECTION	L.F.	131	28	310	40	244	753
02731	REMOVE STRUCTURE (8)	LS	-----	-----	-----	-----	-----	1
23143ED	KPDES PERMIT & TEMP. EROSION CONTROL	LS	-----	-----	-----	-----	-----	1
10020NS	FUEL ADJUSTMENT	DOLL	-----	-----	-----	-----	-----	10,437
10030NS	ASPHALT ADJUSTMENT	DOLL	-----	-----	-----	-----	-----	15,500
02373	GUARDRAIL END TREATMENT TYPE 3	EACH	-----	-----	-----	-----	2	2
02355	GUARDRAIL-STEEL W BEAM-S FACE A	L.F.	-----	-----	-----	-----	100	100
08801	GUARDRAIL-STEEL W BEAM-S FACE BR	L.F.	-----	-----	-----	-----	38	38
06568	PAVEMENT MARKING THERMO STOP BAR-24"	L.F.	-----	-----	-----	-----	-----	66
02562	SIGNS	SQFT	-----	-----	-----	-----	-----	100
02653	LANE CLOSURE	EA	-----	-----	-----	-----	-----	3
02403	REMOVE CONCRETE MASONRY	CUYD	2.00	-----	-----	-----	2.37	-----
08103	CONCRETE-CLASS D MOD	CUYD	2.00	-----	-----	-----	2.37	-----

(A) STA. 35+30 - 56+81    (B) STA. 65+80 - 75+27    (C) STA. 20+00 - 35+30, 56+89 - 65+80,    (D) STA. 161+78 - 167+30  
 (E) STA. 89+60 - 119+55    (F) STA. 148+15 - 157+14    (G) STA. 75+27 - 89+60, 119+55 - 148+15

FILE NAME: G:\PWORK\BEN\_HORNBACK\10163649\RO020BSU.DGN  
 USER: ben.hornback  
 DATE PLOTTED: November 7, 2012  
 E-SHEET NAME:  
 MicroStation v8.11.7.443



# GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
LARUE	04-8504	R2B

⚠️ REVISED 11-07-2012

ITEM	DESCRIPTION	UNIT	DEVER	BOYHOOD	ENLOW	CURVE 4	OTHER	TOTAL PROJECT
			(A)	(B)	(C)	(D)	(E)	
00440	ENTRANCE PIPE-15IN	L.F.	50	-----	51	-----	-----	101
01987	DELINEATOR FOR G-RAIL - BI DIRECTIONAL WHITE	EACH	-----	10	-----	-----	15	25
08001	STRUCTURE EXCAVATION - COMMON	CUYD	1756	2079	190	-----	-----	4025
02230	EMBANKMENT IN PLACE (1)(2)	CUYD	6380	435	6263	496	-----	13574
08002	STRUCTURE EXCAVATION - ROCK	CUYD	46	39	-----	-----	-----	85
02231	STRUCTURE GRANULAR BACKFILL (14)	CUYD	667	884	-----	-----	-----	1551
20060ES719	GUARDRAIL STEEL W BEAM-S FACE CR(4)(5)	L.F.	-----	550	-----	-----	-----	550
08018	RETAINING WALL (9)	SOFT	3218	3427	-----	-----	-----	6645
02237	DITCHING	L.F.	-----	-----	-----	70	238	308
02242	WATER (3)	MGAL	-----	-----	-----	-----	-----	59
02351	GUARDRAIL STEEL W BEAM-S FACE (4)	L.F.	-----	-----	-----	-----	1525	1525
02360	GUARDRAIL TERMINAL SECTION NO 1 (5)	EACH	-----	1	-----	-----	-----	1
02367	GUARDRAIL END TREATMENT TYPE 1 (5)	EACH	-----	1	-----	-----	6	7
02381	REMOVE GUARDRAIL (6)	L.F.	-----	-----	375	-----	-----	375
02429	RIGHT-OF-WAY MONUMENT TYPE 1	EACH	13	-----	30	-----	30	73
02432	WITNESS POST	EACH	6	-----	6	-----	-----	12
02483	CHANNEL LINING CL II	TON	21	8	20	-----	59	108
02484	CHANNEL LINING CL III	TON	-----	-----	-----	-----	414	414
02545	CLEARING AND GRUBBING (7)	LS	-----	-----	-----	-----	-----	1
02569	DEMobilIZATION	LS	-----	-----	-----	-----	-----	1
02600	FABRIC GEOTEXTILE TYPE IV FOR PIPE	SQYD	340	62	786	89	609	1886
02650	MAINTAIN & CONTROL TRAFFIC	LS	-----	-----	-----	-----	-----	1
02676	MOBILIZATION FOR MILLING AND TEXTURING	LS	-----	-----	-----	-----	-----	1
02677	ASPHALT PAVE MILLING AND TEXTURING	TON	56	24	151	40	-----	271
02690	SAFeloading	CUYD	-----	-----	14	3.5	-----	17.5
02726	STAKING	LS	-----	-----	-----	-----	-----	1
05950	EROSION CONTROL BLANKET	SQYD	-----	-----	-----	-----	-----	7295
05966	TOPDRESSING FERTILIZER	TON	0.05	0.01	0.06	0.01	0.01	0.14
05985	SEEDING AND PROTECTION	SQYD	8435	2007	11003	1277	3566	26288
06510	PAVE STRIPING-TEMPORARY PAINT-4 IN	L.F.	4318	1894	5990	1798	-----	14000
06514	PAVE STRIPING-PERMANENT PAINT-4 IN	L.F.	8636	3788	11980	3596	26856	54856
06600	REMOVE PAVEMENT MARKER TYPE V	EACH	54	24	75	23	168	344
04933	TEMP SIGNAL TWO PHASE	EACH	-----	-----	-----	-----	-----	2
23131ER701	PIPELINE VIDEO INSPECTION	L.F.	131	28	310	40	244	753
02731	REMOVE STRUCTURE (8)	LS	-----	-----	-----	-----	-----	1
23143ED	KPDES PERMIT & TEMP. EROSION CONTROL	LS	-----	-----	-----	-----	-----	1
10020NS	FUEL ADJUSTMENT	DOLL	-----	-----	-----	-----	-----	10,437
10030NS	ASPHALT ADJUSTMENT	DOLL	-----	-----	-----	-----	-----	15,500
02373	GUARDRAIL END TREATMENT TYPE 3	EACH	-----	-----	-----	-----	2	2
02355	GUARDRAIL-STEEL W BEAM-S FACE A	L.F.	-----	-----	-----	-----	100	100
08801	GUARDRAIL-STEEL W BEAM-S FACE BR	L.F.	-----	-----	-----	-----	38	38
06568	PAVEMENT MARKING THERMO STOP BAR-24"	L.F.	-----	-----	-----	-----	-----	66
02562	SIGNS	SQFT	-----	-----	-----	-----	-----	100
02653	LANE CLOSURE	EA	-----	-----	-----	-----	-----	3
02403	REMOVE CONCRETE MASONRY	CUYD	2.00	-----	-----	-----	2.37	-----
08103	CONCRETE-CLASS D MOD	CUYD	2.00	-----	-----	-----	2.37	-----

## PAVING AREAS

ITEM	DEVER	BOYHOOD	ENLOW	CURVE 4	OVERLAY	TOTAL PROJECT
	(A)	(B)	(C)	(D)	(E)	
	S Q U A R E Y A R D S					
CL2 ASPH SURF 0.38D PG64-22 (10)	4327	2368	8102	2248	16785	33830
CL2 ASPH BASE 0.75D PG64-22 (10)	6061		8909			15418
DENSE GRADE AGGREGATE (10)	4600		6574			17252
LEVEL & WEDGING PG64-22	2873	1200	3255	879		8206
ASPHALT SEAL AGGREGATE	604	606	1154	1100		3464
ASPHALT SEAL COAT	604	606	1154	1100		3464

## PAVING SUMMARY

ITEM CODE	ITEM	UNIT	DEVER	BOYHOOD	ENLOW	CURVE 4	OVERLAY	TOTAL PROJECT
			(A)	(B)	(C)	(D)	(E)	
00301	CL2 ASPH SURF 0.38D PG64-22 (10)(11)	TON	311	163	557	155	1164	2383
00221	CL2 ASPH BASE 0.75D PG64-22 (10)(11)	TON	1156		1480		37	2710
00001	DENSE GRADE AGGREGATE (10)(12)(13)	TON	1130		1457		134	3027
00190	LEVEL & WEDGING PG64-22(11)	TON	474	208	537	152		1371
00100	ASPHALT SEAL AGGREGATE	TON	6	3	12	6		27
00103	ASPHALT SEAL COAT	TON	0.73	0.33	1.39	.59		3.04

### NOTES

- ① INCLUDES THE FOLLOWING QUANTITIES (CUYD)  

BENCHING	COM
DEVER	1355
BOYHOOD	81
ENLOW	1186
CURVE 4	387
OTHER	0
- ② CONTRARY TO STANDARD SPECIFICATIONS, ALL HEADWALL REMOVAL SHALL BE INCIDENTAL TO EMBANKMENT IN PLACE.
- ③ FOR CONTROLLING DUST CAUSED BY MAINTAINING TRAFFIC ONLY.
- ④ CONTRARY TO STANDARD DRAWINGS AND STANDARD SPECIFICATIONS, 9' POSTS SHALL BE REQUIRED FOR ALL GUARDRAIL AND INCIDENTAL TO THE W BEAM G/R BID ITEM.
- ⑤ ALL GUARDRAIL, END TREATMENTS, AND ASSOCIATED HARDWARE FROM STA 67+29 TO STA 73+35 SHALL BE CORTEN STEEL. THE CONTRACTOR SHALL PAINT THE TERMINAL SECTION NO. 1 AND THE END TREATMENT TYPE 1 TO MATCH THE CORTEN COLOR TO THE SATISFACTION OF THE ENGINEER. ALL PAINTING SHALL BE INCIDENTAL TO INSTALLATION. THE CONTRACTOR SHALL USE AN APPROVED GUARDRAIL PAINT OR BRIDGE PAINT THAT IS READILY AVAILABLE. THE PAINT SHALL BE A MOISTURE CURE URETHANE COATING SYSTEM WITH MICACEOUS IRON OXIDE PIGMENTATION. GUARDRAIL POSTS SHALL BE SQUARE TIMBER POSTS IN ACCORDANCE WITH SECTION 814.04.
- ⑥ DISMANTLE, SALVAGE, AND STOCKPILE ON THE RIGHT-OF-WAY AS DIRECTED BY THE ENGINEER. SALVAGED ITEMS SHALL BECOME THE PROPERTY OF THE DEPARTMENT OF HIGHWAYS.
- ⑦ INCLUDES THE FOLLOWING AREAS:  

DEVER	1.72AC
BOYHOOD	0.51AC
ENLOW	2.20AC
CURVE 4	0.41AC
OTHER	0.49AC
TOTAL 5.33 AC	
- ⑧ 42' 4'X8' CULVERT AT STA 110+78 AND 28' 2'X4' AT 97+60
- ⑨ SHALL BE A LOCKING BLOCK RETAINING WALL SUITED FOR STREAM USE. INCLUDES FOUNDATION PREPARATION. SEE DETAIL SHEETS.
- ⑩ INCLUDES THE FOLLOWING QUANTITIES FOR ENTRANCES:  

46 TONS OF SURFACE
74 TONS OF BASE
206 TONS OF DGA
- ⑪ ALL ASHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.
- ⑫ ESTIMATED AT 115 LBS. PER SQ. YD. PER INCH OF DEPTH.
- ⑬ INCLUDES 200 TONS FOR MAINTENANCE OF TRAFFIC.
- ⑭ INCLUDES GEOTEXTILE FABRIC TYPE I AS REQUIRED BY SUPPLIER. SEE DETAIL SHEETS.

FILE NAME: G:\PWORK\BEN\_HORNBACK\00163649\RO020BSU.DGN  
 USER: ben.hornback  
 DATE PLOTTED: November 7, 2012  
 E-SHEET NAME:  
 MicroStation v8.11.7.443

(A) STA. 35+30 - 56+81    (B) STA. 65+80 - 75+27    (C) STA. 20+00 - 35+30, 56+89 - 65+80,    (D) STA. 16+78 - 187+30  
 (E) STA. 89+60 - 119+55    (F) STA. 148+15 - 157+14    (G) STA. 75+27 - 89+60, 119+55 - 148+15





MicroStation v8.11.7.443 E-SHEET NAME: DATE PLOTTED: November 7, 2012 USER: ben.hornback FILE NAME: G:\PROJECTS\BEN\_HORNBACK\10163649\1002050.DGN

### CULVERT SUMMARY

SHEET NO.	STATION	PIPE SKEW	FILL HEIGHT	CULVERT PIPE 24 - INCH	CULVERT PIPE 36-IN EQUIV	CONCRETE - CLASS A	STEEL REINFORCEMENT	24" S&F INLET-OUTLET	24 IN SLOPED BOX OULET TYPE 1	SAFETY BOX INLET -24"	SAFETY BOX INLET- 24" DBL	DROP BOX INLET TYPE 5E	PRECAST CONCRETE BOX CULVERT	CULVERT PIPE- 18IN EQUIV	REMARKS	
ITEM CODE	UNIT TO BID	L.F.	L.F.	L.F.	L.F.	CUYD	LBS	EA	EA	EA	EA	EA	L.F.	L.F.	L.F.	
																00464
	R3 21+94		0.7	41					1	1						
	R3 24+33		0.4	36					1	1						
	R3 27+94		0.4	34					1	1						
	R3 30+44		1.0	37					1		1		20		TWO 10' 10'X4' EXTENSIONS	
	R3 31+91		--													
	R4 36+96		1.2	40						1						
	R4 38+27	3° RT	0.7	38						1						
	R4 41+94		0.9	38					1	1						
	R4 44+70	6° LT	1.0	43					2							
	R4 47+96	3° RT	2.3	67					2				20		TWO 10' 8'X4' EXTENSIONS	
	R4 50+71		--													
	R5 56+85		0.9	35					1	1						
	R5 58+99		1.2	34					1	1						
	R6 64+99		0.5	33					1	1						
	R6 67+49		--	10											PIPE EXTENSION	
	R6 70+08		1.2	46					1							
	R7 81+75		0.4	34					1		1				0° SKEW HEADWALL	
	R7 86+82		1.0		46	3.94	314			1					15° SKEW HEADWALL	
	R7 91+00		1.1	41											45° SKEW HEADWALL	
	R7 91+83	15° RT	0.9		46	5.22	463									
	R8 93+60		1.8	44												
	R8 97+16	45° LT	1.1		68	9.81	863									
	R8 99+59		0.5	37					1	1						
	R8 102+94		0.8	44					1	1						
	R8 104+44		0.3	47					1	1						
	R9 107+12	3° RT	0.7	57							1					
	R9 109+18	9° RT	2.1	68					2							
	R9 110+78	13° RT	2.0													
	R9 114+13	8° RT	0.0						1	1				47	70' 4'X8' BOX CULVERT SHALL BE RCHEP PIPE	
	R9 116+64		0.8	42					1	1						
	R9 118+64		0.7	33					1	1						
	R9 120+14		0.3	30					1	1						
	R11 141+09	45° LT	1.0	60		3.43					1				DOUBLE HEADWALL WITH 141+64, 0° SKEW	
	R11 141+64	46° RT	0.7	64						1						
	R11 143+82		1.8	44							1					
	R11 145+95		1.0	41							1					
	R11 150+63		0.3	38					1	1						
	R12 154+63		2.0	42							1					
<b>TOTAL PROJECT</b>				<b>1297</b>	<b>160</b>	<b>22.40</b>	<b>1638</b>	<b>8</b>	<b>21</b>	<b>16</b>	<b>9</b>	<b>1</b>	<b>40</b>	<b>47</b>		

SOIL PH: MEDIUM

**NOTES**

① Flowable fill shall be incidental to pipe bid item.

**SPECIAL NOTES FOR UTILITY CLEARANCE**  
**IMPACT ON CONSTRUCTION**

**LARUE COUNTY**  
**JL03 062 83401 01 U**  
**HODGENVILLE-BARDSTOWN ROAD (US 31E)**  
**ITEM NUMBER 4-8504.00**

<b>GENERAL PROJECT NOTE ON UTILITY PROTECTION</b>
N/A

<b>NOTE: DO NOT DISTURB THE FOLLOWING UTILITIES LOCATED WITHIN THE PROJECT DISTURB LIMITS</b>
N/A
<b>*The Contractor is fully responsible for protection of all utilities listed above*</b>

<b>THE FOLLOWING COMPANIES ARE RELOCATING/ADJUSTING THEIR UTILITIES WITHIN THE PROJECT LIMITS AND WILL BE COMPLETE PRIOR TO CONSTRUCTION</b>
<p>Larue County Water District anticipates the completion of the relocation and/or adjustments of their facilities on or before January 31, 2013.</p> <p>Kentucky Utilities is complete with the relocation and/or adjustments of their facilities.</p> <p>AT&amp;T KY is complete with the relocation and/or adjustments of their facilities.</p> <p>Windstream Communications is complete with the relocation and/or adjustments of their facilities.</p> <p>Nolin RECC is complete with the relocation and/or adjustments of their facilities..</p>

<b>THE FOLLOWING COMPANIES HAVE FACILITIES TO BE RELOCATED/ADJUSTED BY THE COMPANY OR THE COMPANY'S SUBCONTRACTOR AND IS TO BE COORDINATED WITH THE ROAD CONTRACT</b>
N/A

<b>THE FOLLOWING COMPANIES HAVE FACILITIES TO BE RELOCATED/ADJUSTED BY THE ROAD CONTRACTOR AS INCLUDED IN THIS CONTRACT</b>
N/A

**AREA UTILITIES CONTACT LIST**

<u>Utility Company/Agency</u>	<u>Contact Name</u>	<u>Contact Information</u>
Larue County Water District	Steve Gardner, Manager	270-528-1054
Kentucky Utilities	Chris Hawkins	502-333-6652
AT&T	Morgan Herndon	502-458-7312
Windstream	Mike Ponder	270-765-1812
Nolin RECC	Paul Baker	270-765-6153

**SPECIAL NOTES FOR UTILITY CLEARANCE**  
**IMPACT ON CONSTRUCTION**

**LARUE COUNTY**  
**JL03 062 83401 01 U**  
**HODGENVILLE-BARDSTOWN ROAD (US 31E)**  
**ITEM NUMBER 4-8504.00**

**SPECIAL CAUTION NOTE – PROTECTION OF UTILITIES**

The contractor will be responsible for contacting all utility facility owners on the subject project to coordinate his activities. The contractor will coordinate his activities to minimize and, where possible, avoid conflicts with utility facilities. Due to the nature of the work proposed, it is unlikely to conflict with the existing utilities beyond minor facility adjustments. Where conflicts with utility facilities are unavoidable, the contractor will coordinate any necessary relocation work with the facility owner and Resident Engineer. The Kentucky Transportation Cabinet maintains the right to remove or alter portions of this contract if a utility conflict occurs.

The utility facilities as noted in the previous section(s) have been determined using data garnered by varied means and with varying degrees of accuracy: from the facility owners, a result of S.U.E., field inspections, and/or reviews of record drawings. The facilities defined may not be inclusive of all utilities in the project scope and are not Level A quality, unless specified as such. It is the contractor's responsibility to verify all utilities and their respective locations before excavating.

**BEFORE YOU DIG**

The contractor is instructed to call 1-800-752-6007 to reach KY 811, the one-call system for information on the location of existing underground utilities. The call is to be placed a minimum of two (2) and no more than ten (10) business days prior to excavation. The contractor should be aware that owners of underground facilities are not required to be members of the KY 811 one-call Before-U-Dig (BUD) service. The contractor must coordinate excavation with the utility owners, including those whom do not subscribe to KY 811. It may be necessary for the contractor to contact the County Court Clerk to determine what utility companies have facilities in the area.

---

***Please Note: The information presented in this Utility Note is informational in nature and the information contained herein is not guaranteed.***

**PROPOSAL BID ITEMS**

Report Date 11/8/12

**Section: 0001 - ROADWAY**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0010	00001		DGA BASE	3,027.00	TON		\$	
0020	00100		ASPHALT SEAL AGGREGATE	27.00	TON		\$	
0030	00103		ASPHALT SEAL COAT	3.04	TON		\$	
0040	00190		LEVELING & WEDGING PG64-22	1,371.00	TON		\$	
0050	00221		CL2 ASPH BASE 0.75D PG64-22	2,710.00	TON		\$	
0060	00301		CL2 ASPH SURF 0.38D PG64-22	2,383.00	TON		\$	
0070	00440		ENTRANCE PIPE-15 IN	101.00	LF		\$	
0080	00464		CULVERT PIPE-24 IN	1,297.00	LF		\$	
0090	00491		CULVERT PIPE-18 IN EQUIV	47.00	LF		\$	
0100	00496		CULVERT PIPE-36 IN EQUIV	160.00	LF		\$	
0110	01434		SLOPED BOX OUTLET TYPE 1-24 IN	21.00	EACH		\$	
0120	01451		S & F BOX INLET-OUTLET-24 IN(REVISED: 11-8-12)	8.00	EACH		\$	
0130	01514		DROP BOX INLET TYPE 5E	1.00	EACH		\$	
0140	01727		SAFETY BOX INLET-24 IN SDB-1	16.00	EACH		\$	
0150	01729		SAFETY BOX INLET-24 IN DBL SDB-5	9.00	EACH		\$	
0160	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE(REVISED: 11-5-12)	25.00	EACH		\$	
0170	02230		EMBANKMENT IN PLACE(REVISED: 11-5-12)	13,574.00	CUYD		\$	
0180	02231		STRUCTURE GRANULAR BACKFILL	1,551.00	CUYD		\$	
0190	02237		DITCHING(REVISED: 11-5-12)	308.00	LF		\$	
0200	02242		WATER	59.00	MGAL		\$	
0210	02351		GUARDRAIL-STEEL W BEAM-S FACE (ADDED: 11-5-12)	1,525.00	LF		\$	
0220	02355		GUARDRAIL-STEEL W BEAM-S FACE A	100.00	LF		\$	
0230	02360		GUARDRAIL TERMINAL SECTION NO 1	1.00	EACH		\$	
0240	02367		GUARDRAIL END TREATMENT TYPE 1 (REVISED: 11-5-12)	7.00	EACH		\$	
0250	02373		GUARDRAIL END TREATMENT TYPE 3	2.00	EACH		\$	
0260	02381		REMOVE GUARDRAIL(REVISED: 11-5-12)	375.00	LF		\$	
0270	02403		REMOVE CONCRETE MASONRY(ADDED: 11-8-12)	4.37	CUYD		\$	
0280	02429		RIGHT-OF-WAY MONUMENT TYPE 1	73.00	EACH		\$	
0290	02432		WITNESS POST	12.00	EACH		\$	
0300	02483		CHANNEL LINING CLASS II(REVISED: 11-5-12)	108.00	TON		\$	
0310	02484		CHANNEL LINING CLASS III	414.00	TON		\$	
0320	02545		CLEARING AND GRUBBING(5.33 ACRES)	1.00	LS		\$	
0330	02562		SIGNS	100.00	SQFT		\$	
0340	02600		FABRIC GEOTEXTILE TY IV FOR PIPE	1,886.00	SQYD	\$2.00	\$	\$3,772.00
0350	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0360	02653		LANE CLOSURE	3.00	EACH		\$	
0370	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0380	02677		ASPHALT PAVE MILLING & TEXTURING	271.00	TON		\$	
0390	02690		SAFELOADING	17.50	CUYD		\$	
0400	02726		STAKING	1.00	LS		\$	
0410	02731		REMOVE STRUCTURE	1.00	LS		\$	
0420	04933		TEMP SIGNAL 2 PHASE	2.00	EACH		\$	



**PROPOSAL BID ITEMS**

Report Date 11/8/12

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0430	05950		EROSION CONTROL BLANKET(REVISED: 11-5-12)	7,295.00	SQYD		\$	
0440	05966		TOPDRESSING FERTILIZER	.14	TON		\$	
0450	05985		SEEDING AND PROTECTION	26,288.00	SQYD		\$	
0460	06510		PAVE STRIPING-TEMP PAINT-4 IN	14,000.00	LF		\$	
0470	06514		PAVE STRIPING-PERM PAINT-4 IN(ADDED: 11-5-12)	54,856.00	LF		\$	
0480	06568		PAVE MARKING-THERMO STOP BAR-24IN	66.00	LF		\$	
0490	06600		REMOVE PAVEMENT MARKER TYPE V (ADDED: 11-5-12)	344.00	EACH		\$	
0500	08001		STRUCTURE EXCAVATION-COMMON (REVISED: 11-5-12); (REVISED: 11-8-12)	4,025.00	CUYD		\$	
0510	08002		STRUCTURE EXCAV-SOLID ROCK(REVISED: 11-5-12)	85.00	CUYD		\$	
0520	08018		RETAINING WALL	6,645.00	SQFT		\$	
0530	08100		CONCRETE-CLASS A(REVISED: 11-5-12)	22.40	CUYD		\$	
0540	08103		CONCRETE-CLASS D MOD(ADDED: 11-8-12)	4.37	CUYD		\$	
0550	08150		STEEL REINFORCEMENT(REVISED: 11-5-12)	1,638.00	LB		\$	
0560	08801		GUARDRAIL-STEEL W BEAM-S FACE BR	38.00	LF		\$	
0570	10020NS		FUEL ADJUSTMENT	10,437.00	DOLL	\$1.00	\$	\$10,437.00
0580	10030NS		ASPHALT ADJUSTMENT	15,500.00	DOLL	\$1.00	\$	\$15,500.00
0590	20060ES719		GUARDRAIL STEEL W BEAM-S FACE CR (ADDED: 11-5-12)	550.00	LF		\$	
0600	20092ES611		PRECAST CONCRETE BOX CULVERT	40.00	LF		\$	
0610	23131ER701		PIPELINE VIDEO INSPECTION	753.00	LF		\$	
0620	23143ED		KPDES PERMIT AND TEMP EROSION CONTROL	1.00	LS		\$	

**Section: 0002 - BRIDGE-CULVERT**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0630	08003		FOUNDATION PREPARATION	1.00	LS		\$	
0640	08100		CONCRETE-CLASS A	105.00	CUYD		\$	
0650	08150		STEEL REINFORCEMENT	11,400.00	LB		\$	

**Section: 0003 - DEMOBILIZATION**

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0660	02569		DEMOBILIZATION	1.00	LS		\$	