



TRANSPORTATION CABINET

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Steven L. Beshear
Governor

Michael W. Hancock, P.E.
Secretary

Fgegodgt"5, 2012

CALL NO. 313
CONTRACT ID NO. 121069
ADDENDUM # 1

Subject: Fayette County, FD39 034 0922 000-001
Letting December 14, 2012

- (1) Revised - Plan Sheets - R2e, T4i, R2i, & U2
- (2) Revised - Bid Items - Pages 95-99 of 99

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

Plan revisions are available at <http://www.lynnimaging.com/kytransportation/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in blue ink that reads "Ryan Griffith".

Ryan Griffith
Director
Division of Construction Procurement

RG:ks
Enclosures



An Equal Opportunity Employer M/F/D

GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
FAYETTE	7-375	R2e

ITEM	DESCRIPTION	UNIT	NEWTOWN	WEST FOURTH	GEORGETOWN	WEST LOUDON										PROJECT TOTALS
2200	ROADWAY EXCAVATION ①	CU.YD.	1,789	769	241	1,975										4,778
21694EN	EARTH REFILL	CU.YD.	68	52		38										158
2203	STRUCTURE EXCAVATION - UNCLASSIFIED ④	CU.YD.		303												303
2555	CLASS "B" CONCRETE ④	CU.YD.		209												209
21342ED	FORM LINER ④	SQ.FT.		2,500												2,500
71	CRUSHED AGGREGATE SIZE NO 57 ⑥	TON			8											8
2721	REMOVE CONCRETE SIDEWALK	SQ.YD.	940	745	192											1,877
1812	REMOVE CURB AND GUTTER	L.F.	1,678	1,759	937	1,117										5,491
1655	REMOVE JUNCTION BOX ①	EACH	1													1
1718	REMOVE INLET ①	EACH	9		4	2										15
2625	REMOVE HEADWALL ①	EACH				2										2
2091	REMOVE PAVEMENT	SQ.YD.		144	176											320
2006	REMOVE CONCRETE MEDIAN	SQ.YD.	1,008	85												1,093
2016	REMOVE CONCRETE ISLAND	SQ.YD.		42												42
2267	REMOVE AND RESET FENCE ⑨	LF		522.5												522.5
2720	SIDEWALK - 4" CONCRETE ⑧	SQ.YD.	339	727	260											1,326
23158ES505	DETECTABLE WARNINGS	SQ.FT.	400	144	32	120										696
2101	CEM CONC ENT PAVEMENT-8 IN	SQ.YD.		168	155											323
1810	STANDARD CURB AND GUTTER	L.F.	1,610	1,394	351	881										4,236
1820	LIP CURB AND GUTTER	L.F.			66											66
1825	ISLAND CURB AND GUTTER	L.F.	166													166
1875	STANDARD HEADER CURB	L.F.	75													75
6514	PAVE STRIPING - PERM PAINT - 4"	L.F.	10,203	4,004	2,383	2052										18,642
6591	PAVEMENT MARKER TYPE V-BY	EACH	53													53
6589	PAVEMENT MARKER TYPE V-MW	EACH	96													96
2326IEC	PAVE MARKING-THERMO ENHANCED CROSSWALK - 24 IN	L.F.	1,210	220	140											1,570
6567	PAVE MARKING-THERMO STOP BAR - 24 IN	L.F.	301	113	43	24										481
6570	PAVE MARKING-PAINT CROSS-HATCH	SQ.FT.			1,238	306										1,544
2379IEC	PAVE MARKING-CHEVRON MARKINGS	SQ.FT.	426													426
22520EN	PAVE MARKING-THERMO YEILD BAR - 36 IN	L.F.	11													11
06563	PAVE MARKING-TY 1, R/R X BUCKS - 16 IN	L.F.		43												43
6575	PAVE MARKING-PREF THERM COMB ARROW	EACH			3	1										4
6574	PAVE MARKING-PREF THERM CURV ARROW	EACH	32	9	4	9										54
2585	EDGE KEY	L.F.	366	72	41	92										571
21289ED	LONGITUDINAL EDGE KEY	L.F.	1,675	808		1,168										3,651
1791	ADJUST MANHOLE FRAME TO GRADE	EACH	10	3	2											15
2690	SAFELADING	CU.YD.		9												9
23822EC	CORED HOLE DRAINAGE BOX CON - 15 IN ①	EACH				1										1
2242	WATER ③	M GAL.	25	8	7	10										50
	BIKEWAY STRUCTURE	L.S.														1
	TRAFFIC SIGNALS	L.S.														1
2429	RIGHT OF WAY MONUMENT TYPE 1	EACH	14	3		7										24
5950	EROSION CONTROL BLANKET	SQ.YD.				213										213

NOTES:

- ① INCLUDES PIPE SUMMARY QUANTITY.
- ② APPROX. 1.8 AC.
- ③ FOR DUST CONTROL ONLY
- ④ FOR STANDARD GRAVITY WALL
- ⑤ CARRIED OVER FROM PAVE SUM
- ⑥ FOR RECONSTRUCTING DRIVEWAY
- ⑦ ALL EXPOSED EARTH SHALL RECIEVE 6" OF TOPSOIL AS DIRECTED BY THE ENGINEER PRIOR TO SOD APPLICATION
- ⑧ 142 SQ. YD. FOR RAISED CONCRETE ISLAND
- ⑨ SEE SPECIAL NOTE SHEET R2d

EARTHWORK BALANCE

COM - 4,774 C.Y.
 FROM PIPE SHEETS - 4 C.Y.
 TOTAL EXC. - 4,778 C.Y.

EMBANKMENT - 1,498 C.Y.
 TOTAL EMB. - 1,498 C.Y.

FOR DRAINAGE QUANTITIES -
SEE PIPE DRAINAGE SUMMARY SHEET R2h

FOR PAVING QUANTITIES -
SEE PAVING SUMMARY SHEET SHEET R2g

GENERAL SUMMARY

FILE NAME: G:\ENGR\HD176.02\PHASE II\SUBMITTALS\7-375\CONTRACT PLAN SET\ROADWAY\ROO20ESU.DGN
 USER: ms\ps
 DATE PLOTTED: November 29, 2012
 E-SHEET NAME: ROO20DSU
 MicroStation v8.11.7.443

GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
FAYETTE	7-375	R2e

① REVISED 11-29-2012

ITEM	DESCRIPTION	UNIT	NEWTOWN	WEST FOURTH	GEORGETOWN	WEST LOUDON											PROJECT TOTALS
2200	ROADWAY EXCAVATION ①	CU.YD.	1,789	769	241	1,975											4,778
21694EN	EARTH REFILL	CU.YD.	68	52		38											158
2203	STRUCTURE EXCAVATION - UNCLASSIFIED ④	CU.YD.		303													303
2555	CLASS "B" CONCRETE ④	CU.YD.		209													209
21342ED	FORM LINER ④	SQ.FT.		2,500													2,500
71	CRUSHED AGGREGATE SIZE NO 57 ⑥	TON			8												8
2721	REMOVE CONCRETE SIDEWALK	SQ.YD.	940	745	192												1,877
1812	REMOVE CURB AND GUTTER	L.F.	1,678	1,759	937	1,117											5,491
1655	REMOVE JUNCTION BOX ①	EACH	1														1
1718	REMOVE INLET ①	EACH	9		4	2											15
2625	REMOVE HEADWALL ①	EACH				2											2
2091	REMOVE PAVEMENT	SQ.YD.		144	176												320
2006	REMOVE CONCRETE MEDIAN	SQ.YD.	1,008	85													1,093
2016	REMOVE CONCRETE ISLAND	SQ.YD.		42													42
2267	REMOVE AND RESET FENCE ⑨	LF		522.5													522.5
2720	SIDEWALK - 4" CONCRETE ⑧	SQ.YD.	339	727	260												1,326
23158ES505	DETECTABLE WARNINGS	SQ.FT.	400	144	32	120											696
2101	CEM CONC ENT PAVEMENT-8 IN	SQ.YD.		168	155												323
1810	STANDARD CURB AND GUTTER	L.F.	1,610	1,394	351	881											4,236
1820	LIP CURB AND GUTTER	L.F.			66												66
1825	ISLAND CURB AND GUTTER	L.F.	166														166
1875	STANDARD HEADER CURB	L.F.	75														75
6514	PAVE STRIPING - PERM PAINT - 4"	L.F.	10,203	4,004	2,383	2052											18,642
6591	PAVEMENT MARKER TYPE V-BY	EACH	53														53
6589	PAVEMENT MARKER TYPE V-MW	EACH	96														96
2326IEC	PAVE MARKING-THERMO ENHANCED CROSSWALK - 24 IN	L.F.	1,210	220	140												1,570
6567	PAVE MARKING-THERMO STOP BAR - 24 IN	L.F.	301	113	43	24											481
6570	PAVE MARKING-PAINT CROSS-HATCH	SQ.FT.			1,238	306											1,544
2379IEC	PAVE MARKING-CHEVRON MARKINGS	SQ.FT.	426														426
22520EN	PAVE MARKING-THERMO YEILD BAR - 36 IN	L.F.	11														11
06563	PAVE MARKING-TY 1, R/R X BUCKS - 16 IN	L.F.		43													43
6575	PAVE MARKING-PREF THERM COMB ARROW	EACH			3	1											4
6574	PAVE MARKING-PREF THERM CURV ARROW	EACH	32	9	4	9											54
2585	EDGE KEY	L.F.	366	72	41	92											571
21289ED	LONGITUDINAL EDGE KEY	L.F.	1,675	808		1,168											3,651
1791	ADJUST MANHOLE FRAME TO GRADE	EACH	10	3	2												15
2690	SAFELADING	CU.YD.		9													9
23822EC	CORED HOLE DRAINAGE BOX CON - 15 IN ①	EACH				1											1
2242	WATER ③	M GAL.	25	8	7	10											50
	BIKEWAY STRUCTURE	L.S.															1
	TRAFFIC SIGNALS	L.S.															1
2429	RIGHT OF WAY MONUMENT TYPE 1	EACH	14	3		7											24
5950	EROSION CONTROL BLANKET	SQ.YD.				213											213

NOTES:

- ① INCLUDES PIPE SUMMARY QUANTITY.
- ② APPROX. 1.8 AC.
- ③ FOR DUST CONTROL ONLY
- ④ FOR STANDARD GRAVITY WALL
- ⑤ CARRIED OVER FROM PAVE SUM
- ⑥ FOR RECONSTRUCTING DRIVEWAY
- ⑦ ALL EXPOSED EARTH SHALL RECIEVE 6" OF TOPSOIL AS DIRECTED BY THE ENGINEER PRIOR TO SOD APPLICATION
- ⑧ 142 SQ. YD. FOR RAISED CONCRETE ISLAND
- ⑨ SEE SPECIAL NOTE SHEET R2d

EARTHWORK BALANCE

COM - 4,774 C.Y.
 FROM PIPE SHEETS - 4 C.Y.
 TOTAL EXC. - 4,778 C.Y.

EMBANKMENT - 1,498 C.Y.
 TOTAL EMB. - 1,498 C.Y.

FOR DRAINAGE QUANTITIES -
SEE PIPE DRAINAGE SUMMARY SHEET R2h

FOR PAVING QUANTITIES -
SEE PAVING SUMMARY SHEET SHEET R2g

GENERAL SUMMARY

FILE NAME: G:\ENGR\HD176.02\PHASE II\SUBMITTALS\7-375\CONTRACT PLAN SET\ROADWAY\ROO20ESU.DGN
 USER: ms\pjs
 DATE PLOTTED: November 29, 2012
 E-SHEET NAME: ROO20DSU
 MicroStation v8.11.7.443

PAVING AREAS

ITEM	S	Q	U	A	R	E	Y	A	R	D	S
	NEW TOWN PIKE	WEST FOURTH STREET	GEORGETOWN ROAD / US 25	WEST LOUDON AVENUE	SHARED USE PATH						TOTAL PROJECT
1/4" CL. 3 ASPH. SURF. 0.38A PG64-22	20,251	2,675	1,783	3,698	2,217						28,406
1/4" CL. 2 ASPH. SURF. 0.38D PG64-22											2,217
3/4" CL. 3 ASPH. BASE 1.00D PG64-22 (WIDENING)	2,164	483		1,779							4,426
3/2" CL. 3 ASPH. BASE 1.00D PG64-22 (WIDENING)	2,164	483		1,779							4,426
3/4" CL. 3 ASPH. BASE 1.00D PG64-22 (MEDIAN)	1,008		85								1,093
3/2" CL. 3 ASPH. BASE 1.00D PG64-22 (MEDIAN)	1,008		85								1,093
2 3/4" CL. 2 ASPH. BASE 1.00D PG64-22					2,263						2,263
5" DGA					2,365						2,365
8" DGA	2,819	876		2,079							5,775
14.25" DGA	1,008		85								1,093
LEVELING & WEDGING (CU. YDS.)	136	158	38								332
MILLING & TEXTURING (CU. YDS.)	480	37	47	50							614

PAVING SUMMARY

ITEM CODE	ITEM	UNIT	NEW TOWN PIKE	WEST FOURTH STREET	GEORGETOWN ROAD / US 25	WEST LOUDON AVENUE	SHARED USE PATH	TOTAL PROJECT
22906ES403	CL. 3 ASPH. SURF. 0.38A PG64-22	TONS	1,392	184	123	254		1,953
301	CL. 2 ASPH. SURF. 0.38D PG64-22	TONS					152	152
214	CL. 3 ASPH. BASE 1.00D PG64-22	TONS	1,178	179	32	660		2,049
212	CL. 2 ASPH. BASE 1.00D PG64-22	TONS					342	342
1	DENSE GRADED AGGREGATE	TONS	2,123	403	70	956	680	4,232
190	LEVELING & WEDGING PG64-22	TONS	269	313	75			657
2677	ASPHALT PAVEMENT MILLING & TEXTURING	TONS	950	74	94	98		1,216

NOTES

ALL ASPHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.

① ESTIMATED AT 115 LBS. PER SQ. YD. PER INCH OF DEPTH.

② ESTIMATED AT 1.98 TONS / CU. YD.

PAVING AREAS

ITEM	S Q U A R E						Y	A	R	E	Y	A	R	D	S
	NEW TOWN PIKE	WEST FOURTH STREET	GEORGETOWN ROAD / US 25	WEST LOUDON AVENUE	SHARED USE PATH	NEW TOWN PIKE									
1/4" CL. 3 ASPH. SURF. 0.38A PG64-22	20,251	2,675	1,783	3,698										28,406	
1/4" CL. 2 ASPH. SURF. 0.38D PG64-22					2,217									2,217	
3/4" CL. 3 ASPH. BASE 1.00D PG64-22 (WIDENING)	2,164	483		1,779										4,426	
3/2" CL. 3 ASPH. BASE 1.00D PG64-22 (WIDENING)	2,164	483		1,779										4,426	
3/4" CL. 3 ASPH. BASE 1.00D PG64-22 (MEDIAN)	1,008		85											1,093	
3/2" CL. 3 ASPH. BASE 1.00D PG64-22 (MEDIAN)	1,008		85											1,093	
2 3/4" CL. 2 ASPH. BASE 1.00D PG64-22								2,263						2,263	
5" DGA								2,365						2,365	
8" DGA	2,819	876		2,079										5,775	
14.25" DGA	1,008		85											1,093	
LEVELING & WEDGING (CU. YDS.)	136	158	38											332	
MILLING & TEXTURING (CU. YDS.)	480	37	47	50										614	

PAVING SUMMARY

ITEM CODE	ITEM	UNIT	NEW TOWN PIKE	WEST FOURTH STREET	GEORGETOWN ROAD / US 25	WEST LOUDON AVENUE	SHARED USE PATH	TOTAL PROJECT
22906S403	CL. 3 ASPH. SURF. 0.38A PG64-22	TONS	1,392	184	123	254		1,953
301	CL. 2 ASPH. SURF. 0.38D PG64-22	TONS					152	152
214	CL. 3 ASPH. BASE 1.00D PG64-22	TONS	1,178	179	32	660		2,049
212	CL. 2 ASPH. BASE 1.00D PG64-22	TONS					342	342
1	DENSE GRADED AGGREGATE	TONS	2,123	403	70	956	680	4,232
190	LEVELING & WEDGING PG64-22	TONS	269	313	75			657
2677	ASPHALT PAVEMENT MILLING & TEXTURING	TONS	950	74	94	98		1,216

NOTES

- ALL ASHALT MIXTURES SHALL BE ESTIMATED AT 110 LBS. PER SQ. YD. PER INCH OF DEPTH, UNLESS NOTED OTHERWISE.
- ① ESTIMATED AT 115 LBS. PER SQ. YD. PER INCH OF DEPTH.
- ② ESTIMATED AT 1.98 TONS / CU. YD.



CONSTRUCT RETAINING WALL GRAVITY TYPE		
LOCATION	CLASS 'B' CONCRETE (CU YD)	REMOVE AND RESET FENCE (LF)
WEST FOURTH ST STA. 50+80 to STA. 54+00	142.5	332.5
WEST FOURTH ST STA. 54+90 to STA. 56+80	66.5	190
TOTAL	209	522.5

ADJUST MANHOLE					
LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET
NEWTOWN PIKE 102+28	9.26 RT	NEWTOWN PIKE 113+73	33.67 LT	WEST FOURTH ST 51+70	5.53 RT
NEWTOWN PIKE 102+89	21.66 LT	NEWTOWN PIKE 115+72	32.49 LT	WEST FOURTH ST 56+77	2.56 RT
NEWTOWN PIKE 103+12	19.71 LT	NEWTOWN PIKE 122+08	15.38 RT	WEST FOURTH ST 57+92	2.43 RT
NEWTOWN PIKE 104+82	6.49 LT				
NEWTOWN PIKE 107+35	28.28 LT	GEORGETOWN RD 45+13	13.99 LT		
NEWTOWN PIKE 109+04	30.95 LT	GEORGETOWN RD 47+80	7.94 LT		
NEWTOWN PIKE 110+79	33.38 LT			TOTAL	15

CONSTRUCT CURB AND GUTTER			
LOCATION	LOCATION	TYPE	LF
NEWTOWN PIKE RT STA. 102+05.00 to	NEWTOWN PIKE RT STA. 102+80.00	STD. HEADER CURB	75
NEWTOWN PIKE RT STA. 102+80.00 to	WEST FOURTH ST RT STA. 52+71.39	STD. C & G	273
WEST FOURTH ST RT STA. 53+28.39 to	WEST FOURTH ST RT STA. 53+42.88	STD. C & G	15
WEST FOURTH ST RT STA. 53+98.88 to	WEST FOURTH ST RT STA. 55+39.83	STD. C & G	150
WEST FOURTH ST RT STA. 55+63.85 to	WEST FOURTH ST RT STA. 57+05.40	STD. C & G	149
WEST FOURTH ST RT STA. 57+38.40 to	WEST FOURTH ST RT STA. 58+02.00	STD. C & G	44
NEWTOWN PIKE RT STA. 103+60.84 to	NEWTOWN PIKE RT STA. 104+11.75 (CONCRETE ISLAND)	ISLAND C & G	166
WEST FOURTH ST LT STA. 50+40.30 to	WEST FOURTH ST LT STA. 54+17.08	STD. C & G	366
WEST FOURTH ST LT STA. 54+47.11 to	WEST FOURTH ST LT STA. 58+02.00	STD. C & G	445
GEORGETOWN RD RT STA. 44+74.26 to	GEORGETOWN RD RT STA. 45+73.34	STD. C & G	99
GEORGETOWN RD RT STA. 46+00.34 to	GEORGETOWN RD RT STA. 46+25.86	STD. C & G	26
GEORGETOWN RD RT STA. 46+54.94 to	GEORGETOWN RD RT STA. 47+31.02	STD. C & G	75
GEORGETOWN RD RT STA. 47+95.02 to	GEORGETOWN RD RT STA. 48+18.51	STD. C & G	23
GEORGETOWN RD RT STA. 48+45.51 to	GEORGETOWN RD RT STA. 49+03.44	LIP C & G	66
GEORGETOWN RD RT STA. 49+26.40 to	NEWTOWN PIKE LT STA. 102+85.44	STD. C & G	194
GEORGETOWN RD LT STA. 48+71.28 to	GEORGETOWN RD LT STA. 48+99.10	STD. C & G	22
NEWTOWN PIKE RT STA. 105+04.81 to	NEWTOWN PIKE RT STA. 110+62.58	STD. C & G	579
NEWTOWN PIKE RT STA. 111+21.75 to	NEWTOWN PIKE RT STA. 119+12.04	STD. C & G	851
NEWTOWN PIKE RT STA. 119+39.13 to	NEWTOWN PIKE RT STA. 119+58.65	STD. C & G	31
NEWTOWN PIKE RT STA. 123+25 to	NEWTOWN PIKE RT STA. 123+29	STD. C & G	13
LOUDON AVE RT STA. 56+50 to	LOUDON AVE RT STA. 59+73	STD. C & G	352
LOUDON AVE RT 60+25 to	LOUDON AVE RT STA. 60+72	STD. C & G	91
LOUDON AVE RT STA. 57+25 to	LOUDON AVE LT STA. 59+17	STD. C & G	219
LOUDON AVE RT STA. 60+48 to	LOUDON AVE LT STA. 62+40	STD. C & G	219
STANDARD CURB AND GUTTER TOTAL			4,236
STANDARD HEADER CURB TOTAL			75
LIP CURB AND GUTTER			66
ISLAND CURB AND GUTTER TOTAL			166

CONSTRUCT HANDICAP RAMPS ON SIDEWALKS								
LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	
NEWTOWN PIKE LT 102+75	3	1	24	GEORGETOWN RD RT 47+45		1	16	
NEWTOWN PIKE RT 103+70	3	1	16	GEORGETOWN RD RT 47+80		1	16	
NEWTOWN PIKE LT 103+78	3	1	16					
NEWTOWN PIKE LT 104+66	3	1	16	WEST FOURTH ST RT 52+86		1	16	
NEWTOWN PIKE RT 104+75	3	1	16	WEST FOURTH ST RT 53+13		1	16	
NEWTOWN PIKE LT 110+62	3	1	16	WEST FOURTH ST RT 53+60		1	16	
NEWTOWN PIKE LT 110+98	3	1	16	WEST FOURTH ST RT 53+82		1	16	
NEWTOWN PIKE LT 113+53	3	1	16	WEST FOURTH ST LT 54+00	1	1	24	
NEWTOWN PIKE LT 113+89	3	1	16	WEST FOURTH ST LT 54+70	3	1	24	
NEWTOWN PIKE LT 115+25	3	1	16	WEST FOURTH ST RT 55+35	1	1	16	
NEWTOWN PIKE LT 115+55	3	1	16	WEST FOURTH ST RT 55+70	1	1	16	
NEWTOWN PIKE LT 119+52	3	1	16					
NEWTOWN PIKE LT 119+86	3	1	24	TOTAL - TYPE 1		3	56	
NEWTOWN PIKE RT 120+15	3	1	16	TOTAL - TYPE 3		15	360	

CONSTRUCT HANDICAP RAMPS ON SHARED USE PATH								
LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	
NEWTOWN PIKE RT 104+75	3	1	40	LOUDON AVE RT 54+75	1	1	40	
NEWTOWN PIKE RT 110+60	1	1	40	LOUDON AVE RT 55+00	1	1	40	
NEWTOWN PIKE RT 111+25	1	1	40	LOUDON AVE RT 59+50	1	1	40	
NEWTOWN PIKE RT 119+00	3	1	40					
				TOTAL - TYPE 1		5	200	
				TOTAL - TYPE 3		2	80	

CONSTRUCT 4" SIDEWALK		
LOCATION	LOCATION	SO YD
NEWTOWN PIKE RT STA. 103+60.84 to	NEWTOWN PIKE RT STA. 104+11.75 (CONCRETE ISLAND)	142
NEWTOWN PIKE LT STA. 110+62		3
NEWTOWN PIKE LT STA. 110+98		3
NEWTOWN PIKE LT STA. 113+53		4
NEWTOWN PIKE LT STA. 113+89		3
NEWTOWN PIKE LT STA. 115+25		3
NEWTOWN PIKE LT STA. 115+55		3
NEWTOWN PIKE LT STA. 119+52		3
NEWTOWN PIKE LT STA. 119+86		4
NEWTOWN PIKE LT STA. 120+15		9
NEWTOWN PIKE RT STA. 102+05.00 to	WEST FOURTH ST RT STA. 52+71.39	190
WEST FOURTH ST RT STA. 53+28.39 to	WEST FOURTH ST RT STA. 53+42.88	7
WEST FOURTH ST RT STA. 53+98.88 to	WEST FOURTH ST RT STA. 55+38.42	61
WEST FOURTH ST RT STA. 55+65.98 to	WEST FOURTH ST RT STA. 57+05.40	62
WEST FOURTH ST RT STA. 57+38.40 to	WEST FOURTH ST RT STA. 58+02.00	19
WEST FOURTH ST LT STA. 50+69.83 to	WEST FOURTH ST LT STA. 54+06.82	230
WEST FOURTH ST LT STA. 54+60.19 to	WEST FOURTH ST LT STA. 58+06.00	240
GEORGETOWN RD RT STA. 44+74.26 to	GEORGETOWN RD RT STA. 45+73.34	50
GEORGETOWN RD RT STA. 46+00.34 to	GEORGETOWN RD RT STA. 46+25.86	11
GEORGETOWN RD RT STA. 46+54.94 to	GEORGETOWN RD RT STA. 47+31.02	33
GEORGETOWN RD RT STA. 47+95.02 to	GEORGETOWN RD RT STA. 48+18.51	11
GEORGETOWN RD RT STA. 48+45.51 to	GEORGETOWN RD RT STA. 49+03.44	30
GEORGETOWN RD RT STA. 49+26.40 to	NEWTOWN PIKE LT STA. 102+68.49	144
GEORGETOWN RD LT STA. 48+71.28 to	NEWTOWN PIKE LT STA. 105+05.63	61
TOTAL		1,326

CONSTRUCT 8" CONC. ENTR. PVMT.	
LOCATION	SO YD
GEORGETOWN RD - STA 45+87	22
GEORGETOWN RD - STA. 46+40	24
GEORGETOWN RD - STA. 47+63	57
GEORGETOWN RD - STA. 48+32	22
GEORGETOWN RD - STA. 49+15	30
WEST FOURTH ST - STA. 53+00	65
WEST FOURTH ST - STA. 53+71	61
WEST FOURTH ST - STA. 57+22	42
TOTAL	323

* ALL QUANTITIES CARRIED OVER TO GENERAL SUMMARY

QUANTITY SCHEDULES

FILE NAME: G:\ENGR\HD1176.02\PHASE 11\SUBMITTALS\7-375\CONTRACT PLAN SET\ROADWAY\RO0201SU.DGN
 USER: ms\pbes
 DATE PLOTTED: November 28, 2012
 E-SHEET NAME: RO0201SU
 MicroStation v8.11.7.443

REVISION 11-29-2012

CONSTRUCT RETAINING WALL GRAVITY TYPE		
LOCATION	CLASS 'B' CONCRETE (CU YD)	REMOVE AND RESET FENCE (LF)
WEST FOURTH ST STA. 50+80 to STA. 54+00	142.5	332.5
WEST FOURTH ST STA. 54+90 to STA. 56+80	66.5	190
TOTAL	209	522.5

ADJUST MANHOLE					
LOCATION	OFFSET	LOCATION	OFFSET	LOCATION	OFFSET
NEWTOWN PIKE 102+28	9.26 RT	NEWTOWN PIKE 113+73	33.67 LT	WEST FOURTH ST 51+70	5.53 RT
NEWTOWN PIKE 102+89	21.66 LT	NEWTOWN PIKE 115+72	32.49 LT	WEST FOURTH ST 56+77	2.56 RT
NEWTOWN PIKE 103+12	19.71 LT	NEWTOWN PIKE 122+08	15.38 RT	WEST FOURTH ST 57+92	2.43 RT
NEWTOWN PIKE 104+82	6.49 LT				
NEWTOWN PIKE 107+35	28.28 LT	GEORGETOWN RD 45+13	13.99 LT		
NEWTOWN PIKE 109+04	30.95 LT	GEORGETOWN RD 47+80	7.94 LT		
NEWTOWN PIKE 110+79	33.38 LT			TOTAL	15

CONSTRUCT CURB AND GUTTER				
LOCATION	LOCATION	TYPE	LF	
NEWTOWN PIKE RT STA. 102+05.00 to	NEWTOWN PIKE RT STA. 102+80.00	STD. HEADER CURB	75	
NEWTOWN PIKE RT STA. 102+80.00 to	WEST FOURTH ST RT STA. 52+71.39	STD. C & G	273	
WEST FOURTH ST RT STA. 53+28.39 to	WEST FOURTH ST RT STA. 53+42.88	STD. C & G	15	
WEST FOURTH ST RT STA. 53+98.88 to	WEST FOURTH ST RT STA. 55+39.83	STD. C & G	150	
WEST FOURTH ST RT STA. 55+63.85 to	WEST FOURTH ST RT STA. 57+05.40	STD. C & G	149	
WEST FOURTH ST RT STA. 57+38.40 to	WEST FOURTH ST RT STA. 58+02.00	STD. C & G	44	
NEWTOWN PIKE RT STA. 103+60.84 to	NEWTOWN PIKE RT STA. 104+11.75 (CONCRETE ISLAND)	ISLAND C & G	166	
WEST FOURTH ST LT STA. 50+40.30 to	WEST FOURTH ST LT STA. 54+17.08	STD. C & G	366	
WEST FOURTH ST LT STA. 54+47.11 to	WEST FOURTH ST LT STA. 58+02.00	STD. C & G	445	
GEORGETOWN RD RT STA. 44+74.26 to	GEORGETOWN RD RT STA. 45+73.34	STD. C & G	99	
GEORGETOWN RD RT STA. 46+00.34 to	GEORGETOWN RD RT STA. 46+25.86	STD. C & G	26	
GEORGETOWN RD RT STA. 46+54.94 to	GEORGETOWN RD RT STA. 47+31.02	STD. C & G	75	
GEORGETOWN RD RT STA. 47+95.02 to	GEORGETOWN RD RT STA. 48+18.51	STD. C & G	23	
GEORGETOWN RD RT STA. 48+45.51 to	GEORGETOWN RD RT STA. 49+03.44	LIP C & G	66	
GEORGETOWN RD RT STA. 49+26.40 to	NEWTOWN PIKE LT STA. 102+85.44	STD. C & G	194	
GEORGETOWN RD LT STA. 48+71.28 to	GEORGETOWN RD LT STA. 48+99.10	STD. C & G	22	
NEWTOWN PIKE RT STA. 105+04.81 to	NEWTOWN PIKE RT STA. 110+62.58	STD. C & G	579	
NEWTOWN PIKE RT STA. 111+21.75 to	NEWTOWN PIKE RT STA. 119+12.04	STD. C & G	851	
NEWTOWN PIKE RT STA. 119+39.13 to	NEWTOWN PIKE RT STA. 119+58.65	STD. C & G	31	
NEWTOWN PIKE RT STA. 123+25 to	NEWTOWN PIKE RT STA. 123+29	STD. C & G	13	
LOUDON AVE RT STA. 56+50 to	LOUDON AVE RT STA. 59+73	STD. C & G	352	
LOUDON AVE RT 60+25 to	LOUDON AVE RT STA. 60+72	STD. C & G	91	
LOUDON AVE RT STA. 57+25 to	LOUDON AVE LT STA. 59+17	STD. C & G	219	
LOUDON AVE RT STA. 60+48 to	LOUDON AVE LT STA. 62+40	STD. C & G	219	
STANDARD CURB AND GUTTER TOTAL			4,236	
STANDARD HEADER CURB TOTAL			75	
LIP CURB AND GUTTER			66	
ISLAND CURB AND GUTTER TOTAL			166	

CONSTRUCT HANDICAP RAMPS ON SIDEWALKS								
LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	
NEWTOWN PIKE LT 102+75	3	1	24	GEORGETOWN RD RT 47+45		1	16	
NEWTOWN PIKE RT 103+70	3	1	16	GEORGETOWN RD RT 47+80		1	16	
NEWTOWN PIKE LT 103+78	3	1	16					
NEWTOWN PIKE LT 104+66	3	1	16	WEST FOURTH ST RT 52+86		1	16	
NEWTOWN PIKE RT 104+75	3	1	16	WEST FOURTH ST RT 53+13		1	16	
NEWTOWN PIKE LT 110+62	3	1	16	WEST FOURTH ST RT 53+60		1	16	
NEWTOWN PIKE LT 110+98	3	1	16	WEST FOURTH ST RT 53+82		1	16	
NEWTOWN PIKE LT 113+53	3	1	16	WEST FOURTH ST LT 54+00	1	1	24	
NEWTOWN PIKE LT 113+89	3	1	16	WEST FOURTH ST LT 54+70	3	1	24	
NEWTOWN PIKE LT 115+25	3	1	16	WEST FOURTH ST RT 55+35	1	1	16	
NEWTOWN PIKE LT 115+55	3	1	16	WEST FOURTH ST RT 55+70	1	1	16	
NEWTOWN PIKE LT 119+52	3	1	16					
NEWTOWN PIKE LT 119+86	3	1	24	TOTAL - TYPE 1		3	56	
NEWTOWN PIKE RT 120+15	3	1	16	TOTAL - TYPE 3		15	360	

CONSTRUCT HANDICAP RAMPS ON SHARED USE PATH								
LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	LOCATION	TYPE	EACH	DETECTABLE WARNINGS (SQ FT)	
NEWTOWN PIKE RT 104+75	3	1	40	LOUDON AVE RT 54+75	1	1	40	
NEWTOWN PIKE RT 110+60	1	1	40	LOUDON AVE RT 55+00	1	1	40	
NEWTOWN PIKE RT 111+25	1	1	40	LOUDON AVE RT 59+50	1	1	40	
NEWTOWN PIKE RT 119+00	3	1	40					
				TOTAL - TYPE 1		5	200	
				TOTAL - TYPE 3		2	80	

CONSTRUCT 4" SIDEWALK		
LOCATION	LOCATION	SO YD
NEWTOWN PIKE RT STA. 103+60.84 to	NEWTOWN PIKE RT STA. 104+11.75 (CONCRETE ISLAND)	142
NEWTOWN PIKE LT STA. 110+62		3
NEWTOWN PIKE LT STA. 110+98		3
NEWTOWN PIKE LT STA. 113+53		4
NEWTOWN PIKE LT STA. 113+89		3
NEWTOWN PIKE LT STA. 115+25		3
NEWTOWN PIKE LT STA. 115+55		3
NEWTOWN PIKE LT STA. 119+52		3
NEWTOWN PIKE LT STA. 119+86		4
NEWTOWN PIKE LT STA. 120+15		9
NEWTOWN PIKE RT STA. 102+05.00 to	WEST FOURTH ST RT STA. 52+71.39	190
WEST FOURTH ST RT STA. 53+28.39 to	WEST FOURTH ST RT STA. 53+42.88	7
WEST FOURTH ST RT STA. 53+98.88 to	WEST FOURTH ST RT STA. 55+38.42	61
WEST FOURTH ST RT STA. 55+65.98 to	WEST FOURTH ST RT STA. 57+05.40	62
WEST FOURTH ST RT STA. 57+38.40 to	WEST FOURTH ST RT STA. 58+02.00	19
WEST FOURTH ST LT STA. 50+69.83 to	WEST FOURTH ST LT STA. 54+06.82	230
WEST FOURTH ST LT STA. 54+60.19 to	WEST FOURTH ST LT STA. 58+06.00	240
GEORGETOWN RD RT STA. 44+74.26 to	GEORGETOWN RD RT STA. 45+73.34	50
GEORGETOWN RD RT STA. 46+00.34 to	GEORGETOWN RD RT STA. 46+25.86	11
GEORGETOWN RD RT STA. 46+54.94 to	GEORGETOWN RD RT STA. 47+31.02	33
GEORGETOWN RD RT STA. 47+95.02 to	GEORGETOWN RD RT STA. 48+18.51	11
GEORGETOWN RD RT STA. 48+45.51 to	GEORGETOWN RD RT STA. 49+03.44	30
GEORGETOWN RD RT STA. 49+26.40 to	NEWTOWN PIKE LT STA. 102+85.44	144
GEORGETOWN RD LT STA. 48+71.28 to	NEWTOWN PIKE LT STA. 105+05.63	61
TOTAL		1,326

CONSTRUCT 8" CONC. ENTR. PVMT.	
LOCATION	SO YD
GEORGETOWN RD - STA 45+87	22
GEORGETOWN RD - STA. 46+40	24
GEORGETOWN RD - STA. 47+63	57
GEORGETOWN RD - STA. 48+32	22
GEORGETOWN RD - STA. 49+15	30
WEST FOURTH ST - STA. 53+00	65
WEST FOURTH ST - STA. 53+71	61
WEST FOURTH ST - STA. 57+22	42
TOTAL	323

* ALL QUANTITIES CARRIED OVER TO GENERAL SUMMARY

QUANTITY SCHEDULES

FILE NAME: G:\ENGR\HD176.02\PHASE 1\SUBMITTALS\7-375\CONTRACT PLAN SET\ROADWAY\ROO201SU.DGN
 USER: ms\pbes
 DATE PLOTTED: November 28, 2012
 E-SHEET NAME: ROO201SU
 MicroStation v8.11.7.443

GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
FAYETTE	7-375	U-2

ITEM	DESCRIPTION	UNIT	QUANTITY																PROJECT TOTALS
	PHASE I																		
23796EC	DUCTILE IRON PIPE-TRUNK SEWER (18 IN 10FT-20FT LINE B)	L.F.	302																
23529EC	GRAVITY SEWER-8 IN-INSTALL (SDR 35 LINE D)	L.F.	411																
23796EC	DUCTILE IRON PIPE-TRUNK SEWER (18 IN 10FT-20FT LINE A)	L.F.	23																
23796EC	DUCTILE IRON PIPE-TRUNK SEWER (18 IN 10FT-20FT LINE C)	L.F.	214																
23529EC	GRAVITY SEWER-12 IN-INSTALL (SDR 35 LINE E)	L.F.	90																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE B)	EACH	2																
01799	SANITARY SEWER MANHOLE (5 FT DIA. DROP W/ FRAME AND LID 0-10 FT LINE B)	EACH	2																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE C)	EACH	2																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE D)	EACH	1																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE E)	EACH	1																
21251ED	RAISE MANHOLE TO GRADE (5 FT DIA., GREATER THAN 10 FT)	V.F	26																
40027	ROCK EXCAVATION (MECHANICAL ROCK REMOVAL, NO BLASTING)	C.Y.	330																
22138NN	RECONNECTIOIN LATERAL (SERVICE RELOCATION DEPTH >10FT FOR 4 IN AND 6 IN)	EACH	3																
02220	FLOWABLE FILL CONCRETE, INCLUDING, SAND AND FLOWABLE FILL AS SHOWN ON DETAIL SHEET AND DESCRIBED IN SPECS (BITUMINOUS REPLACEMENT NOT INCLUDED)	C.Y.	750																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE B)	L.S.	1																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE C)	L.S.	1																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE D)	L.S.	1																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE E)	L.S.	1																
02701	TEMPORARY SILT FENCE	L.F.	280																
02259	FENCE-TEMP	L.F.	650																

MicroStation v8.11.7.180 E-SHEET NAME: USER: jgreenwell DATE PLOTTED: August 13, 2012 FILE NAME: P:\ENGR\W\176.62\CAD\SEWER PLANS\GENSUM.DWG


GENERAL SUMMARY

GENERAL SUMMARY

COUNTY OF	ITEM NO.	SHEET NO.
FAYETTE	7-375	U-2

 REVISED 11-28-2012

ITEM	DESCRIPTION	UNIT	QUANTITY																PROJECT TOTALS
	PHASE I																		
23796EC	DUCTILE IRON PIPE-TRUNK SEWER (18 IN 10FT-20FT LINE B)	L.F.	302																
23529EC	GRAVITY SEWER-8 IN-INSTALL (SDR 35 LINE D)	L.F.	411																
23796EC	DUCTILE IRON PIPE-TRUNK SEWER (18 IN 10FT-20FT LINE A)	L.F.	23																
23796EC	DUCTILE IRON PIPE-TRUNK SEWER (18 IN 10FT-20FT LINE C)	L.F.	214																
23529EC	GRAVITY SEWER-12 IN-INSTALL (SDR 35 LINE E)	L.F.	90																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE B)	EACH	2																
01799	SANITARY SEWER MANHOLE (5 FT DIA. DROP W/ FRAME AND LID 0-10 FT LINE B)	EACH	2																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE C)	EACH	2																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE D)	EACH	1																
01799	SANITARY SEWER MANHOLE (5 FT DIA. W/ FRAME AND LID 0-10 FT LINE E)	EACH	1																
21251ED	RAISE MANHOLE TO GRADE (5 FT DIA., GREATER THAN 10 FT)	V.F.	26																
40027	ROCK EXCAVATION (MECHANICAL ROCK REMOVAL, NO BLASTING)	C.Y.	330																
22138NN	RECONNECTIOIN LATERAL (SERVICE RELOCATION DEPTH >10FT FOR 4 IN AND 6 IN)	EACH	3																
02220	FLOWABLE FILL CONCRETE, INCLUDING, SAND AND FLOWABLE FILL AS SHOWN ON DETAIL SHEET AND DESCRIBED IN SPECS (BITUMINOUS REPLACEMENT NOT INCLUDED)	C.Y.	750																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE B)	L.S.	1																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE C)	L.S.	1																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE D)	L.S.	1																
23551EC	TEMPORARY SEWERLINE DIVERSION (BY-PASS PUMPING, 500-1000 LF DISCHARGE LINE E)	L.S.	1																
02701	TEMPORARY SILT FENCE	L.F.	280																
02259	FENCE-TEMP	L.F.	650																



MicroStation v8.11.7.180
 E-SHEET NAME:
 USER: jgreenwell
 DATE PLOTTED: August 13, 2012
 FILE NAME: P:\ENGR\W\176.62\CAD\SEWER PLANS\GENSUM.DWG

GENERAL SUMMARY

121069

PROPOSAL BID ITEMS

Page 1 of 5

Report Date 11/29/12

Section: 0001 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0010	00001		DGA BASE	4,232.00	TON		\$	
0020	00071		CRUSHED AGGREGATE SIZE NO 57	8.00	TON		\$	
0030	00190		LEVELING & WEDGING PG64-22	657.00	TON		\$	
0040	00212		CL2 ASPH BASE 1.00D PG64-22	342.00	TON		\$	
0050	00214		CL3 ASPH BASE 1.00D PG64-22	2,049.00	TON		\$	
0060	00301		CL2 ASPH SURF 0.38D PG64-22	152.00	TON		\$	
0070	00520		STORM SEWER PIPE-12 IN	3.00	LF		\$	
0080	00521		STORM SEWER PIPE-15 IN	127.00	LF		\$	
0090	00522		STORM SEWER PIPE-18 IN	853.00	LF		\$	
0100	00524		STORM SEWER PIPE-24 IN	18.00	LF		\$	
0110	00526		STORM SEWER PIPE-30 IN	211.00	LF		\$	
0120	00528		STORM SEWER PIPE-36 IN	900.00	LF		\$	
0130	01433		SLOPED BOX OUTLET TYPE 1-18 IN	1.00	EACH		\$	
0140	01456		CURB BOX INLET TYPE A	13.00	EACH		\$	
0150	01544		DROP BOX INLET TYPE 11	2.00	EACH		\$	
0160	01559		DROP BOX INLET TYPE 13G	1.00	EACH		\$	
0170	01580		DROP BOX INLET TYPE 15	3.00	EACH		\$	
0180	01650		JUNCTION BOX(REVISED: 11-29-12)	6.00	EACH		\$	
0190	01655		REMOVE JUNCTION BOX(REVISED: 11-29-12)	1.00	EACH		\$	
0200	01718		REMOVE INLET(REVISED: 11-29-12)	15.00	EACH		\$	
0210	01767		MANHOLE TYPE C(REVISED: 11-29-12)	1.00	EACH		\$	
0220	01791		ADJUST MANHOLE FRAME TO GRADE (REVISED: 11-29-12)	15.00	EACH		\$	
0230	01810		STANDARD CURB AND GUTTER(REVISED: 11-29-12)	4,236.00	LF		\$	
0240	01812		REMOVE CURB AND GUTTER(REVISED: 11-29-12)	5,491.00	LF		\$	
0250	01820		LIP CURB AND GUTTER	66.00	LF		\$	
0260	01825		ISLAND CURB AND GUTTER(REVISED: 11-29-12)	166.00	LF		\$	
0270	01875		STANDARD HEADER CURB(REVISED: 11-29-12)	75.00	LF		\$	
0280	02006		REMOVE CONCRETE MEDIAN(REVISED: 11-29-12)	1,093.00	LF		\$	
0290	02016		REMOVE CONCRETE ISLAND(REVISED: 11-29-12)	42.00	SQYD		\$	
0300	02091		REMOVE PAVEMENT(REVISED: 11-29-12)	320.00	SQYD		\$	
0310	02101		CEM CONC ENT PAVEMENT-8 IN(REVISED: 11-29-12)	323.00	SQYD		\$	
0320	02200		ROADWAY EXCAVATION(REVISED: 11-29-12)	4,778.00	CUYD		\$	
0330	02203		STRUCTURE EXCAV-UNCLASSIFIED (REVISED: 11-29-12)	303.00	CUYD		\$	
0340	02242		WATER(REVISED: 11-29-12)	50.00	MGAL		\$	
0350	02267		REMOVE & RESET FENCE	522.50	LF		\$	
0351	02429		RIGHT-OF-WAY MONUMENT TYPE 1(ADDED: 11-29-12)	24.00	EACH		\$	
0360	02545		CLEARING AND GRUBBING1.8 ACRES	1.00	LS		\$	
0370	02555		CONCRETE-CLASS B	209.00	CUYD		\$	

PROPOSAL BID ITEMS

121069

Page 2 of 5

Report Date 11/29/12

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0380	02585		EDGE KEY	571.00	LF		\$	
0390	02600		FABRIC GEOTEXTILE TY IV FOR PIPE	7,910.00	SQYD	\$2.00	\$	\$15,820.00
0400	02625		REMOVE HEADWALL(REVISED: 11-29-12)	2.00	EACH		\$	
0410	02650		MAINTAIN & CONTROL TRAFFIC	1.00	LS		\$	
0420	02653		LANE CLOSURE	7.00	EACH		\$	
0430	02671		PORTABLE CHANGEABLE MESSAGE SIGN	5.00	EACH		\$	
0440	02676		MOBILIZATION FOR MILL & TEXT	1.00	LS		\$	
0450	02677		ASPHALT PAVE MILLING & TEXTURING	1,216.00	TON		\$	
0460	02690		SAFELoading	9.00	CUYD		\$	
0470	02701		TEMP SILT FENCE	2,353.00	LF		\$	
0480	02705		SILT TRAP TYPE C	13.00	EACH		\$	
0490	02708		CLEAN SILT TRAP TYPE C	13.00	EACH		\$	
0500	02709		CLEAN TEMP SILT FENCE	2,353.00	LF		\$	
0510	02720		SIDEWALK-4 IN CONCRETE(REVISED: 11-29-12)	1,326.00	SQYD		\$	
0520	02721		REMOVE CONCRETE SIDEWALK	1,877.00	SQYD		\$	
0530	02726		STAKING	1.00	LS		\$	
0560	04811		ELECTRICAL JUNCTION BOX TYPE B	1.00	EACH		\$	
0570	05950		EROSION CONTROL BLANKET	213.00	SQYD		\$	
0580	05952		TEMP MULCH	2,515.00	SQYD		\$	
0590	05953		TEMP SEEDING AND PROTECTION	2,515.00	SQYD		\$	
0600	05966		TOPDRESSING FERTILIZER	5.20	TON		\$	
0610	05985		SEEDING AND PROTECTION	5,031.00	SQYD		\$	
0620	05990		SODDING	3,138.00	SQYD		\$	
0630	05997		TOPSOIL FURNISHED AND PLACED	178.00	CUYD		\$	
0640	06514		PAVE STRIPING-PERM PAINT-4 IN	18,642.00	LF		\$	
0650	06563		PAVE MARKING-R/R XBUCKS 16 IN	43.00	LF		\$	
0660	06568		PAVE MARKING-THERMO STOP BAR-24IN	481.00	LF		\$	
0670	06570		PAVE MARKING-PAINT CROSS-HATCH	1,544.00	SQFT		\$	
0680	06574		PAVE MARKING-THERMO CURV ARROW	54.00	EACH		\$	
0690	06575		PAVE MARKING-THERMO COMB ARROW	4.00	EACH		\$	
0700	06589		PAVEMENT MARKER TYPE V-MW	96.00	EACH		\$	
0710	06591		PAVEMENT MARKER TYPE V-BY	53.00	EACH		\$	
0720	21289ED		LONGITUDINAL EDGE KEY	3,651.00	LF		\$	
0730	21342ED		FORM LINER	2,500.00	SQFT		\$	
0740	21694EN		EARTH REFILL	158.00	CUYD		\$	
0750	22520EN		PAVE MARKING-THERMO YIELD BAR-36 IN	11.00	LF		\$	
0760	22906ES403		CL3 ASPH SURF 0.38A PG64-22	1,953.00	TON		\$	
0770	23131ER701		PIPELINE VIDEO INSPECTION	1,056.00	LF		\$	
0780	23158ES505		DETECTABLE WARNINGS	696.00	SQFT		\$	
0790	23261EC		PAVE MARK-THERMO-X-WALK-24 IN	1,570.00	LF		\$	
0800	23610NC		CORED HOLE DRAINAGE BOX CON	1.00	EACH		\$	
0810	23791EC		PAVE STRIPING-CHEVRON MARKINGS	426.00	SQFT		\$	

PROPOSAL BID ITEMS

Report Date 11/29/12

Section: 0002 - BRIDGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0820	02231		STRUCTURE GRANULAR BACKFILL	40.00	CUYD		\$	
0830	02998		MASONRY COATING	16.00	SQYD		\$	
0840	08020		CRUSHED AGGREGATE SLOPE PROT	55.00	TON		\$	
0850	08033		TEST PILES	30.00	LF		\$	
0860	08046		PILES-STEEL HP12X53	48.00	LF		\$	
0870	08094		PILE POINTS-12 IN	6.00	EACH		\$	
0880	08100		CONCRETE-CLASS A	10.00	CUYD		\$	
0890	08104		CONCRETE-CLASS AA	3.20	CUYD		\$	
0900	08150		STEEL REINFORCEMENT	976.00	LB		\$	
0910	08151		STEEL REINFORCEMENT-EPOXY COATED	452.00	LB		\$	
0920	24567ED		TRUSS BRIDGE SUPERSTRUCTURE	1.00	LS		\$	

Section: 0003 - SEWER

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
0930	01799		SANITARY SEWER MANHOLE5 FT DIA. W/ FRAME AND LID 0-10 FT LINE E	1.00	EACH		\$	
0940	01799		SANITARY SEWER MANHOLE5 FT DIA. W/ FRAME AND LID 0-10 FT LINE D	1.00	EACH		\$	
0950	01799		SANITARY SEWER MANHOLE5 FT DIA. W/ FRAME AND LID 0-10 FT LINE C	2.00	EACH		\$	
0960	01799		SANITARY SEWER MANHOLE5 FT DIA. DROP W/FRAME AND LID 0-10 FT LINE B	2.00	EACH		\$	
0970	01799		SANITARY SEWER MANHOLE5 FT DIA. W/ FRAME AND LIN 0-10 FT LINE B	2.00	EACH		\$	
0980	02220		FLOWABLE FILL	750.00	CUYD		\$	
0990	02259		FENCE-TEMP	650.00	LF		\$	
1000	02701		TEMP SILT FENCE	280.00	LF		\$	
1010	21251ED		RAISE MANHOLE TO GRADE	26.00	VTFT		\$	
1020	22138NN		RECONNECTION LATERAL	3.00	EACH		\$	
1030	23529EC		GRAVITY SEWER-8 IN-INSTALLSDR 35 LINE E	90.00	LF		\$	
1040	23529EC		GRAVITY SEWER-8 IN-INSTALLSDR 35 LINE D	411.00	LF		\$	
1050	23551EC		TEMPORARY SEWERLINE DIVERSIONLINE E	1.00	LS		\$	
1060	23551EC		TEMPORARY SEWERLINE DIVERSIONLINE D	1.00	LS		\$	
1070	23551EC		TEMPORARY SEWERLINE DIVERSIONLINE C	1.00	LS		\$	
1080	23551EC		TEMPORARY SEWERLINE DIVERSIONLINE B	1.00	LS		\$	
1090	23796EC		DUCTILE IRON PIPE-TRUNK SEWER18 IN 10FT-20FT LINE C	214.00	LF		\$	
1100	23796EC		DUCTILE IRON PIPE-TRUNK SEWER18 IN 10FT-20FT LINE A	23.00	LF		\$	
1110	23796EC		DUCTILE IRON PIPE-TRUNK SEWER	302.00	LF		\$	
1120	40027		ROCK EXCAVATION	330.00	CUYD		\$	

PROPOSAL BID ITEMS

Report Date 11/29/12

Section: 0004 - SIGNING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
1130	06406		SBM ALUM SHEET SIGNS .080 IN	159.00	SQFT		\$	
1140	06407		SBM ALUM SHEET SIGNS .125 IN	19.00	SQFT		\$	
1150	06411		STEEL POST TYPE 2	350.00	LF		\$	

Section: 0005 - SIGNALIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
1160	04792		CONDUIT-1 IN	55.00	LF		\$	
1170	04795		CONDUIT-2 IN	655.00	LF		\$	
1180	04811		ELECTRICAL JUNCTION BOX TYPE B	11.00	EACH		\$	
1190	04820		TRENCHING AND BACKFILLING	270.00	LF		\$	
1200	04821		OPEN CUT ROADWAY	30.00	LF		\$	
1210	04830		LOOP WIRE	5,255.00	LF		\$	
1220	04845		CABLE-NO. 14/7C	7,785.00	LF		\$	
1230	04850		CABLE-NO. 14/1 PAIR	2,560.00	LF		\$	
1240	04885		MESSENGER-10800 LB	1,350.00	LF		\$	
1250	04895		LOOP SAW SLOT AND FILL	2,130.00	LF		\$	
1260	04932		INSTALL STEEL STRAIN POLE	12.00	EACH		\$	
1270	04950		REMOVE SIGNAL EQUIPMENT	3.00	EACH		\$	
1280	04960		REMOVE AND REPLACE SIDEWALK	3.00	SQYD		\$	
1290	20093NS835		INSTALL PEDESTRIAN HEAD-LED	24.00	EACH		\$	
1300	20188NS835		INSTALL LED SIGNAL-3 SECTION	22.00	EACH		\$	
1310	20266ES835		INSTALL LED SIGNAL- 4 SECTION	8.00	EACH		\$	
1320	21743NN		INSTALL PEDESTRIAN DETECTOR	24.00	EACH		\$	
1330	23157EN		TRAFFIC SIGNAL POLE BASE	55.21	CUYD		\$	
1340	23222EC		INSTALL SIGNAL PEDESTAL	7.00	EACH		\$	
1350	24555ED		SIGNAL CONTROLLER	3.00	EACH		\$	

Section: 0006 - LIGHTING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
1360	04740		POLE BASE	9.00	EACH		\$	
1370	04792		CONDUIT-1 IN	1,370.00	LF		\$	
1380	04795		CONDUIT-2 IN	910.00	LF		\$	
1390	04820		TRENCHING AND BACKFILLING	2,205.00	LF		\$	
1400	04940		REMOVE LIGHTING	1.00	LS		\$	
1410	20391NS835		ELECTRICAL JUNCTION BOX TYPE A	1.00	EACH		\$	

PROPOSAL BID ITEMS

Report Date 11/29/12

Section: 0007 - MOB AND DEMOB

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRICE	FP	AMOUNT
1420	02568		MOBILIZATION	1.00	LS		\$	
1430	02569		DEMOBILIZATION	1.00	LS		\$	