



Matthew G. Bevin
Governor

**COMMONWEALTH OF KENTUCKY
TRANSPORTATION CABINET**

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Greg Thomas
Secretary

September 19, 2018

CALL NO. 400
CONTRACT ID NO. 182910
ADDENDUM # 1

Subject: LAUREL-KNOX-BELL COUNTIES, 121GR18M067-FD04
Letting September 21, 2018

(1) Added - Special Note for Joint Seal Replacement - Page 21(a) of 61

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in black ink that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures



An Equal Opportunity Employer M/F/D

SPECIAL NOTE FOR JOINT SEAL REPLACEMENT

1. DESCRIPTION. Perform all work in accordance with the Kentucky Transportation Cabinet, Department of Highway's Standard Specifications for Road and Bridge Construction and applicable Supplemental Specifications (Current Editions), this note and attached detailed drawings. Section references are to the Standard Specifications. This work consists of the following: (1) Furnish all labor, materials, tools, and equipment; (2) Remove existing joint seal; (3) Install joint seal as specified (4) Maintain and control traffic; and (5) Any other work specified as part of this contract.

2. MATERIALS.

A. Expansion Joint Seals.

1" ~ SSI SES-100, Watson Bowman Acme FS-100 or BEJS EMSEAL
BEJS-ON-A-Reel.

1 1/2" ~ SSI SES 112, Watson Bowman Acme FS-150 or BEJS EMSEAL 1 1/2"
RJ Watson SF 150.

2" ~ SSI SES-200, Watson Bowman Acme FS-200 or BEJS EMSEAL 2"

2 1/2" ~ SSI SES-212, Watson Bowman Acme FS-250 or BEJS EMSEAL 2 1/2"

3. CONSTRUCTION.

A. Remove Existing Materials. Remove the existing seal and clean according to section 606.03.11 and as directed by the Engineer. Dispose of all removed material entirely away from the job site. This work is incidental to the contract unit price for "JOINT SEALING".

B. New Joint Material. Use a system listed in 2. Materials to reseal joints. Install as recommended from the manufacture. Provide the engineer with the manufactures documents for installation

C. Verifying Field Conditions. The Contractor shall field verify all joint openings, locations and manufacture before ordering any material. New material that is unsuitable due to variation in existing structure shall be replaced at the Contractors expense.

4. MEASUREMENT.

A. Joint Seal Replacement. The Department will measure the quantity in linear feet from gutter line to gutter line along the centerline of the joint. The Department will not measure the portion of the new seal extending through the barrier. The portion of the joint seal extending through the barriers will be considered incidental.

5. PAYMENT.

A. Joint Seal Replacement (23386EC). - Payment at the contract unit price per linear foot is full compensation for removing specified existing materials, furnishing and installing the new specified system, and all incidental items necessary to complete the work within the specified pay limits as specified by this note and the standard specification.