



COMMONWEALTH OF KENTUCKY
TRANSPORTATION CABINET
www.transportation.ky.gov/

Andy Beshear
GOVERNOR

Jim Gray
SECRETARY

April 22, 2021

CALL NO. 404
CONTRACT ID NO. 212152
ADDENDUM # 2

Subject: Webster County, 117GR21P030 - FD05 & FD04
Letting April 23, 2021

- (1) Added - Utilities and Rail Certification Note - Pages 21(a)-21(b) of 110
- (2) Revised - Material Summary - Pages 23-24 of 110
- (3) Revised - Proposal Bid Items - Pages 109-110 of 110

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

Rachel Mills,

A handwritten signature in cursive script that reads "Rachel Mills".

Rachel Mills, P.E.
Director
Division of Construction Procurement

RM:mr
Enclosures

UTILITIES AND RAIL CERTIFICATION NOTE

**WEBSTER COUNTY
KY 132 OVER NALL DITCH (Milepost 12.3)
SIX YEAR PLAN ITEM NUMBER 2-10019**

Utility coordination efforts conducted by the project sponsor have determined that no significant utility relocation work is required to complete the project. Any work pertaining to these utility facilities is defined in the bid package and is to be carried out as instructed by the Kentucky Transportation Cabinet. The contractor will be responsible for any coordination or adjustments that are discussed or quantified in the proposal.

THE FOLLOWING RAIL COMPANIES HAVE FACILITIES IN CONJUNCTION WITH THIS PROJECT AS NOTED

No Rail Involved **Minimal Rail Involved (See Below)** **Rail Involved (See Below)**

UNDERGROUND FACILITY DAMAGE PROTECTION – BEFORE YOU DIG

The contractor shall make every effort to protect underground facilities from damage as prescribed in the Underground Facility Damage Protection Act of 1994, Kentucky Revised Statute KRS 367.4901 to 367.4917. It is the contractor's responsibility to determine and take steps necessary to be in compliance with federal and state damage prevention directives. The contractor is instructed to contact KY 811 for the location of existing underground utilities. Contact shall be made a minimum of two (2) and no more than ten (10) business days prior to excavation.

The contractor shall submit Excavation Locate Requests to the Kentucky Contact Center (KY 811) via web ticket entry. The submission of this request does not relieve the contractor from the responsibility of contacting non-member facility owners, whom are to be contacted through their individual Protection Notification Center. It may be necessary for the contractor to contact the County Court Clerk to determine what utility companies have facilities in the area. Non-compliance with these directives can result in the enforcement of penalties.

SPECIAL CAUTION NOTE – PROTECTION OF UTILITIES

The contractor will be responsible for contacting all utility facility owners on the subject project to coordinate his activities. The contractor will coordinate his activities to minimize and, where possible, avoid conflicts with utility facilities. Due to the nature of the work proposed, it is unlikely to conflict with the existing utilities beyond minor facility adjustments. Where conflicts with utility facilities are unavoidable, the contractor will coordinate any necessary relocation work with the facility owner and Resident Engineer. The

Kentucky Transportation Cabinet maintains the right to remove or alter portions of this contract if a utility conflict occurs.

UTILITIES AND RAIL CERTIFICATION NOTE

**WEBSTER COUNTY
KY 132 OVER NALL DITCH (Milepost 12.3)
SIX YEAR PLAN ITEM NUMBER 2-10019**

The utility facilities as noted in the previous section(s) have been determined using data garnered by varied means and with varying degrees of accuracy: from the facility owners, a result of S.U.E., field inspections, and/or reviews of record drawings. The facilities defined may not be inclusive of all utilities in the project scope and are not Level A quality, unless specified as such. It is the contractor's responsibility to verify all utilities and their respective locations before excavating.

Please Note: The information presented in this Utility Note is informational in nature and the information contained herein is not guaranteed.

AREA UTILITIES CONTACT LIST AS PROVIDED BY KY 811

Webster County Water District (Water)
478 US 41 Alternate
Dixon, KY 42409
270-639-9010
Attn: John Blanchard

**Spectrum (Cable/Telecom)
812-235-2755
Attn: Daryl Hulsey

**Kenergy (Electric)
270-952-2668
Attn: Keith Conrad

**There are overhead utility lines crossing the bridge. The intent of the utility company is to drop the lines during the necessary construction activities. Once a schedule is established the contractor will be responsible for notifying the respective utility company two (2) weeks prior to needing the lines out of the way.

MATERIAL SUMMARY

CONTRACT ID: 212152

117GR21P030 - FD05 & FD04

MP11701322101

CLAY - DIXON (KY 132) BEGINNING 0.061 MILES WEST OF KY 270 EXTENDING EAST TO A POINT 1.771 MILES EAST OF NAT TAYLOR ROAD. ASPHALT RESURFACING, A DISTANCE OF 6.49 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0005	00001	DGA BASE	1,300.00	TON
0010	00190	LEVELING & WEDGING PG64-22	735.00	TON
0015	00301	CL2 ASPH SURF 0.38D PG64-22	5,340.00	TON
0020	02562	TEMPORARY SIGNS	330.00	SQFT
0025	02650	MAINTAIN & CONTROL TRAFFIC - (FD05)	1.00	LS
0030	02676	MOBILIZATION FOR MILL & TEXT - (FD05)	1.00	LS
0035	02677	ASPHALT PAVE MILLING & TEXTURING	75.00	TON
0040	02697	EDGE LINE RUMBLE STRIPS	68,600.00	LF
0045	06510	PAVE STRIPING-TEMP PAINT-4 IN	35,000.00	LF
0050	06515	PAVE STRIPING-PERM PAINT-6 IN	60,000.00	LF
0055	10020NS	FUEL ADJUSTMENT	9,456.00	DOLL
0060	10030NS	ASPHALT ADJUSTMENT	23,751.00	DOLL
0065	24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	34.00	TON
0070	02569	DEMOBILIZATION	1.00	LS

MATERIAL SUMMARY

CONTRACT ID: 212152

117GR21P030 - FD05 & FD04

MP11701322102

CLAY - DIXON (KY 132) BEGINNING 0.061 MILES WEST OF KY 270 EXTENDING EAST TO A POINT 1.771 MILES EAST OF NAT TAYLOR ROAD. BRIDGE WITH GRADE, DRAIN & SURFACE, A DISTANCE OF 6.49 MILES.

Project Line No	Bid Code	DESCRIPTION	Quantity	Unit
0075	00003	CRUSHED STONE BASE	375.00	TON
0080	00103	ASPHALT SEAL COAT - (REVISED: 4-16-21)	3.11	TON
0085	00190	LEVELING & WEDGING PG64-22	1,326.00	TON
0090	00212	CL2 ASPH BASE 1.00D PG64-22	844.00	TON
0095	00291	EMULSIFIED ASPHALT RS-2	3.00	TON
0100	00301	CL2 ASPH SURF 0.38D PG64-22	227.00	TON
0105	02676	MOBILIZATION FOR MILL & TEXT - (FD04)	1.00	LS
0110	02677	ASPHALT PAVE MILLING & TEXTURING	229.00	TON
0115	21289ED	LONGITUDINAL EDGE KEY	1,204.00	LF
0120	24970EC	ASPHALT MATERIAL FOR TACK NON-TRACKING	2.00	TON
0125	01987	DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	12.00	EACH
0130	02014	BARRICADE-TYPE III	4.00	EACH
0135	02230	EMBANKMENT IN PLACE	2,258.00	CUYD
0140	02351	GUARDRAIL-STEEL W BEAM-S FACE	230.00	LF
0145	02355	GUARDRAIL-STEEL W BEAM-S FACE A	100.00	LF
0150	02367	GUARDRAIL END TREATMENT TYPE 1	4.00	EACH
0155	02562	TEMPORARY SIGNS	500.00	SQFT
0160	02585	EDGE KEY	59.00	LF
0165	02650	MAINTAIN & CONTROL TRAFFIC - (FD04)	1.00	LS
0170	02726	STAKING	1.00	LS
0175	08801	GUARDRAIL-STEEL W BEAM-S FACE BR	92.00	LF
0180	20205EC	PAVE MARK STOP BAR-24 IN PAINT	20.00	LF
0185	02701	TEMP SILT FENCE	625.00	LF
0190	02703	SILT TRAP TYPE A	1.00	EACH
0195	02704	SILT TRAP TYPE B	1.00	EACH
0200	02706	CLEAN SILT TRAP TYPE A	3.00	EACH
0205	02707	CLEAN SILT TRAP TYPE B	3.00	EACH
0210	05950	EROSION CONTROL BLANKET	270.00	SQYD
0215	05952	TEMP MULCH	2,300.00	SQYD
0220	05985	SEEDING AND PROTECTION	1,325.00	SQYD
0225	02731	REMOVE STRUCTURE	1.00	LS
0230	23820EC	PRECAST ARCH	1.00	LS
0240	02569	DEMOBILIZATION	1.00	LS
0245	00100	ASPHALT SEAL AGGREGATE - (ADDED: 4-16-21)	23.00	TON

PROPOSAL BID ITEMS

Report Date 4/22/21

Section: 0001 - PAVING

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0010	00001		DGA BASE	1,300.00	TON		\$	
0020	00003		CRUSHED STONE BASE	375.00	TON		\$	
0025	00100		ASPHALT SEAL AGGREGATE (ADDED: 4-16-21)	23.00	TON		\$	
0030	00103		ASPHALT SEAL COAT (REVISED: 4-16-21)	3.11	TON		\$	
0040	00190		LEVELING & WEDGING PG64-22	2,061.00	TON		\$	
0050	00212		CL2 ASPH BASE 1.00D PG64-22	844.00	TON		\$	
0060	00291		EMULSIFIED ASPHALT RS-2	3.00	TON		\$	
0070	00301		CL2 ASPH SURF 0.38D PG64-22	5,567.00	TON		\$	
0080	02562		TEMPORARY SIGNS	330.00	SQFT		\$	
0090	02650		MAINTAIN & CONTROL TRAFFIC (FD05)	1.00	LS		\$	
0100	02676		MOBILIZATION FOR MILL & TEXT (FD04)	1.00	LS		\$	
0110	02676		MOBILIZATION FOR MILL & TEXT (FD05)	1.00	LS		\$	
0120	02677		ASPHALT PAVE MILLING & TEXTURING	304.00	TON		\$	
0130	02697		EDGE LINE RUMBLE STRIPS	68,600.00	LF		\$	
0140	06510		PAVE STRIPING-TEMP PAINT-4 IN	35,000.00	LF		\$	
0150	06515		PAVE STRIPING-PERM PAINT-6 IN	60,000.00	LF		\$	
0160	10020NS		FUEL ADJUSTMENT	9,456.00	DOLL	\$1.00	\$	\$9,456.00
0170	10030NS		ASPHALT ADJUSTMENT	23,751.00	DOLL	\$1.00	\$	\$23,751.00
0180	21289ED		LONGITUDINAL EDGE KEY	1,204.00	LF		\$	
0190	24970EC		ASPHALT MATERIAL FOR TACK NON- TRACKING	36.00	TON		\$	

Section: 0002 - ROADWAY

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0200	01987		DELINEATOR FOR GUARDRAIL BI DIRECTIONAL WHITE	12.00	EACH		\$	
0210	02014		BARRICADE-TYPE III	4.00	EACH		\$	
0220	02230		EMBANKMENT IN PLACE	2,258.00	CUYD		\$	
0230	02351		GUARDRAIL-STEEL W BEAM-S FACE	230.00	LF		\$	
0240	02355		GUARDRAIL-STEEL W BEAM-S FACE A	100.00	LF		\$	
0250	02367		GUARDRAIL END TREATMENT TYPE 1	4.00	EACH		\$	
0260	02562		TEMPORARY SIGNS	500.00	SQFT		\$	
0270	02585		EDGE KEY	59.00	LF		\$	
0280	02650		MAINTAIN & CONTROL TRAFFIC (FD04)	1.00	LS		\$	
0290	02726		STAKING	1.00	LS		\$	
0300	08801		GUARDRAIL-STEEL W BEAM-S FACE BR	92.00	LF		\$	
0310	20205EC		PAVE MARK STOP BAR-24 IN PAINT	20.00	LF		\$	

Section: 0003 - DRAINAGE

PROPOSAL BID ITEMS

Report Date 4/22/21

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0320	02701		TEMP SILT FENCE	625.00	LF		\$	
0330	02703		SILT TRAP TYPE A	1.00	EACH		\$	
0340	02704		SILT TRAP TYPE B	1.00	EACH		\$	
0350	02706		CLEAN SILT TRAP TYPE A	3.00	EACH		\$	
0360	02707		CLEAN SILT TRAP TYPE B	3.00	EACH		\$	
0370	05950		EROSION CONTROL BLANKET	270.00	SQYD		\$	
0380	05952		TEMP MULCH	2,300.00	SQYD		\$	
0390	05985		SEEDING AND PROTECTION	1,325.00	SQYD		\$	

Section: 0004 - BRIDGE

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0400	02731		REMOVE STRUCTURE	1.00	LS		\$	
0410	23820EC		PRECAST ARCH	1.00	LS		\$	

Section: 0006 - DEMOBILIZATION

LINE	BID CODE	ALT	DESCRIPTION	QUANTITY	UNIT	UNIT PRIC	FP	AMOUNT
0430	02569		DEMOBILIZATION	1.00	LS		\$	