

Matthew G. Bevin Governor

TRANSPORTATION CABINET Frankfort, Kentucky 40622

www.transportation.ky.gov/

Greg ThomasSecretary

February 13, 2018

CALL NO. 405

CONTRACT ID NO. 182951

ADDENDUM # 1

Subject: ALLEN COUNTY, 002GR18M012 - FE02

Letting February 23, 2018

(1) Added - Special Note - Page 17(a) of 51

Proposal revisions are available at $\frac{\text{http://transportation.ky.gov/Construction-Procurement/.}}{\text{Procurement/.}}$

If you have any questions, please contact us at 502-564-3500.

Sincerely,

Rachel Mills, P.E.

Director

Division of Construction Procurement

Kachel Mille

RM:mr

Enclosures



SPECIAL NOTE FOR ADDITIONAL SURFACE PREPARATION REQUIRMENTS BRIDGE NUMBER 002B00034N ONLY

ADDITIONAL SURFACE PREPARATION

In addition to contract requirements stated in the Special Note for Surface Preparation and Pain Application, all steel surfaces within 5 feet of each beam end on bridge number **002B00034N** will remain uncoated, after achieving the specified surface cleanliness, for a minimum of 24 hours. Those steel surfaces will then be re-blast cleaned to the specified surface cleanliness prior to coating.

PAYMENT

All cost for the Additional Surface Preparation shall be considered incidental to the lump sum bid for: Clean and Paint Structural Steel (08434).