



TRANSPORTATION CABINET

Frankfort, Kentucky 40622
www.transportation.ky.gov/

Steven L. Beshear
Governor

Michael W. Hancock, P.E.
Secretary

May 16, 2012

CALL NO. 418
CONTRACT ID NO. 123109
ADDENDUM # 1

Subject: Hardin County, 047GR12R016-CB06
Letting May 18, 2012

- (1) Revised - Special Note - Page 15 of 83
- (2) Revised - Material Summary - Pages 25-26 of 83
- (3) Revised - Typical Section - Page 31 of 83
- (4) Revised - Bid Items - Page 83 of 83

Proposal revisions are available at <http://transportation.ky.gov/Construction-Procurement/>.

If you have any questions, please contact us at 502-564-3500.

Sincerely,

A handwritten signature in blue ink that reads "Ryan Griffith".

Ryan Griffith
Director
Division of Construction Procurement

RG:ks
Enclosures



An Equal Opportunity Employer M/F/D

**SPECIAL NOTE FOR PAVEMENT WEDGE AND SHOULDER
SEPARATE OPERATION
(KY 1904)
(KY 2213)**


1.0 MATERIALS. Provide an Asphalt Mixture for Pavement Wedge conforming to Section 407 of the Standard Specifications or an Asphalt Surface Mixture conforming to Section 403 of the Standard Specifications, as applicable to the project, for the pavement wedge.

2.0 CONSTRUCTION. Place the Asphalt Mixture for Pavement Wedge or Asphalt Surface Mixture as a separate operation from the driving lane. Prime the existing shoulder with tack material as the Engineer directs before placing the wedge. Construct according to Sections 407.03 and 403.03 as applicable.

When the Engineer deems it appropriate to pave both the driving lane and the adjoining wedge monolithically, equip the paver with a modified screed that extends the full width of the wedge being placed and is tapered to produce a wedge. Obtain the Engineer's approval of the modified screed before placing shoulder wedge monolithically with the driving lane.

The wedge may vary in thickness at the edge of the driving lanes. Where existing site conditions permit, limit the outside edge thickness of the new paving limits to one inch above the existing shoulder wedge elevation. If an Asphalt Surface Mixture is furnished for the pavement wedge, texture according to Section 403.03.08.

The following sketch is primarily for the computation of quantities; however, the wedge will result in a similar cross-section where sufficient width exists. Do not construct a shoulder for placing the wedge unless specified elsewhere in the Contract.



- ① Slope varies, but is down from the driving lanes except on outside of some curves where superelevation controls.
- ② Where existing site conditions permit.

3.0 MEASUREMENT. The Department will measure Asphalt Mixture for Pavement Wedge or Asphalt Surface Mixture placed as the pavement wedge according to Sections 403 and 407 as applicable.

4.0 PAYMENT. The Department will make payment for the completed and accepted quantities of Asphalt Surface Mixtures placed as pavement wedge according to Section 403. The Department will make payment for the completed and accepted quantities of Asphalt Mixture for Pavement Wedge according to Section 407.

MATERIAL SUMMARY

CONTRACT ID: 123109

CB06 047 0220 000-006 PES NO: 0404702201201
BIG SPRINGS ROAD (KY 220) FROM KY 333 (MP 0.000) EXTENDING SOUTHEAST TO KY 920 (MP 5.522), A DISTANCE OF 5.520000 MILES.

LINE NO	BID CODE	DESCRIPTION	QUANTITY	UNIT
0010	00190	LEVELING & WEDGING PG64-22	766.00	TON
0020	00301	CL2 ASPH SURF 0.38D PG64-22	3,725.00	TON
0030	02562	SIGNS	210.00	SQFT
0040	02650	MAINTAIN & CONTROL TRAFFIC KY 220	1.00	LS
0100	02676	MOBILIZATION FOR MILL & TEXT KY 220	1.00	LS
0110	02677	ASPHALT PAVE MILLING & TEXTURING	12.00	TON
0050	06510	PAVE STRIPING-TEMP PAINT-4 IN	64,143.00	LF
0060	06514	PAVE STRIPING-PERM PAINT-4 IN	58,312.00	LF
0070	10020NS	FUEL ADJUSTMENT	6,140.00	DOLL
0080	10030NS	ASPHALT ADJUSTMENT	10,819.00	DOLL
0090	02569	DEMOBILIZATION	1.00	LS

CB06 047 0253 000-002 PES NO: 0404702531202
BETHLEHEM ACADEMY ROAD (KY 253) FROM KY 86 (MP 0.000) EXTENDING NORTHWEST TO CRISP ROAD (MP 1.581), A DISTANCE OF 1.580000 MILES.

LINE NO	BID CODE	DESCRIPTION	QUANTITY	UNIT
0010	00190	LEVELING & WEDGING PG64-22	219.00	TON
0020	00301	CL2 ASPH SURF 0.38D PG64-22	1,070.00	TON
0030	02562	SIGNS	170.00	SQFT
0040	02650	MAINTAIN & CONTROL TRAFFIC KY 253	1.00	LS
0050	06510	PAVE STRIPING-TEMP PAINT-4 IN	18,366.00	LF
0060	06514	PAVE STRIPING-PERM PAINT-4 IN	16,696.00	LF
0070	10020NS	FUEL ADJUSTMENT	1,762.00	DOLL
0080	10030NS	ASPHALT ADJUSTMENT	3,105.00	DOLL
0090	02569	DEMOBILIZATION	1.00	LS

CB06 047 1904 000-004 PES NO: 0404719041201
BACON CREEK ROAD (KY 1904) FROM KY 222 (MP 0.000) EXTENDING NORTH TO 0.787 MILES SOUTH OF US 62 (MP 3.915), A DISTANCE OF 3.920000 MILES.

LINE NO	BID CODE	DESCRIPTION	QUANTITY	UNIT
0010	00190	LEVELING & WEDGING PG64-22	91.00	TON
0020	00263	ASPHALT MIX FOR PAVEMENT WEDGE	380.00	TON
0030	00301	CL2 ASPH SURF 0.38D PG64-22	2,405.00	TON
0040	02562	SIGNS	190.00	SQFT
0050	02650	MAINTAIN & CONTROL TRAFFIC KY 1904	1.00	LS
0060	02676	MOBILIZATION FOR MILL & TEXT KY 1904	1.00	LS
0070	02677	ASPHALT PAVE MILLING & TEXTURING	2,723.00	TON
0080	06510	PAVE STRIPING-TEMP PAINT-4 IN	45,476.00	LF
0090	06514	PAVE STRIPING-PERM PAINT-4 IN	41,342.00	LF
0100	10020NS	FUEL ADJUSTMENT	3,932.00	DOLL
0110	10030NS	ASPHALT ADJUSTMENT	6,929.00	DOLL
0120	02569	DEMOBILIZATION	1.00	LS


MATERIAL SUMMARY

CONTRACT ID: 123109

CB06 047 2213 000-005 PES NO: 0404722131201
GRANDVIEW CHURCH ROAD (KY 2213) FROM KY 86 (MP 0.000) EXTENDING NORTH TO KY 2199 (MP
4.932), A DISTANCE OF 4.930000 MILES.

LINE NO	BID CODE	DESCRIPTION	QUANTITY	UNIT
0010	00190	LEVELING & WEDGING PG64-22	684.00	TON
0100	00263	ASPHALT MIX FOR PAVEMENT WEDGE (ADDED: 5-16-12)	480.00	TON
0020	00301	CL2 ASPH SURF 0.38D PG64-22 (REVISED: 5-16-12)	2,805.00	TON
0030	02562	SIGNS	190.00	SQFT
0040	02650	MAINTAIN & CONTROL TRAFFIC KY 2213	1.00	LS
0050	06510	PAVE STRIPING-TEMP PAINT-4 IN	57,290.00	LF
0060	06514	PAVE STRIPING-PERM PAINT-4 IN	52,082.00	LF
0070	10020NS	FUEL ADJUSTMENT (REVISED: 5-16-12)	5,278.00	DOLL
0080	10030NS	ASPHALT ADJUSTMENT (REVISED: 5-16-12)	9,302.00	DOLL
0090	02569	DEMOBILIZATION	1.00	LS

TYPICAL SECTION
HARDIN COUNTY
CB06 047 2213 000 - 005



* 1" Where existing site conditions permit

CONTRACT ID: 123109
COUNTY: HARDIN
PROPOSAL: 047GR12R016-CB06

PAGE: 1
LETTING: 05/18/12
CALL NO: 418

LINE NO	ITEM	DESCRIPTION	APPROXIMATE QUANTITY	UNIT	UNIT PRICE	AMOUNT
SECTION 0001 ROADWAY						
0010	00190	LEVELING & WEDGING PG64-22	1,760.000	TON		
0020	00263	ASPHALT MIX FOR PAVEMENT WEDGE (REVISED: 5-16-12)	860.000	TON		
0030	00301	CL2 ASPH SURF 0.38D PG64-22 (REVISED: 5-16-12)	10,005.000	TON		
0040	02562	SIGNS	760.000	SQFT		
0050	02650	MAINTAIN & CONTROL TRAFFIC KY 1904	(1.00)	LS		
0060	02650	MAINTAIN & CONTROL TRAFFIC KY 220	(1.00)	LS		
0070	02650	MAINTAIN & CONTROL TRAFFIC KY 2213	(1.00)	LS		
0080	02650	MAINTAIN & CONTROL TRAFFIC KY 253	(1.00)	LS		
0090	02676	MOBILIZATION FOR MILL & TEXT KY 1904	(1.00)	LS		
0100	02676	MOBILIZATION FOR MILL & TEXT KY 220	(1.00)	LS		
0110	02677	ASPHALT PAVE MILLING & TEXTURING	2,735.000	TON		
0120	06510	PAVE STRIPING-TEMP PAINT-4 IN	185,275.000	LF		
0130	06514	PAVE STRIPING-PERM PAINT-4 IN	168,432.000	LF		
0140	10020NS	FUEL ADJUSTMENT (REVISED: 5-16-12)	17,112.000	DOLL	1.00	17,112.00
0150	10030NS	ASPHALT ADJUSTMENT (REVISED: 5-16-12)	30,155.000	DOLL	1.00	30,155.00
SECTION 0002 DEMOBILIZATION						
0160	02569	DEMOBILIZATION (AT LEAST 1.5%)		LUMP		
TOTAL BID						