

DIMENSIONS FOR MULTIPLE PIPE HEADWALLS - 0° SKEW

DIMENSION	DOUBLE				TRIPLE				DIMENSION
	30"	36"	42"	48"	30"	36"	42"	48"	
A	3'-9"	4'-4"	4'-11"	5'-6"	3'-9"	4'-4"	4'-11"	5'-6"	A
B	1'-3"	1'-6"	1'-9"	2'-0"	1'-3"	1'-6"	1'-9"	2'-0"	B
C	3'-6"	4'-0"	4'-7"	5'-1"	3'-6"	4'-0"	4'-7"	5'-1"	C
E	7'-2"	8'-4"	9'-6"	10'-8"	11'-3"	13'-0"	14'-9"	16'-6"	E
F	4'-4"	5'-0"	5'-8"	6'-4"	4'-4"	5'-0"	5'-8"	6'-4"	F
H	11'-6"	13'-4"	15'-2"	17'-0"	15'-6"	18'-0"	20'-6"	22'-10"	H
J	--	--	--	--	7'-9"	9'-0"	10'-3"	11'-5"	J
M	0'-5"				0'-5"				M
T	0'-3.5"	0'-4"	0'-4.5"	0'-5"	0'-3.5"	0'-4"	0'-4.5"	0'-5"	T
V	0'-8"				0'-8"				V
W	0'-8"				0'-8"				W
Y	2'-0"				2'-0"				Y
CLASS "A" CONC. CU. YDS. 2 HEADWALLS	4.91	6.22	7.75	9.38	6.49	8.20	10.19	12.30	CLASS "A" CONC. CU. YDS. 2 HEADWALLS
LBS. STEEL 2 HEADWALLS	379	480	561	660	475	594	702	797	LBS. STEEL 2 HEADWALLS

DIMENSIONS AND QUANTITIES ARE BASED ON CONCRETE PIPE AND WILL VARY SLIGHTLY FOR CORRUGATED METAL PIPE.

USE WITH CURRENT STD. DWG.
RDH-510 OR RDH-520

KENTUCKY
DEPARTMENT OF HIGHWAYS
DIMENSIONS & QUANTITIES
30"-48" DOUBLE &
TRIPLE-HEADWALLS
CIRCULAR PIPE 0° SKEW

STANDARD DRAWING NO. RDH-522-02

SUBMITTED _____ DIRECTOR DIVISION OF DESIGN _____ DATE _____

APPROVED _____ STATE HIGHWAY ENGINEER _____ DATE _____