

Drowsy Driving

The National Highway Traffic Safety Administration (NHTSA) estimates that 100,000 crashes are a result of driver fatigue each year, resulting in over 40,000 injuries and 1,550 deaths. In Kentucky in 2014, there were 2,232 crashes related to driver fatigue, resulting in 1,201 injuries and 27 fatalities.



Wake up! Stay alert at the wheel.

- ▶ Get plenty of sleep before starting a trip.
- ▶ Arrange for a travel companion to talk with and share the driving.
- ▶ Avoid eating a heavy meal before driving, as it may induce drowsiness.
- ▶ Stop for a drink of caffeine.
- ▶ Apply cold water to eyelids, face and neck.
- ▶ Schedule breaks about every 100 miles or two hours during long trips.
- ▶ Stop at a safe place to stretch and take a three-minute brisk walk or jog.
- ▶ Pull off the road and find a safe place, such as a rest area, to take a 15-to-20 minute nap.
- ▶ Stop driving! Pull off at the next exit or rest area to find a safe place to sleep for the night.
- ▶ Buckle up! A properly worn seat belt reduces fatigue by supporting an upright position.

Does caffeine really help?

Caffeine promotes short-term alertness and takes about 30 minutes to begin working. The equivalent of two cups of coffee can increase alertness for several hours. To get the maximum benefit, pull over for a caffeinated beverage, take a short nap, then get back on the road.

Did you know?



Studies show that people who are awake 17 straight hours are as impaired as someone with a .05 Blood Alcohol Concentration (BAC). Those awake 24 straight hours are as impaired as someone with a .10 BAC, which is over Kentucky's legal limit of .08 BAC.

Symptoms of fatigue

- ▶ Eyes burning, closing or going out of focus
- ▶ Wandering or disconnected thoughts
- ▶ Forgetting to turn off turn signal
- ▶ Unaware of passing vehicles
- ▶ Not able to remember last warning sign
- ▶ Irritable, exhausted, or giddy

Effects of fatigue

- ▶ Reduced hand-eye coordination
- ▶ Slow reaction time and decreased energy
- ▶ Reduced accuracy
- ▶ Lapse of attention
- ▶ Diminished ability to see subtle changes
- ▶ Compromised decision making

Poor sleep can impair safety by reducing thinking ability, alertness, and task performance.

4 hours of sleep: 50 percent decrease **6 hours of sleep:** 25 percent decrease

8 hours of sleep: 0 percent decrease

Tips for better sleep

- ▶ Exercise regularly and do it at least three hours before bedtime.
- ▶ Eat regular, nutritious meals, but not a heavy meal at bedtime.
- ▶ Have a routine for going to bed and rising each day.
- ▶ Create a positive sleep environment. Lower your thermostat, make the bedroom dark and block or mask outside sounds.
- ▶ Avoid tobacco, caffeine and alcohol several hours before bedtime.




Driving at night can be deadly

There are more reported crashes in the fall due to more hours of darkness. The faster you drive, the more time and distance you need to stop, and the less time you have to react. At night, when you can only see as far as your headlights allow, the situation is worse.

Headlights allow you to spot an object on the road about 160 feet ahead of your vehicle. Most drivers need approximately 1.5 seconds to react. At 60 mph, a vehicle travels 88 feet per second. If you are driving too fast, the consequences could be deadly!

Reaction Distance + Braking Distance = Stopping Distance



For additional information:

- **Kentucky Sleep Society:** www.kyss.org
- **National Center on Sleep Disorders Research:** www.nhlbi.nih.gov/about/ncsdr/