


For box culverts with fill heights between the values listed in the table, the more conservative steel values from either above or below the specified fill height will govern. This is not an exhaustive listing of box culvert sizes or fill heights. For fill heights exceeding Kentucky Table 1 and/or design load requirements other than KYHL-93, a design stamped by a Professional Engineer, licensed in the Commonwealth of Kentucky, or a design verified by the inputs of FHWA BOXCAR version 3.1 will be required. The default design values are listed in the attachment.

Equivalent steel areas are in units of square inches per foot of length. Lengths and spacing of reinforcements listed are in units of inches. The fabricator is required to advise the Division of Materials prior to initiation of fabrication. The following KY Table 1 will replace all previous versions of KY Table 3 and addendums.

Attachments



An Equal Opportunity Employer M/F/D



- * $L1$ is Splice Length
- * (AS7) is Top Slab Outside
- * (AS8) is Bottom Slab Outside
- * See Box Culvert Design Summary Sheet for transverse and distribution reinforcement, as required.
- * For sidewall thicknesses of 6 in. and above, extend AS2 and AS3 a min. of 4 in. beyond the inside face of the sidewall.
For thicknesses less than 6 in., extend AS2 and AS3 at least to within 1-1/2 in. of the outside face of the sidewall.

Notes:

- 1) Other reinforcement schemes that provide the required reinforcement areas at all locations identified in the program output are acceptable.
- 2) Longitudinal reinforcement is not shown for clarity, see AASHTO M259 for longitudinal reinforcement and for additional requirements.

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3x2x4 | 0<2* | 0.168 | 0.626 | 0.172 | 0.096 | 0.503 | 0.144 | 0.168 | 0.168 |
| | 2<3 | 0.162 | 0.218 | 0.214 | 0.096 | 0.096 | 0.096 | | |
| | 3-5 | 0.099 | 0.137 | 0.139 | 0.096 | 0.096 | 0.096 | | |
| | 10 | 0.096 | 0.101 | 0.103 | 0.096 | 0.096 | 0.096 | | |
| | 15 | 0.096 | 0.138 | 0.14 | 0.096 | 0.096 | 0.096 | | |
| | 20 | 0.121 | 0.178 | 0.18 | 0.096 | 0.096 | 0.096 | | |
| | 25 | 0.15 | 0.22 | 0.222 | 0.096 | 0.096 | 0.096 | | |
| | 30 | 0.18 | 0.263 | 0.265 | 0.096 | 0.096 | 0.096 | | |
| | 35 | 0.212 | 0.307 | 0.309 | 0.096 | 0.096 | 0.096 | | |

*top slab 7", bottom slab 6"

| Design Earth Cover, ft | | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| 3x3x4 | 0<2* | 0.168 | 1.17 | 0.5 | 0.96 | 1.02 | 0.42 | 0.168 | 0.168 |
| | 2<3 | 0.121 | 0.261 | 0.257 | 0.096 | 0.096 | 0.096 | | |
| | 3-5 | 0.096 | 0.163 | 0.167 | 0.096 | 0.096 | 0.096 | | |
| | 10 | 0.096 | 0.115 | 0.119 | 0.096 | 0.096 | 0.096 | | |
| | 15 | 0.096 | 0.157 | 0.16 | 0.096 | 0.096 | 0.096 | | |
| | 20 | 0.096 | 0.201 | 0.205 | 0.096 | 0.096 | 0.096 | | |
| | 25 | 0.11 | 0.248 | 0.252 | 0.096 | 0.096 | 0.096 | | |
| | 30 | 0.131 | 0.297 | 0.301 | 0.096 | 0.096 | 0.096 | | |
| | 35 | 0.154 | 0.347 | 0.352 | 0.096 | 0.096 | 0.096 | | |

*top slab 7", bottom slab 6"

| Design Earth Cover, ft | | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|------|-------|-------|------|------|
| 4x2x5 | 0<2* | 0.18 | 0.639 | 0.172 | 0.12 | 0.521 | 0.144 | 0.18 | 0.18 |
| | 2<3 | 0.178 | 0.278 | 0.243 | 0.12 | 0.12 | 0.12 | | |
| | 3-5 | 0.154 | 0.159 | 0.159 | 0.12 | 0.12 | 0.12 | | |
| | 10 | 0.12 | 0.12 | 0.122 | 0.12 | 0.12 | 0.12 | | |
| | 15 | 0.152 | 0.165 | 0.166 | 0.12 | 0.12 | 0.12 | | |
| | 20 | 0.197 | 0.212 | 0.214 | 0.12 | 0.12 | 0.12 | | |
| | 25 | 0.244 | 0.261 | 0.263 | 0.12 | 0.12 | 0.12 | | |
| | 30 | 0.294 | 0.312 | 0.314 | 0.12 | 0.12 | 0.12 | | |
| | 35 | 0.346 | 0.364 | 0.366 | 0.12 | 0.12 | 0.12 | | |

*top slab 7.5", bottom slab 6"

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|------|------|-------|------|
| 4x3x5 | 0<2* | 0.18 | 0.705 | 0.199 | 0.12 | 0.18 | 0.144 | 0.18 |
| | 2<3 | 0.198 | 0.309 | 0.27 | 0.12 | 0.12 | 0.12 | |
| | 3-5 | 0.123 | 0.191 | 0.193 | 0.12 | 0.12 | 0.12 | |
| | 10 | 0.12 | 0.142 | 0.146 | 0.12 | 0.12 | 0.12 | |
| | 15 | 0.12 | 0.193 | 0.197 | 0.12 | 0.12 | 0.12 | |
| | 20 | 0.152 | 0.249 | 0.253 | 0.12 | 0.12 | 0.12 | |
| | 25 | 0.187 | 0.306 | 0.31 | 0.12 | 0.12 | 0.12 | |
| | 30 | 0.225 | 0.366 | 0.37 | 0.12 | 0.12 | 0.12 | |
| | 35 | 0.263 | 0.428 | 0.432 | 0.12 | 0.12 | 0.12 | |

*top slab 7.5", bottom slab 6"

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|------|------|-------|------|
| 4x4x5 | 0<2* | 0.18 | 0.745 | 0.22 | 0.12 | 0.18 | 0.144 | 0.18 |
| | 2<3 | 0.154 | 0.314 | 0.276 | 0.12 | 0.12 | 0.12 | |
| | 3-5 | 0.12 | 0.215 | 0.219 | 0.12 | 0.12 | 0.12 | |
| | 10 | 0.12 | 0.155 | 0.162 | 0.12 | 0.12 | 0.12 | |
| | 15 | 0.12 | 0.21 | 0.217 | 0.12 | 0.12 | 0.12 | |
| | 20 | 0.124 | 0.269 | 0.276 | 0.12 | 0.12 | 0.12 | |
| | 25 | 0.152 | 0.331 | 0.339 | 0.12 | 0.12 | 0.12 | |
| | 30 | 0.182 | 0.396 | 0.403 | 0.12 | 0.12 | 0.12 | |
| | 35 | 0.213 | 1.205 | 0.471 | 0.12 | 0.12 | 0.12 | |

*top slab 7.5", bottom slab 6"

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| 5x3x6 | 0<2* | 0.192 | 0.726 | 0.201 | 0.144 | 0.6 | 0.168 | 0.192 |
| | 2<3 | 0.224 | 0.288 | 0.232 | 0.144 | 0.144 | 0.144 | |
| | 3-5 | 0.16 | 0.205 | 0.19 | 0.144 | 0.144 | 0.144 | |
| | 10 | 0.144 | 0.164 | 0.168 | 0.144 | 0.144 | 0.144 | |
| | 15 | 0.174 | 0.224 | 0.228 | 0.144 | 0.144 | 0.144 | |
| | 20 | 0.223 | 0.288 | 0.292 | 0.144 | 0.144 | 0.144 | |
| | 25 | 0.276 | 0.354 | 0.359 | 0.144 | 0.144 | 0.144 | |
| | 30 | 0.331 | 0.423 | 0.427 | 0.144 | 0.144 | 0.144 | |
| | 35 | 0.389 | 1.349 | 1.168 | 0.144 | 0.144 | 0.144 | |

*top slab 8", bottom slab 7"

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| 5x4x6 | 0<2* | 0.192 | 0.778 | 0.229 | 0.144 | 0.592 | 0.168 | 0.192 |
| | 2<3 | 0.192 | 0.325 | 0.264 | 0.144 | 0.144 | 0.144 | |
| | 3-5 | 0.144 | 0.232 | 0.217 | 0.144 | 0.144 | 0.144 | |
| | 10 | 0.144 | 0.183 | 0.19 | 0.144 | 0.144 | 0.144 | |
| | 15 | 0.145 | 0.248 | 0.255 | 0.144 | 0.144 | 0.144 | |
| | 20 | 0.186 | 0.319 | 0.326 | 0.144 | 0.144 | 0.144 | |
| | 25 | 0.228 | 0.392 | 0.4 | 0.144 | 0.144 | 0.144 | |
| | 30 | 0.273 | 0.469 | 0.476 | 0.144 | 0.144 | 0.144 | |
| | 35 | | | | | | | |

*top slab 8", bottom slab 7"

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| 5x5x6 | 0<2* | 0.192 | 0.818 | 0.254 | 0.144 | 0.586 | 0.168 | 0.192 |
| | 0 | 0.192 | 0.818 | 0.254 | 0.144 | 0.586 | 0.168 | 0.192 |
| | 2<3 | 0.163 | 0.355 | 0.292 | 0.144 | 0.144 | 0.144 | |
| | 3-5 | 0.144 | 0.254 | 0.24 | 0.144 | 0.144 | 0.144 | |
| | 10 | 0.144 | 0.197 | 0.207 | 0.144 | 0.144 | 0.144 | |
| | 15 | 0.144 | 0.265 | 0.275 | 0.144 | 0.144 | 0.144 | |
| | 20 | 0.16 | 0.339 | 0.349 | 0.144 | 0.144 | 0.144 | |
| | 25 | 0.196 | 0.416 | 0.427 | 0.144 | 0.144 | 0.144 | |
| | 30 | 0.234 | 0.497 | 0.508 | 0.144 | 0.144 | 0.144 | |
| | 35 | 0.273 | 0.58 | 1.635 | 0.144 | 0.144 | 0.144 | |

*top slab 8", bottom slab 7"

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| 6x3x7 | 0<2* | 0.215 | 0.742 | 0.21 | 0.168 | 0.628 | 0.168 | 0.192 |
| | 2<3 | 0.26 | 0.295 | 0.225 | 0.168 | 0.168 | 0.168 | |
| | 3-5 | 0.198 | 0.215 | 0.188 | 0.168 | 0.168 | 0.168 | |
| | 10 | 0.172 | 0.185 | 0.189 | 0.168 | 0.168 | 0.168 | |
| | 15 | 0.233 | 0.251 | 0.255 | 0.168 | 0.168 | 0.168 | |
| | 20 | 0.3 | 0.322 | 0.327 | 0.168 | 0.168 | 0.168 | |
| | 25 | 0.371 | 0.396 | 0.401 | 0.168 | 0.168 | 0.168 | |
| | 30 | 0.446 | 0.472 | 0.477 | 0.168 | 0.168 | 0.168 | |
| | 35 | 0.524 | 0.551 | 1.514 | 0.168 | 0.168 | 0.168 | |

*top slab 8"

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| 6x4x7 | 0<2* | 0.202 | 0.421 | 0.266 | 0.168 | 0.192 | 0.168 | 0.192 |
| | 2<3 | 0.251 | 0.368 | 0.288 | 0.168 | 0.168 | 0.168 | |
| | 3-5 | 0.19 | 0.271 | 0.24 | 0.168 | 0.168 | 0.168 | |
| | 10 | 0.168 | 0.228 | 0.234 | 0.168 | 0.168 | 0.168 | |
| | 15 | 0.216 | 0.306 | 0.313 | 0.168 | 0.168 | 0.168 | |
| | 20 | 0.275 | 0.391 | 0.398 | 0.168 | 0.168 | 0.168 | |
| | 25 | 0.338 | 0.479 | 0.487 | 0.168 | 0.168 | 0.168 | |
| | 30 | 0.404 | 0.571 | 0.579 | 0.168 | 0.168 | 0.168 | |
| | 35 | 0.473 | 0.667 | 0.675 | 0.168 | 0.168 | 0.168 | |

*top slab 8"

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| 6x5x7 | 0<2* | 0.192 | 0.449 | 0.291 | 0.168 | 0.192 | 0.168 | 0.192 |
| | 2<3 | 0.22 | 0.398 | 0.316 | 0.168 | 0.168 | 0.168 | |
| | 3-5 | 0.168 | 0.294 | 0.262 | 0.168 | 0.168 | 0.168 | |
| | 10 | 0.168 | 0.243 | 0.252 | 0.168 | 0.168 | 0.168 | |
| | 15 | 0.188 | 0.326 | 0.336 | 0.168 | 0.168 | 0.168 | |
| | 20 | 0.238 | 0.417 | 0.427 | 0.168 | 0.168 | 0.168 | |
| | 25 | 0.291 | 0.512 | 0.522 | 0.168 | 0.168 | 0.168 | |
| | 30 | 0.347 | 0.611 | 0.622 | 0.168 | 0.168 | 0.168 | |
| | 35 | 0.406 | 0.714 | 0.725 | 0.168 | 0.168 | 0.168 | |

*top slab 8"

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|------|-------|-------|-------|-------|-------|-------|-------|
| 6x6x7 | 0<2* | 0.192 | 0.47 | 0.311 | 0.168 | 0.192 | 0.168 | 0.192 |
| | 2<3 | 0.195 | 0.421 | 0.337 | 0.168 | 0.168 | 0.168 | |
| | 3-5 | 0.168 | 0.311 | 0.277 | 0.168 | 0.168 | 0.168 | |
| | 10 | 0.168 | 0.252 | 0.263 | 0.168 | 0.168 | 0.168 | |
| | 15 | 0.168 | 0.338 | 0.349 | 0.168 | 0.168 | 0.168 | |
| | 20 | 0.212 | 0.432 | 0.444 | 0.168 | 0.168 | 0.168 | |
| | 25 | 0.259 | 0.531 | 0.543 | 0.168 | 0.168 | 0.168 | |
| | 30 | 0.308 | 0.634 | 0.647 | 0.168 | 0.168 | 0.168 | |
| | 35 | 0.359 | 0.741 | 0.755 | 0.168 | 0.168 | 0.168 | |

*top slab 8"

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 7x4x8 | 0<2 | 0.267 | 0.425 | 0.281 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.261 | 0.344 | 0.281 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.226 | 0.285 | 0.251 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 10 | 0.211 | 0.254 | 0.261 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 15 | 0.28 | 0.341 | 0.348 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 20 | 0.357 | 0.434 | 0.442 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 25 | 0.439 | 0.532 | 0.54 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 30 | 0.525 | 0.634 | 0.642 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 35 | 0.616 | 0.739 | 0.747 | 0.192 | 0.192 | 0.192 | 0.192 |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 7x5x8 | 0<2 | 0.239 | 0.455 | 0.309 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.231 | 0.373 | 0.309 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.199 | 0.31 | 0.276 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 10 | 0.192 | 0.275 | 0.284 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 15 | 0.246 | 0.368 | 0.378 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 20 | 0.312 | 0.469 | 0.48 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 25 | 0.382 | 0.576 | 0.586 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 30 | 0.456 | 0.686 | 0.698 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 35 | 0.534 | 0.801 | 0.813 | 0.192 | 0.192 | 0.192 | 0.192 |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 7x6x8 | 0<2 | 0.215 | 0.479 | 0.332 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.207 | 0.395 | 0.332 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.192 | 0.329 | 0.296 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 10 | 0.192 | 0.288 | 0.301 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 15 | 0.22 | 0.386 | 0.399 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 20 | 0.278 | 0.493 | 0.506 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 25 | 0.339 | 0.605 | 0.619 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 30 | 0.404 | 0.722 | 0.736 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 35 | 0.472 | 0.843 | 0.858 | 0.192 | 0.192 | 0.192 | 0.192 |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 7x7x8 | 0<2 | 0.195 | 0.498 | 0.35 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.192 | 0.412 | 0.35 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.192 | 0.343 | 0.31 | 0.192 | 0.192 | 0.192 | |
| | 10 | 0.192 | 0.296 | 0.311 | 0.192 | 0.192 | 0.192 | |
| | 15 | 0.201 | 0.396 | 0.412 | 0.192 | 0.192 | 0.192 | |
| | 20 | 0.253 | 0.506 | 0.522 | 0.192 | 0.192 | 0.192 | |
| | 25 | 0.308 | 0.622 | 0.639 | 0.192 | 0.192 | 0.192 | |
| | 30 | 0.366 | 0.743 | 0.761 | 0.192 | 0.192 | 0.192 | |
| | 35 | 0.427 | 0.868 | 0.887 | 0.192 | 0.192 | 0.192 | |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 8x4x8 | 0<2 | 0.327 | 0.478 | 0.323 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.327 | 0.4 | 0.323 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.294 | 0.34 | 0.304 | 0.192 | 0.192 | 0.192 | |
| | 10 | 0.299 | 0.319 | 0.327 | 0.192 | 0.192 | 0.192 | |
| | 15 | 0.398 | 0.427 | 0.436 | 0.192 | 0.192 | 0.192 | |
| | 20 | 0.51 | 0.547 | 0.556 | 0.192 | 0.192 | 0.192 | |
| | 25 | 0.631 | 0.673 | 0.682 | 0.192 | 0.192 | 0.192 | |
| | 30 | 0.761 | 0.804 | 0.814 | 0.192 | 0.192 | 0.192 | |
| | 35 | 0.899 | 0.941 | 0.952 | 0.192 | 0.192 | 0.192 | |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 8x5x8 | 0<2 | 0.295 | 0.51 | 0.355 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.294 | 0.432 | 0.355 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.263 | 0.369 | 0.334 | 0.192 | 0.192 | 0.192 | |
| | 10 | 0.268 | 0.345 | 0.357 | 0.192 | 0.192 | 0.192 | |
| | 15 | 0.354 | 0.463 | 0.475 | 0.192 | 0.192 | 0.192 | |
| | 20 | 0.453 | 0.593 | 0.606 | 0.192 | 0.192 | 0.192 | |
| | 25 | 0.559 | 0.731 | 0.744 | 0.192 | 0.192 | 0.192 | |
| | 30 | 0.671 | 0.875 | 0.889 | 0.192 | 0.192 | 0.192 | |
| | 35 | 0.791 | 1.026 | 1.04 | 0.192 | 0.192 | 0.192 | |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 8x6x8 | 0<2 | 0.267 | 0.536 | 0.382 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.266 | 0.458 | 0.382 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.237 | 0.392 | 0.359 | 0.192 | 0.192 | 0.192 | |
| | 10 | 0.244 | 0.365 | 0.38 | 0.192 | 0.192 | 0.192 | |
| | 15 | 0.321 | 0.489 | 0.505 | 0.192 | 0.192 | 0.192 | |
| | 20 | 0.408 | 0.627 | 0.644 | 0.192 | 0.192 | 0.192 | |
| | 25 | 0.502 | 0.774 | 0.791 | 0.192 | 0.192 | 0.192 | |
| | 30 | 0.602 | 0.928 | 0.946 | 0.192 | 0.192 | 0.192 | |
| | 35 | 0.708 | 1.089 | 1.108 | 0.192 | 0.192 | 0.192 | |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 8x7x8 | 0<2 | 0.245 | 0.557 | 0.403 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.243 | 0.479 | 0.403 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.215 | 0.409 | 0.378 | 0.192 | 0.192 | 0.192 | |
| | 10 | 0.225 | 0.378 | 0.396 | 0.192 | 0.192 | 0.192 | |
| | 15 | 0.295 | 0.507 | 0.526 | 0.192 | 0.192 | 0.192 | |
| | 20 | 0.374 | 0.651 | 0.671 | 0.192 | 0.192 | 0.192 | |
| | 25 | 0.459 | 0.804 | 0.825 | 0.192 | 0.192 | 0.192 | |
| | 30 | 0.549 | 0.965 | 0.987 | 0.192 | 0.192 | 0.192 | |
| | 35 | 0.644 | 1.134 | 1.157 | 0.192 | 0.192 | 0.192 | |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 8x8x8 | 0<2 | 0.226 | 0.575 | 0.42 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 2<3 | 0.224 | 0.494 | 0.42 | 0.192 | 0.192 | 0.192 | 0.192 |
| | 3-5 | 0.201 | 0.423 | 0.393 | 0.192 | 0.192 | 0.192 | |
| | 10 | 0.211 | 0.386 | 0.407 | 0.192 | 0.192 | 0.192 | |
| | 15 | 0.276 | 0.518 | 0.54 | 0.192 | 0.192 | 0.192 | |
| | 20 | 0.349 | 0.665 | 0.688 | 0.192 | 0.192 | 0.192 | |
| | 25 | 0.427 | 0.822 | 0.846 | 0.192 | 0.192 | 0.192 | |
| | 30 | 0.51 | 0.988 | 1.013 | 0.192 | 0.192 | 0.192 | |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 9x5x9 | 0<2 | 0.305 | 0.488 | 0.349 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 2<3 | 0.305 | 0.427 | 0.349 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 3-5 | 0.29 | 0.375 | 0.336 | 0.216 | 0.216 | 0.216 | |
| | 10 | 0.318 | 0.37 | 0.382 | 0.216 | 0.216 | 0.216 | |
| | 15 | 0.42 | 0.493 | 0.506 | 0.216 | 0.216 | 0.216 | |
| | 20 | 0.538 | 0.631 | 0.645 | 0.216 | 0.216 | 0.216 | |
| | 25 | 0.664 | 0.777 | 0.791 | 0.216 | 0.216 | 0.216 | |
| | 30 | 0.797 | 0.928 | 0.943 | 0.216 | 0.216 | 0.216 | |
| | 35 | 0.939 | 1.086 | 1.101 | 0.192 | 0.192 | 0.192 | |
| 9x6x9 | 0<2 | 0.286 | 0.514 | 0.376 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 2<3 | 0.286 | 0.453 | 0.376 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 3-5 | 0.263 | 0.399 | 0.362 | 0.216 | 0.216 | 0.216 | |
| | 10 | 0.29 | 0.393 | 0.409 | 0.216 | 0.216 | 0.216 | |
| | 15 | 0.382 | 0.524 | 0.541 | 0.216 | 0.216 | 0.216 | |
| | 20 | 0.487 | 0.672 | 0.689 | 0.216 | 0.216 | 0.216 | |
| | 25 | 0.599 | 0.828 | 0.846 | 0.216 | 0.216 | 0.216 | |
| | 30 | 0.718 | 0.991 | 1.01 | 0.216 | 0.216 | 0.216 | |
| | 35 | 0.844 | 1.16 | 1.18 | 0.216 | 0.192 | 0.192 | |
| 9x7x9 | 0<2 | 0.262 | 0.535 | 0.399 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 2<3 | 0.262 | 0.475 | 0.399 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 3-5 | 0.24 | 0.418 | 0.383 | 0.216 | 0.216 | 0.216 | |
| | 10 | 0.268 | 0.41 | 0.43 | 0.216 | 0.216 | 0.216 | |
| | 15 | 0.351 | 0.548 | 0.568 | 0.216 | 0.216 | 0.216 | |
| | 20 | 0.446 | 0.703 | 0.724 | 0.216 | 0.216 | 0.216 | |
| | 25 | 0.548 | 0.866 | 0.889 | 0.216 | 0.216 | 0.216 | |
| | 30 | 0.655 | 1.038 | 1.061 | 0.216 | 0.216 | 0.216 | |
| | 35 | 0.769 | 1.217 | 1.241 | 0.216 | 0.216 | 0.216 | |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 9x8x9 | 0<2 | 0.241 | 0.553 | 0.417 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 2<3 | 0.241 | 0.492 | 0.417 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 3-5 | 0.221 | 0.433 | 0.4 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 10 | 0.251 | 0.422 | 0.445 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 15 | 0.327 | 0.564 | 0.587 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 20 | 0.414 | 0.724 | 0.749 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 25 | 0.507 | 0.893 | 0.92 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 30 | 0.606 | 1.071 | 1.099 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 35 | 0.709 | 1.257 | 1.287 | 0.216 | 0.216 | 0.216 | 0.216 |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 9x9x9 | 0<2 | 0.224 | 0.567 | 0.432 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 2<3 | 0.224 | 0.505 | 0.432 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 3-5 | 0.216 | 0.444 | 0.413 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 10 | 0.238 | 0.429 | 0.455 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 15 | 0.309 | 0.573 | 0.6 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 20 | 0.39 | 0.737 | 0.765 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 25 | 0.477 | 0.91 | 0.94 | 0.216 | 0.216 | 0.216 | 0.216 |
| | 30 | 0.568 | 1.092 | 1.124 | 0.216 | 0.216 | 0.216 | 0.216 |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|------|------|------|------|
| 10x5x10 | 0<2 | 0.343 | 0.472 | 0.343 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 2<3 | 0.343 | 0.424 | 0.343 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 3-5 | 0.321 | 0.381 | 0.337 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 10 | 0.371 | 0.392 | 0.405 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 15 | 0.49 | 0.522 | 0.535 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 20 | 0.627 | 0.668 | 0.682 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 25 | 0.773 | 0.82 | 0.835 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 30 | 0.929 | 0.979 | 0.994 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 35 | 1.094 | 1.143 | 1.159 | 0.24 | 0.24 | 0.24 | 0.24 |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|------|------|------|------|
| 10x6x10 | 0<2 | 0.312 | 0.497 | 0.371 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 2<3 | 0.312 | 0.45 | 0.371 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 3-5 | 0.292 | 0.406 | 0.364 | 0.24 | 0.24 | 0.24 | |
| | 10 | 0.34 | 0.419 | 0.436 | 0.24 | 0.24 | 0.24 | |
| | 15 | 0.447 | 0.558 | 0.575 | 0.24 | 0.24 | 0.24 | |
| | 20 | 0.57 | 0.714 | 0.732 | 0.24 | 0.24 | 0.24 | |
| | 25 | 0.702 | 0.878 | 0.897 | 0.24 | 0.24 | 0.24 | |
| | 30 | 0.841 | 1.049 | 1.069 | 0.24 | 0.24 | 0.24 | |
| | 35 | 0.989 | 1.227 | 1.247 | 0.24 | 0.24 | 0.24 | |
| 10x7x10 | 0<2 | 0.286 | 0.518 | 0.395 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 2<3 | 0.286 | 0.472 | 0.395 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 3-5 | 0.27 | 0.426 | 0.387 | 0.24 | 0.24 | 0.24 | |
| | 10 | 0.315 | 0.44 | 0.461 | 0.24 | 0.24 | 0.24 | |
| | 15 | 0.412 | 0.586 | 0.607 | 0.24 | 0.24 | 0.24 | |
| | 20 | 0.524 | 0.751 | 0.773 | 0.24 | 0.24 | 0.24 | |
| | 25 | 0.643 | 0.924 | 0.947 | 0.24 | 0.24 | 0.24 | |
| | 30 | 0.769 | 1.105 | 1.129 | 0.24 | 0.24 | 0.24 | |
| | 35 | 0.902 | 1.293 | 1.319 | 0.24 | 0.24 | 0.24 | |
| 10x8x10 | 0<2 | 0.262 | 0.536 | 0.415 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 2<3 | 0.262 | 0.49 | 0.415 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 3-5 | 0.251 | 0.443 | 0.406 | 0.24 | 0.24 | 0.24 | |
| | 10 | 0.295 | 0.456 | 0.48 | 0.24 | 0.24 | 0.24 | |
| | 15 | 0.384 | 0.607 | 0.633 | 0.24 | 0.24 | 0.24 | |
| | 20 | 0.486 | 0.779 | 0.805 | 0.24 | 0.24 | 0.24 | |
| | 25 | 0.595 | 0.959 | 0.987 | 0.24 | 0.24 | 0.24 | |
| | 30 | 0.711 | 1.148 | 1.177 | 0.24 | 0.24 | 0.24 | |
| | 35 | 0.832 | 1.345 | 1.376 | 0.24 | 0.24 | 0.24 | |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 10x9x10 | 0<2 | 0.243 | 0.55 | 0.431 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 2<3 | 0.243 | 0.504 | 0.431 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 3-5 | 0.24 | 0.455 | 0.421 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 10 | 0.279 | 0.467 | 0.495 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 15 | 0.361 | 0.622 | 0.651 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 20 | 0.456 | 0.798 | 0.829 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 25 | 0.557 | 0.984 | 1.016 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 30 | 0.664 | 1.178 | 1.212 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 35 | 0.777 | 1.382 | 1.418 | 0.24 | 0.24 | 0.24 | 0.24 |
| 10x10x10 | 0<2 | 0.24 | 0.562 | 0.444 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 2<3 | 0.24 | 0.515 | 0.444 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 3-5 | 0.24 | 0.465 | 0.433 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 10 | 0.266 | 0.473 | 0.505 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 15 | 0.344 | 0.63 | 0.663 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 20 | 0.433 | 0.81 | 0.844 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 25 | 0.528 | 0.999 | 1.036 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 30 | 0.628 | 1.198 | 1.237 | 0.24 | 0.24 | 0.24 | 0.24 |
| | 35 | 0.728 | 1.397 | 1.436 | 0.24 | 0.24 | 0.24 | 0.24 |
| 11x4x11 | 0<2 | 0.41 | 0.43 | 0.306 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 2<3 | 0.41 | 0.391 | 0.306 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 3-5 | 0.395 | 0.357 | 0.305 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 10 | 0.465 | 0.378 | 0.388 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 15 | 0.617 | 0.502 | 0.512 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 20 | 0.791 | 0.64 | 0.65 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 25 | 0.979 | 0.784 | 0.795 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 30 | 1.179 | 0.933 | 0.944 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 35 | 1.393 | 1.086 | 1.099 | 0.264 | 0.264 | 0.264 | 0.264 |

KY Table 1

Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|
| 11x6x11 | 0<2 | 0.343 | 0.483 | 0.368 | 0.264 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 2<3 | 0.343 | 0.443 | 0.368 | 0.264 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 3-5 | 0.328 | 0.413 | 0.367 | 0.264 | 0.264 | 0.264 | | |
| | 10 | 0.393 | 0.445 | 0.462 | 0.264 | 0.264 | 0.264 | | |
| | 15 | 0.516 | 0.59 | 0.608 | 0.264 | 0.264 | 0.264 | | |
| | 20 | 0.657 | 0.754 | 0.773 | 0.264 | 0.264 | 0.264 | | |
| | 25 | 0.809 | 0.926 | 0.946 | 0.264 | 0.264 | 0.264 | | |
| | 30 | 0.969 | 1.104 | 1.125 | 0.264 | 0.264 | 0.264 | | |
| | 35 | 1.139 | 1.289 | 1.311 | 0.264 | 0.264 | 0.264 | | |
| 11x8x11 | 0<2 | 0.292 | 0.522 | 0.414 | 0.264 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 2<3 | 0.292 | 0.489 | 0.414 | 0.264 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 3-5 | 0.277 | 0.452 | 0.412 | 0.264 | 0.264 | 0.264 | | |
| | 10 | 0.342 | 0.488 | 0.514 | 0.264 | 0.264 | 0.264 | | |
| | 15 | 0.445 | 0.648 | 0.675 | 0.264 | 0.264 | 0.264 | | |
| | 20 | 0.563 | 0.829 | 0.857 | 0.264 | 0.264 | 0.264 | | |
| | 25 | 0.69 | 1.02 | 1.049 | 0.264 | 0.264 | 0.264 | | |
| | 30 | 0.823 | 1.219 | 1.249 | 0.264 | 0.264 | 0.264 | | |
| | 35 | 0.964 | 1.426 | 1.458 | 0.264 | 0.264 | 0.264 | | |
| 11x10x11 | 0<2 | 0.264 | 0.549 | 0.446 | 0.264 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 2<3 | 0.264 | 0.516 | 0.446 | 0.264 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 3-5 | 0.264 | 0.477 | 0.443 | 0.264 | 0.264 | 0.264 | | |
| | 10 | 0.308 | 0.512 | 0.546 | 0.264 | 0.264 | 0.264 | | |
| | 15 | 0.397 | 0.681 | 0.716 | 0.264 | 0.264 | 0.264 | | |
| | 20 | 0.5 | 0.872 | 0.91 | 0.264 | 0.264 | 0.264 | | |
| | 25 | 0.609 | 1.075 | 1.114 | 0.264 | 0.264 | 0.264 | | |
| | 30 | 0.724 | 1.286 | 1.327 | 0.264 | 0.264 | 0.264 | | |
| | 35 | 0.846 | 1.508 | 1.551 | 0.264 | 0.264 | 0.264 | | |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 11x11x11 | 0<2 | 0.264 | 0.559 | 0.457 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 2<3 | 0.264 | 0.525 | 0.457 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 3-5 | 0.264 | 0.485 | 0.453 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 10 | 0.296 | 0.518 | 0.556 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 15 | 0.381 | 0.688 | 0.728 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 20 | 0.478 | 0.883 | 0.925 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 25 | 0.581 | 1.089 | 1.133 | 0.264 | 0.264 | 0.264 | 0.264 |
| | 30 | 0.69 | 1.305 | 1.351 | 0.264 | 0.264 | 0.264 | 0.264 |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 12x4x12 | 0<2 | 0.429 | 0.42 | 0.303 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 2<3 | 0.429 | 0.39 | 0.307 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 3-5 | 0.428 | 0.363 | 0.309 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 10 | 0.519 | 0.394 | 0.403 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 15 | 0.694 | 0.525 | 0.536 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 20 | 0.89 | 0.669 | 0.68 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 25 | 1.101 | 0.819 | 0.83 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 30 | 1.326 | 0.973 | 0.985 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 35 | 1.566 | 1.132 | 1.145 | 0.288 | 0.288 | 0.288 | 0.288 |

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 12x6x12 | 0<2 | 0.37 | 0.473 | 0.366 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 2<3 | 0.37 | 0.447 | 0.37 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 3-5 | 0.361 | 0.42 | 0.372 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 10 | 0.442 | 0.466 | 0.482 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 15 | 0.587 | 0.621 | 0.64 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 20 | 0.748 | 0.792 | 0.812 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 25 | 0.92 | 0.971 | 0.992 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 30 | 1.102 | 1.157 | 1.178 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 35 | 1.296 | 1.349 | 1.372 | 0.288 | 0.288 | 0.288 | 0.288 |

KY Table 1
Precast Culvert KYHL-93 Design Table

| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|
| 12x8x12 | 0<2 | 0.318 | 0.512 | 0.414 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 2<3 | 0.318 | 0.489 | 0.418 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 3-5 | 0.31 | 0.461 | 0.419 | 0.288 | 0.288 | 0.288 | |
| | 10 | 0.387 | 0.515 | 0.539 | 0.288 | 0.288 | 0.288 | |
| | 15 | 0.509 | 0.687 | 0.715 | 0.288 | 0.288 | 0.288 | |
| | 20 | 0.645 | 0.877 | 0.907 | 0.288 | 0.288 | 0.288 | |
| | 25 | 0.789 | 1.077 | 1.108 | 0.288 | 0.288 | 0.288 | |
| | 30 | 0.942 | 1.285 | 1.317 | 0.288 | 0.288 | 0.288 | |
| | 35 | 1.103 | 1.502 | 1.535 | 0.288 | 0.288 | 0.288 | |
| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
| 12x10x12 | 0<2 | 0.288 | 0.54 | 0.449 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 2<3 | 0.288 | 0.518 | 0.452 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 3-5 | 0.288 | 0.489 | 0.452 | 0.288 | 0.288 | 0.288 | |
| | 10 | 0.348 | 0.545 | 0.578 | 0.288 | 0.288 | 0.288 | |
| | 15 | 0.454 | 0.728 | 0.765 | 0.288 | 0.288 | 0.288 | |
| | 20 | 0.571 | 0.931 | 0.97 | 0.288 | 0.288 | 0.288 | |
| | 25 | 0.696 | 1.145 | 1.186 | 0.288 | 0.288 | 0.288 | |
| | 30 | 0.828 | 1.368 | 1.412 | 0.288 | 0.288 | 0.288 | |
| | 35 | 0.967 | 1.601 | 1.647 | 0.288 | 0.288 | 0.288 | |
| Design Earth Cover, ft | As1 | As2 | As3 | As4 | As7 | As8 | As5 | As6 |
| 12x12x12 | 0<2 | 0.288 | 0.557 | 0.472 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 2<3 | 0.288 | 0.536 | 0.475 | 0.288 | 0.288 | 0.288 | 0.288 |
| | 3-5 | 0.288 | 0.505 | 0.475 | 0.288 | 0.288 | 0.288 | |
| | 10 | 0.323 | 0.558 | 0.601 | 0.288 | 0.288 | 0.288 | |
| | 15 | 0.418 | 0.747 | 0.794 | 0.288 | 0.288 | 0.288 | |
| | 20 | 0.523 | 0.958 | 1.007 | 0.288 | 0.288 | 0.288 | |
| | 25 | 0.634 | 1.18 | 1.231 | 0.288 | 0.288 | 0.288 | |
| | 30 | 0.752 | 1.412 | 1.467 | 0.288 | 0.288 | 0.288 | |