

A REQUEST FOR PROPOSAL FOR PROFESSIONAL SERVICES CONTRACT

Department of Highways Professional Services Procurement Bulletin 2021-01 Statewide Highway Safety Improvement Services

This document constitutes a Request for Proposals for a Professional Service Contract from qualified individuals and organizations to furnish those services as described herein for the Commonwealth of Kentucky, Department of Highways.

I. PROJECT DESCRIPTION

This contract is to provide necessary statewide Highway Safety Improvement Services. Seven (7) consultants will be selected to provide these services on an as-needed basis for two years.

II. PROJECT INFORMATION

Project Manager - Michael Vaughn, P.E.
User Division - Traffic Operations
Approximate Fee - \$2,000,000 per contract (Upset Limit)
Work will be assigned via Letter Agreement, not to exceed \$500,000 per Letter Agreement
Project Funding - Federal Funds
Contract Term - Two Years

III. PURPOSE AND NEED

The Traffic Engineering Branch within the Division of Traffic Operations manages the Highway Safety Improvement Program (HSIP). The mission of the HSIP is to reduce the number of fatal and serious injury crashes along Kentucky highways by implementing various safety countermeasures via construction projects on roadway sections selected and prioritized through a data-driven process. Currently, the workload of the HSIP staff exceeds the capacity of the group to develop and deliver these projects to letting efficiently; therefore, additional staff and specific expertise is needed to accomplish this objective.

IV. DBE REQUIREMENT

The Consultant team shall include a DBE Participation Plan with their Response to Announcement to help the Department meet the 11.95% DBE goal established by FHWA. The plan needs to demonstrate how DBE companies will be mentored or used to assist in the area(s) pertaining to this contract. An additional page will be allowed in the Project Approach (Page 7) to demonstrate this plan. A maximum of 8 points will be considered in the Evaluation Factors for the DBE Participation Plan.

V. SCOPE OF WORK

The selected Consultants will be responsible for working with the Central Office Division of Traffic Operations, HSIP staff, to provide engineering and other project development services, as described herein, on an “as-needed” basis for various HSIP projects. In general, these services will be conducted for the study of crash and roadway data to determine potential improvement options and the development of abbreviated construction plans and/or proposal documents, project specific specifications, and estimates for HSIP projects statewide. While HSIP projects will primarily occur along state maintained routes, projects may be along any public road, including county roads and city streets. The selected Consultants should possess and demonstrate a comprehensive understanding of safety-related knowledge to ensure that the entire project development process focuses on improving the safety performance of the project. Recent evaluations of Kentucky’s HSIP continue to show a high rate of return on the investments made through HSIP projects. As a result, the Department desires the HSIP project development process to proceed expeditiously so projects can be let to construction as soon as possible in order to realize the safety benefits of the improvements. Therefore, the selected Consultants should demonstrate their capability to develop and deliver HSIP projects to letting quickly and efficiently and should identify any unique strategies they plan to utilize to ensure rapid project development. The services to be provided may include, but are not limited to, any or all of the following:

1. Survey, Inventory, and Assessment of Roadway Features and Elements
2. Review and Analysis of Crash and Roadway Data
3. Development of Potential Improvement Options
4. Safety Performance Analysis and Comparison of Improvement Options
5. Specifications, Estimates, Special Notes, and Proposal Development
6. Right of Way Plans, Traffic Control Plans, and Final Roadway Plans
7. Signing, Striping, and Pavement Marking Plans
8. Drainage (Hydraulic Design, Hydrologic Studies, and Drainage Structure Design)
9. Environmental Services
10. Geotechnical Services (Exploration, Testing, Analysis, Design)
11. Structure Design (Earth Retaining Structures, Box Culverts, Minor Bridge Retrofits)
12. Right of Way Services (MAR type acquisitions)
13. Utility Location, Relocation Coordination, and Utility Design

HSIP staff will notify the selected Consultants in writing, or via email, when services are needed on a project by project basis. A scoping meeting will be held for each assigned project to determine the services the Consultant will be required to provide. HSIP projects typically originate from one of several HSIP initiatives. The following are the current list of HSIP initiatives that may be assigned to the selected Consultants:

- Roadway Departure (RD) Corridors
- Systemic Roadway Departure
- Intersection Emphasis List
- Intersection Corridors
- Road Diets
- Innovative Intersections

On a project by project basis, HSIP staff will provide the Consultant with highway safety design concepts and construction strategies aimed at the primary HSIP initiative from which the project originates. During the project development process, the selected Consultant may be required to

coordinate with, and involve staff from, the associated District Office and/or Local Public Agency representatives. NOTE: Central Office HSIP staff will always be the overall project manager of any and all HSIP projects assigned under this statewide contract.

VI. SPECIAL INSTRUCTIONS

Seven (7) consultants will be selected to provide these services for a period of two (2) years with no new work assigned after two years from the Notice to Proceed, although the contract may be extended for time to complete work already assigned. Contracts will have an upset limit of \$2,000,000. Once the upset limit is reached or the two year term has expired, services may be re-advertised and no additional Letter Agreements will be executed under the contract. Contracts will not be modified to increase the upset limit or extended for time to assign new work. No Letter Agreement shall exceed \$500,000 without written approval from the State Highway Engineer.

The Selection Committee will randomly draw from the pool of selected Consultants and list in consecutive order to determine the initial order for which projects will be assigned. Projects will generally be assigned on a rotational basis. The Department reserves the right to select one of the firms outside of the assignment order for a particular project if it is to the benefit of the Department. That firm, if selected out of order, will be skipped in the rotation when their turn comes and the regular order will be followed thereafter. The Division of Traffic Operations reserves the right to group multiple projects together as one offering if it is advantageous to the Department. The Department may also add additional work to an existing Letter Agreement, if needed. A firm will not be offered an additional project until the remaining firms on the list have been offered a project. If a firm declines to accept a project, that firm will not be eligible to accept another project until the remaining firms on the list have been offered a project. If a firm declines a project or does not respond to an invitation to perform services for a project within five (5) business days, documentation shall be provided in the project files and the next firm on the rotating list shall be offered the project.

The Department may retain any of the advertised services to be performed by in-house state forces.

The Department will allow the following modifications to the standard response format for response to the Statewide Highway Safety Improvement Program advertisement only:

- Page 3: Project Team Organizational Chart, may be expanded, not to exceed one 11" x 17" page or two 8.5" x 11" pages.
- Page 4 (A-E): Relative Experience of Key Project Team Members, may be expanded, not to exceed 10 pages total (A-J).
- Page 6 (A-E) Relative Experience of Proposed Team, may be expanded, not to exceed 10 pages total (A-J).
- Page 7 (A-C) Project Approach, may be expanded, not to exceed 6 pages total inclusive of the additional DBE Participation Plan (A-F).

Instructions for Response to Announcement can be found at:

<https://transportation.ky.gov/ProfessionalServices/Pages/Respond-to-an-Announcement.aspx>

VII. AVAILABLE INFORMATION

The Department will furnish any plans, specifications, reports, or other information in the

possession of the Department needed for providing the services desired.

VIII. ROADWAY DESIGN

A determination will be made during the scoping of a project as to the extent of Roadway Design Services that will be needed for each project. When roadway design is required for a project, the roadway design services will include all design engineering and studies required for the development of plans and/or proposal documents. The scope of effort required will vary on a project by project basis and will depend on the extent of safety deficiencies within a project and the available project budget. After identifying safety deficiencies, the selected Consultants will be responsible for making recommendations for improving the deficiencies and responsible for conducting the necessary studies and/or analyses to support these recommendations. This will include associated cost estimates, and for some deficiencies, multiple improvement options may be needed so that the most appropriate option can be selected based on benefit, such as predicted safety performance, cost, environmental factors, and/or other specific factors.

In general, HSIP projects are developed and let to construction as "Proposal Only" projects. Therefore, if plan & profile sheets, pipe sheets, cross sections, summary sheets, detail sheets, etc. are required, these sheets shall be submitted on 8.5" x 11" size sheets. For certain projects, it may be appropriate to submit 11" x 17" size sheets. The scale of the sheets can be varied depending upon the information that is being conveyed.

IX. SURVEY AND INVENTORY

A determination will be made during the scoping of a project as to the extent of surveying that will be needed for each project. Appropriate survey methods will be determined on a project by project basis. Survey work may include any, or all, of the following: reconnaissance, control, planimetric survey, utility location, subsurface utility location according to ASCE standards, terrain survey, establishing property lines, and staking.

A determination will be made during the scoping of a project as to the extent of inventorying that will be needed for each project. Inventory work may include, but not limited to, determining and documenting the location, geometry, condition, safety, and/or type of any, or all, of the following existing roadway features or elements: curves (and associated superelevation cross slopes), shoulders, roadside slopes, ditches, drainage structures, guardrail, signage, and pavement markings. Because many roadway features are best located by milepoint, the selected Consultants will need to provide a Digital Measuring Instrument (DMI) for certain inventory purposes. The selected Consultants should also have the capability to work with KYTC's Highway Information System (HIS) database and GIS database.

X. TRAFFIC ENGINEERING

A determination will be made during the scoping of a project as to the extent of the Traffic Engineering Services that will be needed for each project. On most projects, Traffic Engineering Services may include highway signing and markings. The selected Consultants will be required to determine the appropriate signing and markings based on the current edition of the MUTCD. Signing may include regulatory, warning, and/or guide signing. Panel signing will not be required in this contract. For some projects, Traffic Engineering Services may include a capacity analysis to determine the traffic capacity effects of an improvement option. On rare occasions, Traffic

Engineering Services may include traffic modeling to further determine the effects of an improvement option.

XI. CRASH DATA AND/OR SAFETY PERFORMANCE ANALYSIS

A determination will be made during the scoping of a project as to the extent of Crash Data and/or Safety Performance Analysis needed for each project. Most projects will include a basic review and analysis of historical crash data. This may range from compilation of general crash data statistics to filtering and categorization of crash data based on crash types, pavement conditions, lighting conditions, time of day, time of year, etc. The goal is to identify any crash trends that could possibly be mitigated through the implementation of a specific countermeasure.

A Safety Performance Analysis and/or study to determine an approximate return on investment may be required for some projects. The selected Consultant should demonstrate familiarity with resources such as the Highway Safety Manual (HSM), Interactive Highway Safety Design Module (IHSDM), and/or the Crash Modification Factors (CMF) Clearinghouse. The goal is to determine the potential safety benefit of the improvement options that are being considered for a specific project. This information coupled with cost and other factors, such as Right-of-Way, Utility, and Environmental impacts, will allow for more informed decision making during the Preliminary Review stage of a project.

XII. DRAINAGE

A determination will be made during the scoping of a project as to the extent of Drainage Design that will be needed for each project. The scope of effort required will vary on a project by project basis. When drainage is involved in HSIP projects, typically, it only includes culvert and entrance pipe replacements or extensions. However, on occasion, larger drainage structures, such as reinforced concrete box culverts, will need to be extended or replaced. The selected Consultants will be responsible for the development of plans and/or special drainage analyses. Required services may include:

- Performing watershed and/or drainage network analyses
- Developing hydraulic models for watershed and/or drainage networks
- Performing hydraulic analyses for storm sewers, culvert pipe, and/or box culverts
- Analyzing buried structures for structural integrity

XIII. GEOTECHNICAL SERVICES AND STRUCTURE DESIGN

Generally, it is at the Preliminary Review Meeting when a determination will be made as to whether or not a project will require Geotechnical Services and/or Structure Design, and whether these services will be performed by the Consultant or by the Department. If performed by the Consultant, a supplemental letter agreement will be issued to assign the additional work. Geotechnical Services are anticipated to be coring, soils strength, and slope stability analysis. Structure Design is anticipated to be box culvert extensions, earth retaining structures, and minor bridge retrofits.

XIV. RIGHT OR WAY

Most HSIP projects have the goal of implementing improvements within existing right of way. When potential improvement options require the acquisition of additional right of way, the selected

Consultant shall identify and show the property owner information on the plans, along with the existing right of way, property lines, and proposed right of way. Right of Way summary sheets shall be provided at the Preliminary Review Meeting showing the estimated areas of taking for each improvement option. Generally, it is at the Preliminary Review Meeting when a determination will be made as to whether or not a project will require Right of Way Services, and whether the services will be performed by the Consultant or by the Department. If performed by the Consultant, a supplemental letter agreement will be issued to assign the additional work. When right of way is needed for an HSIP project, it will generally be minimal; therefore, it is anticipated that most right of way will be acquired using the minor acquisition review (MAR) valuation and acquisition process. However, the selected Consultant may be responsible for any, or all, of the following: appraisals, appraisal reviews, negotiations, relocation assistance, project management, titles and closings, property management, and other related acquisition services. All Right of Way Services performed by the selected Consultant shall adhere to Federal and State regulations, and conform to the policies and procedures outlined in the Right of Way Guidance Manual. Appraisers must be selected from the KYTC ROW list of pre-qualified real estate appraisers. A copy of the list can be obtained by contacting Eric Monhollon at Eric.Monhollon@ky.gov. The selected Consultant agrees that, upon request, staff will be available to assist in responding to FHWA or State inquiries or citations. The selected Consultant will be responsible for maintaining all files while performing Right of Way Services. Once Right of Way Services are completed for a project, all files will be turned in and submitted to the District Right of Way Supervisor.

Sub-Providers providing Right of Way Services for any project shall meet the same requirements and level of experience as required of the prime. No subcontract under the letter agreement shall relieve the primary respondent of responsibility for the service. If the respondent uses a Sub-Provider for any, or all, of the work required, the following conditions shall apply under the listed circumstances:

- Respondents planning to subcontract all or a portion of the work shall identify the proposed Sub-Providers.
- Subcontracting shall be at the respondent's expense.
- KYTC retains the right to check Sub-Provider's background and make a determination to approve or reject the use of submitted Sub-Providers.

XV. UTILITIES

Most HSIP projects have the goal of implementing improvements without impacting existing utilities. The selected Consultant will be responsible for locating the existing utilities to determine if potential improvement options will impact an existing utility, and if so, the feasibility of utility relocation and the associated cost estimate(s). All utilities, including aerial carriers, may need to be field-verified by the Consultant. For HSIP projects this will typically be Quality Levels C & D; however, Quality Levels A and/or B may also be needed on a project by project basis. Depending on the final improvement options that are selected, the selected Consultant may be required to perform additional Utility Services, such as, but not limited to: Utility Relocation Coordination, assisting the Department with Utility Design Plans, and/or developing the Utility Contact List. Generally, it is at the Preliminary Review Meeting when a determination will be made as to whether or not a project will require additional Utility Services, and whether the services will be performed by the Consultant or by the Department. If performed by the Consultant, a supplemental letter agreement will be issued to assign the additional work.

XVI. ENVIRONMENTAL SERVICES

Generally, it is at the Preliminary Review Meeting when a determination will be made as to whether Environmental Services will be performed by the Consultant or by the Department. If performed by Consultant, a supplemental letter agreement will be issued to assign the additional work. The required Environmental documentation will be determined based on the improvement options that are selected at the Preliminary Review Meeting. For most HSIP projects it is anticipated that the Environmental Document will be a CE Level 1 or CEMP. If Environmental Services are performed by the Consultant, the selected Consultant may be responsible for any, or all, of the following:

A. Environmental Services

- A.1** Environmental studies required to obtain location approval including Air Quality Analysis, Highway Noise Analysis, Socioeconomic Impact Analysis, Aquatic Ecosystem Analysis, Terrestrial Ecosystem Analysis, Wetland Delineation, Stream Classification, Section 401/404 permitting, Underground Storage Tank and Hazardous Material Investigations, and Cultural Historic/Archaeological Resource Investigations.
- A.2** Mitigation and Remediation as required in any of the aforementioned studies.

B. Document Preparation

- B.1** Technical reports necessary to adequately address specific areas of impact in each of the aforementioned areas.
- B.2** Environmental documentation (CE) necessary for project location approval.
- B.3** Design drawings and data necessary for 401/404 WQC/permit applications.

C. Laboratory Services

Interested Consultants will not be required to comply with the requirement of utilizing a laboratory prequalified with the KYTC and for UST/Hazmat Services. Criteria for identification of acceptable testing facilities will be discussed with the selected Consultant(s) who will provide KYTC with a proposed list of laboratories for approval.

XVII. PREQUALIFICATION REQUIREMENTS

To respond to this project, the Consultant must be prequalified in the following areas by the response due date of this advertisement.

ROADWAY DESIGN

- Rural Roadway Design
- Urban Roadway Design
- Surveying

STRUCTURE DESIGN

- Spans under 500 feet

TRAFFIC OPERATIONS

- Traffic Engineering Services

GEOTECHNICAL SERVICES *(please see note below)*

- *Drilling Services*
- *Engineering Services*

- *Laboratory Testing Services*

[RIGHT OF WAY SERVICES](#) (please see note below)

- *Right of Way Acquisition*

[ENVIRONMENTAL ARCHAEOLOGY & OTHER SERVICES](#) (please see note below)

- *Prehistoric*
- *Historic*
- *Highway Noise*
- *Air Quality Analysis*
- *Socioeconomic Analysis*
- *Cultural Historic Analysis*

[ENVIRONMENTAL AQUATIC & TERRESTRIAL ECOSYSTEMS ANALYSIS](#) (please see note below)

- *Fisheries*
- *Macro-invertebrates*
- *Water Quality*
- *Botany*
- *Zoology*
- *Wetlands*

[ENVIRONMENTAL & UST SERVICES](#) (please see note below)

- *Hazmat Preliminary Site Assessment (Phase I)*
- *Hazmat Site Recon/Sampling (Phase II)*
- *UST Preliminary Site Assessment*

[ENVIRONMENTAL & UST SERVICES](#) (please see note below)

- *Hazmat Preliminary Site Assessment (Phase I)*
- *Hazmat Site Recon/Sampling (Phase II)*
- *UST Preliminary Site Assessment*

[UTILITY DESIGN SERVICES](#) (please see note below)

- *Communication*
- *Electrical Level 1*
- *Electrical Level 2*
- *Gas Level 1*
- *Gas Level 2*
- *Water & Sewer Level 1*
- *Water & Sewer Level 2*
- *Petroleum*
- *Utility Preconstruction Coordination*
- *Utility Construction Inspection*

Note – Geotechnical, Right of Way, Environmental, and Utility Design prequalifications are not required with the initial proposal as it is uncertain to the extent practicable if they are necessary. Should any of these services become necessary during the delivery of the project, the selected Consultant team must obtain the required qualifications before providing those services.

XVIII. PROCUREMENT SCHEDULE

Dates other than Response Date are tentative and provided for information only.

- Advertisement Date: July 14, 2020
- Response Date: August 5, 2020 by 4:30 PM ET (Frankfort Time)
- First Selection Meeting: August 10, 2020
- Final Selection: August 26, 2020
- Pre-Design Conference: September 2, 2020
- Notice to Proceed: September 23, 2020

XIX. PROJECT SCHEDULE

Individual project schedules will be defined by Letter Agreement on a project-by-project basis.

XX. EVALUATION FACTORS

Consultants will be evaluated by the selection committee based on the following weighted factors:

1. Project approach and proposed procedures to accomplish the services for the project. (30 Points)
2. Relative experience of proposed team on projects of similar type and complexity. (20 Points)
3. Proposed procedures to develop and deliver projects to letting quickly and efficiently. (20 Points)
4. Relative experience of key project team members. (10 Points)
5. Available team workload capacity to comply with project schedule. (10 Points)
6. DBE Participation Plan (8 Points)
7. Knowledge of the locality and familiarity of the general geographic area. (2 Points)

XXI. SELECTION COMMITTEE MEMBERS

1. Michael Vaughn, P.E., User Division
2. Nathan Ridgway, P.E., User Division
3. David Erickson, P.E., Secretary's Pool
4. Erika Drury, P.E., Secretary's Pool
5. R. Bruce Scott, P.E., Governor's Pool